This product is send cherita y the country in enter dince with FIFTH. sec. 3(c)(7)(A) provided that Your

1. Substitution of the III data required by registration/reregistration of your product upder FEFRA and 110 (5) when the Armery requires all registrants of similar products of whomever the

Permethrin (#3-Phenoxyphenyl)methyl (*) cistrans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate] 0.101x Related compounds 0.009x INERT INGREDIENTS: 99.778* 100.000% *cis-trans isomer ratio: min. 35% (*) cis max. 65% (*) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

MANUFACTURED BY: ELITE CHEMICAL CORPORATION. INC. P. O. BOX 1947, NORCROSS, GEORGIA 30091

EPA Est. No. 51793-GA-1 EPA Reg. No. 51793-

NET CONTENTS OZ

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HOLD CONTAINER UPRIGHT. SHAKE WELL BEFORE USING. This product will kill fleas up to 14 days and ticks up to 4 days on dogs. This product will kill flassers to 14 days and ticks up to 9 with COMMENTS days on cats. In EPA Letter Dated: Page 1 02/14/89 EL092

AUG 3 J 1990

n the Cedarii Itseccicide. Bida and Redenticide Act as a coll 192-92

Spray the animal from a distance of 8-12 inches. Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered, including the legal and under the body. Fluff the hair as you spray so the spray will penetrate to the skin. The spray should wet the ticks thoroughly. Do not apray in face, eyes or on genitalia. Repeat as needed.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat and open

flame. Store above 32°F and protect from

freezing.

Disposal: Do not re-use empty container. Wrap original

container in several layers of newspaper and

discard in trash.

PRECAUTIONARY STATEMENTS
CAUTION

Hazards to Humans and Domestic Animals

Harmful if swellowed. Avoid breathing vapors. Do not spray in eyes, face or on genitalia. Do not use on nursing puppies or kittens under 3 months of age. Mitt or glove should be worn when applying this product to animals. Do not use this or any other pesticide on sick, old or dibilitated pets.

PHYSICAL and CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything to an unconcious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

JF IN EYES: Flush eyes with plenty of water. Call a

physician if irritation persists.

1 by mouth