# IINITED STATES ENVIRONMENTAL PROTECTION AGENCY

JUN 20 1989

17 2

Mr. Rob Adams Elite Chemical Corporation P.O. Box 1947 Norcross, GA 30091

Dear Mr. Adams:

Subject: Elite Rotenonè Fire Ant Killer EPA Registration No. 51793-100

Your Corrected Label Submission Dated May 9, 1988

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

This label supersedes all previously accepted labels.

Sincerely yours,

Phil Hutton

Product Manager (17)

Insecticide-Rodenticide Branch Registration Division (H7505C)

Erclosure

52315:I:Schroeder:C.Disk:KENCO:05/11/89:aw:vo:jh:rw

CONCURRENCES							
SYMBOL							
BL MAME							
DATE							

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JHN 20 1989

Under the Fungicide, a discrete Act as amended, for the pesticide registered under FPA Reg. No.

### ELITE ROTENONE FIRE ANT KILLER

#### KILLS FIRE ANTS

Concentrated
One Tablespoon (1/2 oz) makes 2 gallons of mound drench.

#### ACTIVE INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN

#### WARNING

See Back Panel for Additional Precautionary Statements

#### MANUFACTURED BY:

ELITE CHEMICAL CORPORATION, INC. P. O. BOX 1947, NORCROSS, GEORGIA 30091

EPA Lat. No. 51793-GA-1

EPA Reg: No. 51793-

NET CONTENTS\_\_ OZ

#### DIRECTIONS FOR USE

It a violation of Federal Law to use this product in a mainer inconsistent with its labeling.

Fire Ant Drench: For use in lawns, gardens, grounde erounde buildings, fields, agricultural land, wasteland, golf courses, recreational areas, campgrounds.

For control of an individual fire ant mound measuring 2-9 inches (5-25 cm) high and 5-21 inches (12-60 cm) in diameter, mix 1 tablespoon, 1/2 ounce (14.6 ml) of Elite Rotatione Fire. Ant Killer in 2 gallons of water (7.57 L) and thoroughly egitats until completely mixed.

Apply this mixture to the undisturbed mound by first using some on the dome to soften the crust. Then use some to completely soak the perimeter. The remainder should be poured from a height of about 3 ft (1m) so as to break into the dome and allow the mixture to flow into the underground ant tunnels. Repeat in 7-10 days or as necessary. For larger mounds, apply greater volumes of diluted material.

#### STORAGE AND DISPOSAL

Storage: For containers 1 gallon and under: Store in a locked storage area away from heat or open flame.

Pesticide Disposal: For containers over 1 gallon: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environment Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: For containers 1 gallon and under: Do not reuse empty container. Wrap and put in trash. For containers over 1 gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

# PRECAUTIONARY STATEMENTS WARNING Hazards to Humans and Domestic Animals

May be fatal if swallowed. Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating or smoking.

### STATEMENT OF PRACTICAL TREATHE T

If Swallowed: Call a physician or Poison Control Center. Do not induce vomiting. This product contains aromatic petroleum solvent. Aspiration may be a hezard.

If In Eyes: Flush with plenty of water. Get medical attention if irritation persists.


If On Skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

# **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

# PHYSICAL AND CHEMICAL HAZARDS

FLAMMABLE: Do not use or store near heat or open flame. Flashpoint minimum 45 F (7 C).



FOR EVALUATION PURPOSES ONLY