

**ELITE RESIDUAL MIST PLUS CONCENTRATE**

**FOR  
HORSES - FOALS - DOGS - PUPPIES - CATS - KITTENS**

**WITH PYRETHRINS, PERMETHRIN, LANOLIN, ALOE VERA AND PABA  
SUNSCREEN**

**FOR IMMEDIATE AND TEMPORARY CONTROL  
OF**

**FACE FLIES - STABLE FLIES - HORSE FLIES - DEER FLIES  
FLEAS - TICKS - MOSQUITOES - GNATS - MITES - CHIGGERS - LICE**

**Repels House Flies 2-3 Days**

**ACTIVE INGREDIENTS:**

*Permethrin.....	1.00%
Perethrins.....	0.50%
**Piperonyl Butoxide, Technical.....	1.85%
N-Octyl bicycloheptene dicarboximide.....	3.10%
Di-n-propyl isocinchomeronate.....	2.50%
INERT INGREDIENTS:.....	<u>91.05%</u>
	100.00%

\* [(3-phenoxyphenol) methyl (+, cis, trans -3(2,2-dichloroethylenyl) 2,2-dimethyl cyclopropane carboxylate] cis/trans isomer ratio: Min 35% (±) cis Max 65% (±) trans

\*\*Equivalent to 1.48% (butylcarbityl) (6-propylpiperonyl) ether and 0.37% related compounds.

-----  
**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**See Side Panels for Additional Precautionary Statements**  
-----

**MANUFACTURED BY:  
ELITE MANUFACTURING & PACKAGING, INC.  
225 F HORIZON DRIVE, SUWANEE, GEORGIA 30174**

EPA Est. No. 51793-GA-1

EPA Reg. No. 51793-107

NET CONTENTS      OZ

**ACCEPTED**  
JUN 11 1991

U.S. Environmental Protection Agency  
Office of Pesticide Programs  
Registration Division  
P.O. Box 1799-190

**BEST AVAILABLE COPY**

2 of 4

**INDICATIONS:** This product contains two insecticide systems and two repellents for use on animals for immediate and temporary control of face flies, stable flies, horse flies, deer flies, fleas, ticks, mosquitoes, gnats, mites, chiggers, lice and house flies.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### **SHAKE WELL BEFORE USE**

##### **HORSES**

Thoroughly brush the horse's coat, prior to application, to remove loose dirt and debris. For dirty horses, and as a preparation for show grooming, clean the coat with a quality shampoo.

Use at a 1 to 4 ratio with water. Put required amount of concentrate into sprayer or mixing container and add appropriate amount of water (one pint of concentrate makes five pints of spray). Cover entire surface of animal with spray, but avoid getting product into horse's eyes or other sensitive areas such as mouth or nose. Spray horse's coat especially around shoulders, flanks, neck and legs. Brush coat against grain while spraying to insure adequate penetration of product. Make sure application has completely dried on hair coat before covering with tack. As a wipe, apply liberally with a clean cloth or sponge. For initial treatment, apply daily. As infestation subsides and protection builds, reapply every 2-3 days as needed. Also, reapply every time animal is washed or exposed to a heavy rain.

##### **DOGS AND CATS**

Cover animal's eyes with hand and with a firm, fast stroke, to get a proper spray mist, spray head, ears and chest until damp. With fingertips, rub into face around mouth, nose and eyes. Next, spray neck, middle and hind quarters, finishing legs last. For best penetration of spray to the skin, direct spray against the natural lay of the hair. On long haired animals, rub your hand against the lay of the hair, spraying the ruffled hair directly behind the hand. Make sure spray thoroughly wets ticks.

For initial treatment, apply at a 1 to 4 ratio with water. Put the required amount of concentrate into sprayer or mixing container and add appropriate amount of water (one pint of concentrate makes five pints of spray). As infestation subsides and protection builds, reapply every 2-3 days as needed or as prescribed by a veterinarian. Also reapply every time animal is washed or exposed to a heavy rain. Depending on reinfestation levels in the animal's environment, extended insecticide and repellent actions have been demonstrated with this product.

394

**TO KILL FLEAS, LICE AND TICKS ON DOGS AND CATS:** Dilute 6.4 ounces of product with 1 gallon of warm water (1 to 19 ratio). Work in a well ventilated area. Dip, sponge, or swab animal with diluted solution making sure hair is thoroughly wet to the skin. Area around the ears should be sponged thoroughly. Avoid contact of material with eyes and mouth of animal. Dipping should not exceed 30 seconds. Allow animal to dry in a warm place without rinsing or toweling. Repeat application every 2 weeks or as necessary.

**FOR KENNEL AND YARD SPRAY**

Thoroughly mix concentrate as a 1 to 4 ratio with water. Put the required amount into sprayer or mixing container and add appropriate amount of water (one pint of concentrate makes five pints of spray). Remove animals before spraying. Spray only ground, grass, runs and pet's quarters. Do not spray vegetation, plants, or trees with this concentration. Repeat treatment if necessary.

**FOR STABLES AND BARN**

Use at a 1 to 19 ratio with water. Put required amount of concentrate into sprayer or mixing container and add appropriate amount of water (6.4 ounces of concentrate makes one gallon of spray.)

To apply as a space spray, use a hand sprayer or mechanical spray equipment (non-thermal). Set spray nozzles to deliver a fine mist. Direct spray to distribute evenly throughout the entire area at a rate of one ounce per 1000 cubic feet of space.

Do not use in milk rooms. For space spraying, do not remain in treated areas and ventilate before reoccupying. Animals should be removed from area prior to treatment.

**STORAGE:** Store in a cool, dry area. Do not contaminate water, food or feed by storage or disposal.

**DISPOSAL:** Do not reuse empty container. Wrap and put in trash.

**PRECAUTIONARY STATEMENTS**

**CAUTION**

**Hazards To Humans And Domestic Animals**

**HUMANS:** Causes substantial but temporary eye injury.

Harmful if swallowed, inhaled or absorbed through the skin.

Avoid contact with skin, eyes of clothing. Avoid breathing

spray mist. Wear goggles, face shield or safety glasses.

Wash thoroughly with soap and water after handling. Remove

contaminated clothing and wash before reuse. This product

may cause allergic reactions in some people.

**ANIMALS:** Avoid contact with eyes or mucous membranes. Do not

treat nursing puppies, kittens or foals under 6 weeks of age.

Do not use on animals intended for food.

**Do Not Use This Or Any Other Pesticide On Sick, Old, Or Debilitated Pets.**

**PHYSICAL OR CHEMICAL HAZARDS**

Keep away from heat and open flame. Do not apply to painted or finished wood surfaces.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur. runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters.

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Never give anything by mouth to an unconscious person. Avoid alcohol.

**IF INHALED:** Remove victim to fresh air. Get medical attention.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

**IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.