

Jan 17 1989

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	

NOTICE OF PESTICIDE:

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

161-234118
18/2

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusively use of the name or to its use if it has been covered by others.

1. The registrant shall submit to the Agency within 14 months of this notice a copy of the final printed labeling for the product.
2. The registrant shall submit to the Agency within 14 months of this notice a copy of the final printed labeling for the product.
3. Submit to the Agency within 14 months of this notice a copy of the final printed labeling for the product.
4. Submit to the Agency within 14 months of this notice a copy of the final printed labeling for the product.

Note that the Registration Standard for Diazinon was issued in December 1988 and amended on August 24, 1989. Please refer to these documents regarding the Agency's current regulatory positions on diazinon, data the Agency determined to be necessary to fully characterize diazinon, revised or new labeling requirements, and compliance dates.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL _____ DATE *12/27/89*

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

DEC 7

57745-120

ELITE DIAZINON 1/2% ME

INSECTICIDE FOR CONTROL OF
COCKROACHES - ANTS - SILVERFISH - TICKS - FLEAS - PANTRY
AND OTHER HOUSEHOLD PESTS

READY-TO-USE MICROEMULSION FORMULA

Recommended For Use By Commercial Applicators

Not For Use In U.S.D.A. Meat And Poultry Plants

ACTIVE INGREDIENT:

Diazinon: O,O-Diethyl O-(2-Isopropyl-6-Methyl-4-
pyrimidinyl) phosphorothioate..... 0.5%

INERT INGREDIENTS:..... 99.5%

100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Additional Precautionary Statements On Back Panel

MANUFACTURED BY:
ELITE CHEMICAL CORPORATION, INC.
P. O. BOX 1947, NORCROSS, GEORGIA 30091

EPA Est. No. 51793-GA-1 EPA Reg. No. 51793-

NET CONTENTS __ OZ

DIRECTIONS FOR USE AND CONDITIONS OF SALE AND WARRANTY

IMPORTANT: Read the entire Directions for Use and
Conditions of Sale and Warranty before using this product.

Conditions of Sale and Warranty

The Directions for Use of this product reflect the opinion of
experts based on field use and tests. The directions are
believed to be reliable and should be followed carefully.
However, it is impossible to eliminate all risks inherently
associated with use of this product.

BEST AVAILABLE COPY

Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of Manufacturer or the Seller. All such risks shall be assumed by the Buyer.

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use subject to the inherent risks referred to above. Manufacturer makes no other express or implied warranty of Fitness or Merchantability or any other express or implied warranty. In no case shall Manufacturer or the Seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. Manufacturer and the Seller offer this product, and the Buyer and user accept it, subject to the foregoing Conditions of Sale and Warranty, which may be varied only by agreement in writing signed by a duly authorized representative of the Manufacturer.

GENERAL INFORMATION


This product is a ready-to-use microemulsion containing diazinon.

There is no need for further dilution. It is intended for use in buildings, offices,, restaurants, households and other similar areas for the control of those pests specified on this label.

Note: Care should be taken to avoid spotting of walls, or wall coverings and fabrics. When used in dwellings, care should be taken to avoid deposits which could be frequently contacted by children. Remove or cover fish bowls and remove pets before spraying. Do not contaminate food, food containers, or cooking utensils. Avoid excessive application to carpets. Do not use on plants or pets. DO NOT use this product in conduits, motor housings, or electrical switch boxes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.



Cockroaches (Waterbugs), Ants, Silverfish: Make spot applications as a course spray or apply with a paintbrush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves and similar areas where these insects hide. Spray areas until wet. Repeat application as necessary to maintain control.

Carpet beetles: Apply as a spray in spot applications along baseboards and edges of carpeting, under carpeting and rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected. Avoid excessive wetting of carpet.

Spiders and Scorpions: Apply as a spray around windows, doors and along baseboards. Make spot applications to other areas over which these pests may crawl.

Pantry Pests - Exposed Stages (Sawtoothed grain beetle, flour beetle, rice weevil, cigarette beetle, drugstore beetle, Indian meal moth): Apply as a spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.

Brown dog ticks, fleas: (Controls adult fleas on areas treated) Make a thorough application as a spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this product. Repeat as necessary. Avoid excessive wetting of floor coverings, rugs or unfurnished material, as damage may occur. Do not apply directly to upholstery. Do not use as an overall space spray.

Food and Feed Handling Establishments (including places other than private residences in which exposed food or feed is held, processed, prepared or served): Apply as a spray either a crack and crevice or spot treatment as directed below. Limit spot treatments to floor surfaces where pests have been seen or where they are suspected of hiding. Limit individual spot treatments to an area no larger than 20 percent of the floor surface. Any individual spot treatment shall not exceed two square feet.

Do not apply to areas, surfaces, or utensils which will come in contact with food. Take extreme care to avoid contamination of food or food contact surfaces or introducing the material into the air.

Food/Feed and Nonfood/Feed Areas

Food/Feed Areas (Application limited to Crack and Crevice and Spot Treatments Only)

Food/Feed areas include areas for receiving, storage, packaging (canning, bottling, wrapping, boxing), preparing, edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) are also considered a food area and include facilities where prepared foods are served, such as dining rooms.

Crack and Crevice Treatment - As a crack and crevice treatment, use equipment capable of delivering a pin stream of insecticide and apply in small amounts directly into such spaces as expansion joints, in points between different elements of construction, between equipment and floors, wall boards, baseboards or openings leading to voids and hollow spaces in walls, hollow equipment legs and bases where cockroaches (waterbugs), ants, spiders,, and silverfish hide.

Spot Treatment - As a spot treatment, apply as a coarse low pressure fan spray to selective floor surfaces, areas around water pipes, beneath cabinets, refrigerators, sinks, stoves, storage areas, baseboards, under elements of constructions and similar areas where cockroaches, ants, spiders, and silverfish hide.

Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed)

These treatments also aid in the control of pantry pests (exposed stages of saw-toothed grain beetle, flour beetle, rice weevil, cigarette beetle, drugstore beetle, and Indian meal moth) which come into contact with treated surfaces. DO NOT use this product in conduits, motor housings, and electrical switch boxes. Repeat applications as necessary.

Applications of this product in the food/feed areas of food or feed handling establishments other than as crack and crevice and spot treatments are not permitted.

BEST AVAILABLE COPY

Nonfood/Feed Areas

Nonfood/Feed areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

In nonfood/feed areas, apply as a spot treatment using a coarse, low pressure for spray to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

STORAGE AND DISPOSAL

Keep from freezing. Store above 32F. Do not reuse empty container. Rinse thoroughly before discarding. Wrap and discard in trash.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing vapor or spray mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Remove and wash contaminated clothing before reuse. Keep children and pets off treated areas until the areas are dry. Animal studies have indicated this product to be contact allergic. Hypersensitive individuals should avoid overexposure.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center, immediately. Give milk or water. Do not induce vomiting unless no other treatment is available, and then preferably under medical supervision. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomiting is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air and apply artificial respiration if indicated.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.

BEST AVAILABLE COPY

IF IN EYES: Rinse eyes with plenty of water. Get medical attention if irritation develops or persists.

Note to Physician: Diazinon is an organophosphate insecticide. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. Gastric lavage is indicated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

