ELITE RESIDUAL EQUINE & PET SPRAY II INSECTICIDE/REPELLENT

FOR HORSES - PONIES - DOGS

PLEASANTLY SCENTED WITH ALOE, LANOLIN, CITRONELLA AND SUNSCREENS IN A NON-OILY SILICONE/WATER BASE

KILLS FLEAS, TICKS AND LICE ON DOGS FOR UP TO 28 DAYS

ALSO CONTAINS A GROOMING AID AND COAT CONDITIONER

ACTIVE INGREDIENTS:	
*Permethrin	0.50%
Pyrethrins	0.10%
**Piperonyl Butoxide, Technical	1.00%
INERT INGREDIENTS:	
	100.00%
*[(3-phenoxyphenyl) methyl (<u>+</u>) cis/trans-3-(2,2- dischloroethenyl)-dimethylcyclopropane-carboxylate] cis/trans isomer ratio: Min 35% (<u>+</u>) cis Max 65% (<u>+</u>) trans	
**Equivalent to .80% (butylcarbityl) (6-propylpiperonyl) ether and 0.20% related compounds	
KEEP OUT OF REACH OF CHILDREN	-
CAUTION	
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS	5
	-

MANUFACTURED BY:
RSR LABORATORIES, INC.
501 FIFTH STREET, BRISTOL, TENNESSEE 37620

EPA Est. No. 51793-TN-1

EPA Reg. No. 51793-128

NET CONTENTS ____ OZ

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with described in ED

MAR 9 1993

1D/29/90 EL128

Page 1

Under the Federal Intecticide, Fungicide, and Rodoniticide Act at extended, for the provide ragin and attributed 1793-128

HOLD CONTAINER UPRIGHT. SHAKE WELL BEFORE USING

Ready to use. No mixing necessary. This water-base formulation may be applied directly with trigger spray applicator or as a wipe-on.

Kills fleas, ticks and lice on dogs. Also repels and controls house flies, stable flies, horn flies, face flies, horse flies, deer flies, mosquitoes and gnats on horses. Kills fleas and ticks around premises. Repels flies, mosquitoes and gnats for 3-5 days on horses.

DOGS

Cover animals eyes with hands. With a firm stroke to get a proper spray mist, spray head, ears and chest until damp. With fingertips, rub into face around mouth, nose and eyes. Then spray neck, middle and hind quarters, finishing legs last. For best penetration of spray to the skin, direct spray against natural lay of the hair. On long haired dogs, rub your hand against the lay of the hair, spraying the ruffled hair directly behind the hand. Make sure spray thoroughly wets ticks. Repeat treatment as needed. Controls fleas, ticks and lice on dogs and provides up to 28 days protection from reinfestation.

DOGS SLEEPING OUARTERS

Spray around baseboards, windows, door frames, wall cracks and local area of floors. Repeat as needed. The pet's bedding areas should be sprayed. Spray old bedding or replace with fresh bedding.

HORSES AND PONIES

USE AS A WIPE-ON: First, brush animal to remove excess dirt and dust. Moisten (but do not wet to the point of dripping) a soft cloth and rub over the hair. It is best to apply by rubbing against the hair growth. Give special attention to the legs, shoulders, shanks, neck and facial areas where flies most often are seen. Only a light application is required. Avoid using an excessive amount on your horses. Do not wet skin. After application, brush thoroughly to bring out bright sheen on the coat. Repeat as required.

USE AS A SPRAY: Apply to face, legs, flanks, top line and other body areas commonly attacked by flies. Do not wet horse's skin or exceed two ounces per application. After application, brush thoroughly to bring out bright sheen on the coat. Repeat treatment as needed.

STORAGE AND DISPOSAL

STORAGE: Store in a cool area above 32°F and protect from freezing.

DISPOSAL: Do not re-use container. Wrap and put in trash.

PRECAUTIONARY STATEMENTS CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of the throat with finger. Repeat until vomit fluid is clear. Call a physician immediately. Do not induce vomiting or give anything to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.