



the statement "Do not apply this undiluted spray on facilities operated by USDA poultry, meat, rabbit, and egg products inspection personnel from both the Space Spray - Undiluted and the Contact and Space Spray - Undiluted sections of the label. This statement infers that the diluted spray may be used in these establishments. You must first apply to the U.S. Department of Agriculture (USDA) for their acceptance. Once you have received a preliminary acceptance from USDA, you can then apply to amend the registration to include these establishments.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

*[Handwritten Signature]*

Walter  
 Director (10)  
 Registration Division (H7505C)

*[Handwritten Initials]*

Enclosure

**BEST AVAILABLE COPY**

ELITE 3-6-10 FOGGING CONCENTRATE

For Application by Trained Personnel Only  
For Use in Homes, Restaurants, Food Process-  
ing Plants, Warehouses, and Industrial  
Installations.

ACTIVE INGREDIENTS

Pyrethrins	3.00%
(6-propionyl butoxide, technical	6.00%
N-Octyl bicycloheptene dicarboximide	10.00%

\*\*INERT INGREDIENTS:

81.00%  
100.00%

Equivalent to 4.8% (butylcarbityl) (6-propylperonyl)  
ether and 1.2% related compounds.

MKG 264, Insecticide Synergist.

\*\* Contains Petroleum distillates

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautionary Statements

NET CONTENTS: \_\_\_\_\_

MANUFACTURED BY:

ELITE CHEMICAL CORPORATION, INC.

P.O. BOX 1947

NORCROSS, GA 30091

PRECAUTIONARY STATEMENTS

CAUTION

Harmful if swallowed. Food should be removed.  
All food processing surfaces should be  
thoroughly cleaned before use. When using  
only when the facility is not in operation.

Do not breathe spray mist. Wear mask or respirator  
by the US Bureau of Mines to give adequate protection.  
Wear protective clothing. Wash hands, arms, and face  
after handling and before eating or smoking.  
Clothing with soap and water before re-use.

Remove pets, birds and cover fish aquariums.

ENVIRONMENTAL

This product is toxic to fish.  
of water. Do not contaminate  
equipment or disposal of waste  
only as specified on this label.

Physical or Chemical

Do not store, pour or spill near open flame  
and use. Keep container tightly closed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product  
in a manner inconsistent with the label directions.

General: This Concentrate is designed for use undiluted  
part the size of aerosol size, such as the LECO Mini  
can be diluted with refined kerosenes which meet  
can be applied in fogging equipment that gives large  
Microsol or Challenger machines. It can also be diluted  
as a contact spray to kill crawling insects shown on

Space Spray - Undiluted in Aerosol Generators - to Kill  
and Gnats. Cover or remove exposed food and food  
off all air conditioning or ventilating equipment.  
Concentrate per 1000 cu. ft. of space. Direct output  
upward toward room and ceiling. Leave room closed  
before entry. Do not apply this undiluted spray in  
meat, rabbit and egg production inspection program.

Space Spray - Diluted for Ordinary Mechanical Fogging  
Small Flying Moths and Gnats. Cover or remove exp  
Close room and shut off all air conditioning or ven  
with 1:1 at the rate of 1 part Concentrate plus 29 part  
170 fl. oz. dilute spray (0.4 gal) per 25,000 cu. ft. of  
area of room and ceiling area. Leave room closed  
before entry.

EPA EST #51793-GA-1

EPA REG #51793-

BEST AVAILABLE COPY

AT

## DIRECTIONS FOR USE CONTINUED

**Contact Spray - Diluted for Use with Sprayers that Give Large, Wetting Spray Particles to Kill Cockroaches and Accessible Stages of Granary Insects: Granary Weevils, Rice Weevils, Confused Flour Beetles, Red Flour Beetles, Meal Moth Larvae and Adults, Cadelles, Grain Mites and Saw-Toothed Grain Beetles:** Cover or remove exposed food and close room as described above. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Spray outside walls of gran bins, flooring, about base of milling machinery, walls and baseboards, area behind cabinets, around pipes and other insect harbourages using 1 gal spray per 1,000 sq. ft. of space. Force spray into all cracks and crevices. Repeat applications as necessary.

**Contact and Space Spray - Undiluted - to Kill Cockroaches, Silverfish, Earwigs, Ants, Spiders, in Sheltered Situations:** With ULV spraying device, apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Use at a dosage rate of approximately 1/2 fl. oz. per 1,000 cu. ft. of room space. Repeat dosage as necessary for control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry. Do not apply this undiluted spray in facilities operating under USDA poultry, meat, rabbit and egg products inspection program.

Ⓢ: This spray, when diluted properly as described and applied per the directions and cautions given above, conforms with Food Additive Regulations 121.1074, 121.1075 and 121.1205 and the food additive tolerances established thereunder. Additionally, when diluted and used according to label directions, this spray will meet specifications for use under USDA poultry, meat, rabbit and egg products inspection program.

## OUTDOORS

**To Kill FLIES, MOSQUITOES and GNATS** in open areas, dilute Concentrate with petroleum distillate at the rate of one part Concentrate to two parts of oil and mix well. Use at a time when the temperature is cool (75°F or less) and the wind velocity is approximately 5 mph. With equipment similar to the Micro-Gen equipment, spray at a dosage rate of 10 ounces per minute upwind of the area to be controlled.

If the equipment is truck mounted, keep the speed at approximately 5 mph and treat a swath width of no more than 300 feet.

### To Kill Flies, Mosquitoes and Gnats in and around Feedlots and Other Outdoor Areas:

When properly used, this formulation will control house flies, stable flies, mosquitoes and gnats in feedlots. Use this concentrate undiluted. Apply when the temperature is cool (75°F or less) and the wind velocity is between 5 and 10 mph. Using the recommended equipment, spray at a dosage rate of 5 ounces per minute upwind of the area to be controlled. Also, good sanitation practices

## STORAGE AND DISPOSAL

**Storage:** Store in a cool, dry place. Keep container closed.

**Pesticide Disposal:** Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

**Container Disposal:** Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

Containers one gallon or less:

Do not reuse container. Wrap and discard in trash.

**BEST AVAILABLE COPY**

JAN 24 1990

51773-1