

MAR 22 1991

Mr. Rob R. Adams, Jr.
Elite Manufacturing and Packaging
225 F Horizon Drive
Suwanee, GA 30174

~~Dear Mr. Adams:~~

Subject: Revised Labels - USDA Authorization
Elite 3-6-10 Fogging Concentrate
EPA Registration No. 51793-130
Elite 1-2-3 Fogging Concentrate
EPA Registration No. 51793-133 ✓
Elite 3-6-10 MO Fogging Concentrate
EPA Registration No. 51793-134
Elite 8-Bioallethrin 1-2-3 Fogging Concentrate
EPA Registration No. 51793-135
Elite Food Plant Spray
EPA Registration No. 51793-136
Your Submissions Dated January 30, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

As new labels are printed,

1. For Reg. No. 51793-134, change the reference under mosquito larvae control to read . . . Apply as a coarse wetting spray to the border of wetland . . . This will then be consistent with the ENVIRONMENTAL HAZARD statement. Also delete reference to mixing with methylene chloride. The latter is a toxic ingredient and these directions are no longer appropriate.

62476:IA-4:Mountfort:L10-7:KEVRIC:03/20/91:04/18/91:tk:dd:tk

BEST AVAILABLE COPY

understood that the PRECAUTIONARY STATEMENTS are on the front panel of the label as shown on the copy approved with the initial registration.

Sincerely yours,

RFM

Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (K7505C)

BEST AVAILABLE COPY

ELITE 3-6-10 FOGGING CONCENTRATE

For Application by Trained Personnel

For use in Homes, Restaurants, Food Processing Plants, Warehouses, and Industrial Installations.

May be used in USDA Meat and Poultry Plants

ACTIVE INGREDIENTS:

Pyrethrins.....	100.00%
*Piperonyl butoxide, technical.....	6.00%
↓N-Octyl bicycloheptene dicarboximide.....	10.00%
**INERT INGREDIENTS:.....	81.00%
	<u>100.00%</u>

Equivalent to 4.8% (butylcarbityl) (6-propylpiperonyl) ether and 1.2% related compounds.

↓MGK 264 Insecticide Synergist

**Contains Petroleum distillates

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautionary Statements

Net Contents: _____

Manufactured By:

ELITE MANUFACTURING & PACKAGING, INC.
225F HORIZON DRIVE, SUWANEE, GEORGIA 30174

EPA Est. No.51793-GA-1

EPA Reg. No.51793-130

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a .. manner inconsistent with its labeling.

General: This concentrate is designed for use undiluted in mechanical sprayers which give particle size of aerosol size,

BEST AVAILABLE COPY

ACCEPTED
with COMMENTS
in EPA Letter Dated
MAR 22 1991
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended for the pesticide
registered under EPA Reg. No.
51793-130

such as the LECO Mini ULV or Micro-Gen Micron Generator. It can be diluted with refined kerosenes which meet Food Additive Regulation 121.1182 and can be applied in fogging equipment that gives larger than aerosol particle size, such as the Microsol or Challenger machines. It can also be diluted with oil specified above and applied as a contact spray to kill crawling insects shown later on this label.

Space Spray - Undiluted in Aerosol Generators - to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 1 oz. of undiluted Concentrate per 1000 cu. ft. of space. Direct output from aerosol generator upward towards upper corners of room and ceiling. Leave room closed for 1/2 hour. Ventilate room thoroughly before re-entry. Do not apply this undiluted spray in facilities operating under USDA poultry, meat, rabbit and egg products inspection program.

Space Spray - Diluted for Ordinary Mechanical Fogging Equipment - to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Apply at the rate of 50 fl. oz. dilute spray (0.4 gal) per 25,000 cu. ft. of space. Direct fog upward towards upper corners of room and ceiling area. Leave room closed for 1/2 hour. Ventilate room thoroughly before reentry.

Contact Spray - Diluted for Use with Sprayers that Give Large, Wetting Spray Particles to Kill Cockroaches and Accessible Stages of Granary Insects: Granary Weevils, Rice Weevils, Confused Flour Beetles, Red Flour Beetles, Meal Moth Larvae and Adults, Cadelles, Grain Mites and Sawtoothed Grain Beetles: Cover or remove exposed food and close room as described above. Dilute concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Spray outside walls of grain bins, flooring, about base of milling-machinery, walls and baseboards, area behind cabinets, around pipes and other insect harbourages using 1 gal. spray per 1,000 sq. ft. of space. Force spray into all cracks and crevices. Repeat applications as necessary.

Contact and Space Spray - Undiluted - to Kill Cockroaches, Silverfish, Earwigs, Ants, Spiders, in Sheltered Situations: With ULV spraying device, apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter Contact.

BEST AVAILABLE COPY

as many insects as possible. Do not allow spray to contact stored food. Use at a dosage rate of approximately 1/2 fl. oz. per 1,000 cu. ft. of room space. Repeat dosage as necessary for control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry. Do not apply this undiluted spray in facilities operating under USDA poultry, meat, rabbit and egg products inspection program.

NOTE: This spray, when diluted properly as described, and applied per the directions and cautions given above, conforms with Food Additive Regulations 121.1074, 121.1075 and 121.1205 and the food additive tolerances established thereunder. Additionally, when diluted and used according to label directions, this spray will meet specifications for use under USDA poultry, meat, rabbit and egg products inspection program.

OUTDOORS

To Kill Flies, Mosquitoes and Gnats in open areas, dilute concentrate with petroleum distillate at the rate of one part concentrate to two parts of oil and mix well. Use at a time when the temperature is cool (75 F to less) and the wind velocity is approximately 5 mph. With equipment similar to the Micro-Gen equipment, spray at a dosage rate of 15 ounces per minute upwind of the area to be controlled.

If the equipment is truck mounted, keep the speed at approximately 5 mph and treat a swath width of no more than 300 feet.

To Kill Flies, Mosquitoes and Gnats in and around Feedlots and Other Outdoor Areas: When properly used, this formulation will control house flies, stable flies, mosquitoes and gnats in feedlots. Use this concentrate undiluted. Apply when the temperature is cool (75 F or less) and the wind velocity is between 5 and 10 mph. Using the recommended equipment, spray at a dosage rate of 6 ounces per minute upwind of the area to be controlled. Also, good sanitation practices.

PRECAUTIONARY STATEMENTS

CAUTION

Harmful if swallowed. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before use. When using the product in these areas apply only when the facility is not in operation.

BEST AVAILABLE COPY

Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and water before reuse.

Remove pets, birds and cover fish aquariums before spraying.

NOTE: Do not use this product in or on electrical equipment due to the possibility of shock hazard.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of any body of water. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

Physical or Chemical Hazards

Do not store, pour or spill near open flame. Mix well before sampling and each use. Keep container tightly closed.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

Pesticide: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

Containers one gallon or less:
Do not reuse container. Wrap and discard in trash.

