

PU 10 51793-132 87 136

MAR 22 1991

Mr. Rob R. Adams, Jr.  
Elite Manufacturing and Packaging  
225 F Horizon Drive  
Suwanee, GA 30174

Dear Mr. Adams:

Subject: Revised Labels - USDA Authorization  
Elite 3-6-10 Fogging Concentrate  
EPA Registration No. 51793-130  
Elite 1-2-3 Fogging Concentrate  
EPA Registration No. 51793-133 ✓  
Elite 3-6-10 MO Fogging Concentrate  
EPA Registration No. 51793-134  
Elite S-Bioallethrin 1-2-3 Fogging Concentrate  
EPA Registration No. 51793-135  
Elite Food Plant Spray  
EPA Registration No. 51793-136  
Your Submissions Dated January 30, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

As new labels are printed,

1. For Reg. No. 51793-134, change the reference under mosquito larvae control to read . . . Apply as a coarse wetting spray to the border of wetland . . . . This will then be consistent with the ENVIRONMENTAL HAZARD statement. Also delete reference to mixing with methylene chloride. The latter is a toxic ingredient and these directions are no longer appropriate.

62476;I:A-4;Mountfort;L10-7;KEVRIC;03/20/91;04/18/91;tk;dd;tk

**BEST AVAILABLE COPY**

2. For Reg. No. 51793-135, complete the chemical name for B-bicallethrin to read . . . methyl-2-cyclopentan-1-one. It is understood that the PRECAUTIONARY STATEMENTS are on the front panel of the label as shown on the copy approved with the initial registration.

Sincerely yours,

*RFM*

Richard F. Mountfort  
Product Manager (10)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

BEST AVAILABLE COPY

ELITE 1-2-3 FOGGING CONCENTRATE

For Use in Household and Food Processing Plants, Restaurants, Industrial Buildings: schools, warehouses, offices, theaters, garages, hotels, motels, hospitals and kennels.

May be used in USDA Meat and Poultry Plants.

ACTIVE INGREDIENTS:

Pyrethrins.....	1.00%
*Piperonyl butoxide, technical.....	2.00%
!N-Octyl bicycloheptene dicarboximide.....	3.00%
**INERT INGREDIENTS:.....	94.00%
	100.00%

\*Equivalent to 1.60% (butylcarbityl) (8-propylpiperonyl) ether and 0.40% related compounds.

!MGK 264, Insecticide Synergist

\*\*Contains Petroleum distillates

**ACCEPTED**  
 MAR 22 1991  
 Under Federal Insecticide, Fungicide, and Rodenticide Act as amended, is registered under EPA Reg. No. 51793-133

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautionary Statements

Net Contents: \_\_\_\_\_

Manufactured By:  
ELITE MANUFACTURING & PACKAGING, INC.  
225F HORIZON DRIVE, SUWANEE, GEORGIA 30174

EPA Est. No. 51793-GA-1

EPA Reg. No. 51793-133

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

General: This product is designed for use undiluted in mechanical sprayers which produce particles of aerosol size, such as the LECO or MICRO-GEN.

NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

**BEST AVAILABLE COPY**

For Use In Homes, Restaurants, Food Processing Plants And Other Industrial Areas: Space Spray Undiluted: To Kill Houseflies, Mosquitoes, Gnats and Small Flying Moths: Close room and shut off all air conditioning or ventilating equipment. Using a cold fog generator, apply at the rate of one-half (.5) ounce per 1,000 cu. ft. of space. Direct output from aerosol generator upwards toward upper corners of room and ceiling. Leave room closed for one-half hour. Ventilate room thoroughly before reentry. Repeat as necessary.

Space Spray - Diluted for Ordinary Mechanical Fogging Equipment - To Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute concentrate with oil at the rate of 1 part Concentrate plus 9 parts of oil and mix well. Apply at the rate of 50 fl. oz. of dilute spray (.4 gal.) per 25,000 cu. ft. of space. Direct fog upward towards upper corners of room and ceiling area. Leave room closed for one-half hour. Do not remain in treated areas. Ventilate room thoroughly before reentry.

Contact Spray - Undiluted - To Kill Cockroaches, Rice Weevils, Sawtoothed Grain Beetles, Confused Flour Beetles, Black Carpet Beetles, and Indian Meal Moth Larvae: Close room and shut off all air conditioning or ventilation equipment. Using a cold fog aerosol generator, direct discharge into areas suspected of harbouring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, and wherever these pests are suspected of hiding. Spray until treated surfaces are moist with deposit. Leave room closed for one-half hour. Ventilate room thoroughly before reentry. Repeat as necessary.

Contact Spray - Diluted for use with sprayers that give large wetting spray particles to kill Cockroaches and Accessible Stages of Granary Insects: Granary Weevils, Rice Weevils, Confused Flour Beetles, Rusty Grain Beetles, Red Flour Beetles, Indian Meal Moth Larvae and Adults, Cadelles, Grain Mites and Sawtoothed Grain Beetles: Cover or remove exposed food and close room as describe above. Dilute concentrate with oil at the rate of 1 part Concentrate plus 9 parts of oil and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and..... baseboards, areas behind cabinets, around pipes and bther insect harbourages using 1 gal. of spray per 1,000 sq. ft. of surface. Force spray into all cracks and crevices. Repeat applications as necessary.

Page 2

.....EL133.....

**BEST AVAILABLE COPY**

FOR USE IN DAIRY AND BEEF BARNs, SWINE HOUSING: Space Spray - Diluted for Use in Aerosol Generators to Kill Flies, Mosquitoes, Gnats, Small Flying Moths and Exposed Cockroaches: Cover or remove exposed food and watering troughs and close house as tightly as possible. Dilute Concentrate with refined kerosene at the rate of 1 part Concentrate plus 1 part oil and mix well. Direct spray upward and apply until room is filled with mist. Keep closed for one-half hour and ventilate thoroughly prior to reentry.

Space Spray - Diluted for Ordinary Mechanical Fogging Equipment to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Prepare for application as above. Dilute Concentrate with refined kerosene at the rate of 1 part Concentrate plus 9 parts of refined kerosene and mix well. Apply at the rate of 50 fl. oz. dilute spray (0.4 gal.) per 25,000 cu. ft. of space above animals. Direct fog upward toward upper corners of room and ceilings. Vacate room and leave closed for one-half hour.

NOTE: This spray, when diluted properly as described, and applied per the directions and cautions given above, conforms with Food Additive Regulations 121.1074, 121.1075 and 121;1205 and the food additive tolerances established thereunder. Additionally, when diluted and used according to label directions, this spray will meet specifications for use under USDA poultry, meat, rabbit and egg products inspection program.


NOTE: Do not use this product in or on electrical equipment due to the possibility of shock hazard

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

##### CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health under the provisions of CFR Part II. Contains petroleum distillate. If swallowed do not induce vomiting. Get immediate medical attention. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.



EL193

Do not apply directly to food. Do not apply space spray while food processing is underway.

Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in meat packing plants, bakeries, and the food processing plants, wash with an acceptable detergent solution and rinse with potable water to remove all traces of contamination on the equipment, benches, shelving, etc., where exposed food will be handled. When using in animal housing areas, do not apply directly to food, water or feed supplements. Do not apply directly to animals. Wash teats of dairy animals before milking.

Remove pets, birds and cover fish aquariums before spraying.

Do not contaminate water when disposing of equipment washwaters.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not store near heat or open flame.

#### STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting because of aspiration hazard. Call a physician or Poison Control Center immediately.

#### STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

PESTICIDE: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER: Triple rinse (or equivalent) and offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

Containers one gallon or less:  
Do not reuse container. Wrap and discard in trash.

**BEST AVAILABLE COPY**

