

BEST AVAILABLE COPY

MAR 22 1991

Mr. Rob R. Adams, Jr.
Elite Manufacturing and Packaging
225 P Horizon Drive
Suwanee, GA 30174

Dear Mr. Adams:

Subject: Revised Labels - USDA Authorization
Elite 3-6-10 Fogging Concentrate
EPA Registration No. 51793-130
Elite 1-2-3 Fogging Concentrate
EPA Registration No. 51793-133
Elite 3-6-10 MO Fogging Concentrate
EPA Registration No. 51793-134
Elite S-Moallethrin 1-2-3 Fogging Concentrate
EPA Registration No. 51793-135
Elite Food Plant Spray
EPA Registration No. 51793-136 ✓
Your Submissions Dated January 30, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

As new labels are printed,

- For Reg. No. 51793-134, change the reference under mosquito larvae control to read . . . Apply as a coarse wetting spray to the border of wetland This will then be consistent with the ENVIRONMENTAL HAZARD statement. Also delete reference to mixing with methylene chloride. The latter is a toxic ingredient and these directions are no longer appropriate.

62476:I:A-4:Mountfort:L10-7:KEVRIC:03/20/91:04/18/91:tk:dd:tk

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

2. For Reg. No. 51793-135, complete the chemical name for S-bioallethrin to read . . . methyl-2-cyclopenten-1-one. It is understood that the PRECAUTIONARY STATEMENTS are on the front panel of the label as shown on the copy approved with the initial registration.

Sincerely yours,

RFM
Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

REGISTERED COPY

ELITE FOOD PLANT SPRAY

For Use in the Home, and Non-Food and Food Areas of: Food Processing Plants, Warehouses, Office Buildings, Hotels, Motels, Schools, Theaters, Kennels, Hospitals.

May be used in USDA Meat and Poultry Plants.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.50%
*Piperonyl butoxide, technical.....	1.00%
[N-Octyl bicycloheptene dicarboximide.....	1.67%
**INERT INGREDIENTS:	96.83%
	100.00%

*Equivalent to .80% (butylcarbityl) (6-propylpiperonyl ether and .20% related compounds.

IMGK 264, Insecticide Synergist

**Contains Petroleum distillates.

ACCEPTED
 MAR 22 1991
 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 51793-136

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautionary Statements

MANUFACTURED BY:

ELITE MANUFACTURING & PACKAGING, INC.
225F HORIZON DRIVE, SUWANEE, GEORGIA 30174

EPA Est. No. 51793-GA-1

EPA Reg. No. 51793-136

NET CONTENTS ___ OZ

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

DO NOT USE THIS PRODUCT IN OR ON ELECTRICAL EQUIPMENT DUE TO THE POSSIBILITY OF SHOCK HAZARD

IN FOGGING EQUIPMENT AND HAND SPRAYERS

To Kill Accessible Stages of Insects* Infesting Dried Fruit Products in Storage or Being Processed: Close room or warehouse and shut off all ventilating systems. Dispense this product as a fine mist in the air above trays or shelves of dried fruit. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Do not apply to fruit directly. If overhead sprayers are used, be sure that the spray is discharged from a position of at least 6 feet over the top EL136 trays of fruit. Use a dosage of 1 gallon of this spray per 50,000 cubic feet of room space. Repeat applications as necessary for insect control, but do not exceed more than ten applications at this dosage in any given month. More than ten applications may also be made if this spray is diluted with more petroleum distillate, so that the pyrethrins and synergists in the final spray are reduced proportionately. Do not remain in treated areas. Ventilate the area after treatment is completed. Maximum dilution is 1 part conc. plus 5.6 parts oil.

*Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Saw-toothed Grain Beetle and Roaches.

To Kill the Adult and Accessible Forms of Insect Pests* of Stored Food (Stored in Multiwall Paper Bags or Cloth Bags) in Warehouses, Storage Rooms and Similar Locations: Close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine mist. Use a dosage of 1 fluid ounce of this spray per 1,000 cubic feet of room space. Do not remain in treated area. Ventilate the area after treatment is completed. Repeat application as necessary for insect control.

*Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle, Saw-toothed Grain Beetle, Angoumois Grain Moth, Mediterranean Flour Moth and Indian Meal Moth.

To Kill Flies, Mosquitoes and Gnats: Close room and discharge spray mist as described above. Use a dosage of 1/2 to 1 fluid ounce per 1,000 cubic feet of room space. Leave room closed for at least ten minutes. Sweep up and destroy fallen insects. Repeat as necessary for control. Do not remain in treated areas. Ventilate the area after treatment is completed.

IN PRESSURIZED TANK SPRAYERS FOR WETTING CONTACT SPRAYS
As a Surface Spray to Kill the Accessible Stages of Granary
Insects: Rice Weevils, Confused Flour Beetles, Rust Red
Flour Beetles, Saw-toothed Grain Beetles, Cadelles, Meal Moth
Larvae and Adults, Cigarette Beetles, Drug Store Beetles and
Granary Weevils: Apply as a coarse, wet spray to all areas
infested by these insects. Use a dosage of 1 gallon per
1,000 square feet. Pay particular attention to cracks and
crevices in floor, walls and ceilings. Spray thoroughly
around and into floor drains, conveyors and other areas where
granary insects may be found. (For Flying Moths and Beetles,
treat as for Flies, Mosquitoes and Gnats. See above.) Do
not apply this spray to surfaces that may come in contact
with food; excessive residues in food may result.

To Kill Roaches, Silverfish and Waterbugs in Sheltered
Situations: Apply this spray with a sprayer that produces
coarse, wetting droplets into all cracks and crevices in
woodwork, floors, underneath sinks, areas behind pipes, and
in all places where these insects shelter. Contact as many
insects as possible. Repeat as necessary for control. Do
not allow spray to contact any stored food.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

Pesticide

Disposal: Wastes resulting from the use of this product may
be disposed of on site or at an approved waste
disposal facility.

Container

Disposal: Triple rinse (or equivalent) and offer for
recycling or reconditioning, or puncture and
dispose of in a sanitary landfill, or by other
approved State and Local procedures.

Containers one gallon or less:

Do not reuse container. Wrap and discard in trash.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Call a physician or
Poison Control Center.

IF IN EYES: Flush with plenty of water. Consult a
physician if irritation persists.

PRECAUTIONARY STATEMENTS

CAUTION

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration hazard. Do not apply directly to food. Cover or remove all food and food processing equipment during application. Do not apply space sprays while food processing is underway. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions above in those establishments which do NOT operate under Federal meat, poultry, shell egg grading and egg products inspection programs. After spraying in meat packing plants, bakeries and other food processing plants, all equipment, benches, shelving, etc. where exposed food will be handled must be washed with an effective cleaning compound and rinsed with potable water.


Remove pets and cover fish bowls before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other wildlife. Do not apply directly to any body of water. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.



EL136