

STORAGE OF THE CONCENTRATE

- 1. The concentrate must be stored where temperatures do not exceed 100° F. This means that the concentrate should not be stored near flames or heated sources. Typical sheds, fenced-in areas or other enclosures are suitable storage sites.
- 2. The concentrate has a storage life of two (2) years.
- 3. The concentrate will freeze at temperatures below 15° F, but freezing will not damage the product. Frozen concentrate will thaw and be ready for use when stored at temperatures above 50° F for one week.

**BEST AVAILABLE COPY**

MAJOR PROPERTIES

- 1. HIGHLY CONCENTRATED. 44.4 % active.
- 2. EASILY DILUTABLE with water, mineral spirits or fuel oils; continuous agitation is not required.
- 3. STABLE. No additives required. Stable to pH below 9, water hardness, sawdust, dirt, and freeze-thaw.
- 4. NONCORROSIVE TO STEEL NONCOMBUSTIBLE in working dilutions.
- 5. DURABLE. Bonds to wood. Resistant to rain washing.
- 6. COLORLESS, LOW ODOR, NO OILY RESIDUE.
- 7. HIGHLY COST EFFECTIVE against beetles, termites, and ants.
- 8. KILLS EXISTING INSECTS that come in contact.
- 9. Effective by itself. DO NOT MIX with other insect control products. May be mixed with NP-1 and WoodTreat<sup>®</sup> wood preservatives for complete wood preservation against insects and fungus.
- 10. LONG LASTING. Surface treatments alone protect through seasoning, transport, storage and for up to several years.
- 11. PAINTABLE.
- 12. WIDELY USED. United States and other countries. Tropical and temperate climates. America's and other continents.
- 13. Effective on HARDWOODS and SOFTWOODS.
- 14. EPA REGISTERED. LOW HUMAN TOXICITY in end use. Biodegradation doesn't tend to accumulate in the environment.

Reg # 51793-151

FM-15

196

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION 51793-151	DATE OF ISSUANCE JAN 3 1991
	TERM OF ISSUANCE Until Superseded	
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	NAME OF PESTICIDE PRODUCT Elite Floral & Vegetable Spray	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Elite Chemical Company  
 P.O. Box 1347  
 ...

5285-924  
 160-359314  
 18/9

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

**BEST AVAILABLE COPY**

This product is conditionally registered in accordance with FIFRA sec. 3(c)(2) for use as follows:

1. Submit and/or file all data received for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

... "Petroleum Distillate" ...

... "Condition petroleum distillate. Do not induce vomiting because of no known petroleum hazard." from the precautionary ...

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL: *[Signature]* DATE: 1/3/91

LeMaster 5/21/90

296

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

c. Change "Harmful if swallowed" to "Harmful if swallowed, inhaled or absorbed through the skin..."

d. Since there is no established tolerance for the residue of s-fenvalerate on lettuce, you must delete that commodity from the crop listing.

e. Add:

#### ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish and other wildlife. Do not apply directly to any body of water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

f. Under the Directions for Use, add general instructions similar to the following:

To control listed insects, apply the spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly or as needed throughout the growing season up to the days of harvest given for each crop.

[Note: You must expand the Directions for Use by identifying the type of equipment used to apply the product (i.e., 1 1/2 gal. sprayer, power sprayer, etc.).

~~g. Revise the disposal statement as follows:~~

Securely wrap original container in several layers of newspaper and discard in trash.

h. Change "Active Ingredients" to the singular.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

BEST AVAILABLE COPY

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (117505C)

Enclosures

**BEST AVAILABLE COPY**

496

ELITE FLORAL & VEGETABLE SPRAY II

READY-TO-USE  
VEGETABLE AND ORNAMENTAL  
PLANT INSECT KILLER

ACTIVE INGREDIENTS:

(S)-cyano(3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-	
(1 methylethyl)benzeneacetate.....	0.0033%
*INERT INGREDIENTS.....	99.9967%
	100.0000%

\*Contains petroleum distillate

BEST AVAILABLE COPY

-----  
KEEP OUT OF REACH OF CHILDREN

CAUTION  
-----

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Net Contents \_\_\_OZ

Manufactured by:

ELITE CHEMICAL CORPORATION, INC.  
P.O. BOX 1947, NORCROSS, GEORGIA 30091

EPA Reg. No. 51793

EPA Est. No. 51793-GA-1

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

JAN 3 1991

Page 1

12/29/89 ELOOU

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide  
registered under EPA Reg. No. 51793-157

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR USE ON THE FOLLOWING GARDEN VEGETABLES:

<u>CROP</u>	<u>DAYS TO HARVEST</u>	<u>CROP</u>	<u>DAYS TO HARVEST</u>
Artichoke	7	Lettuce	7
Broccoli	3	Melons	3
Cabbage	3	Peppers	7
Carrots	7	Potatoes	7
Cauliflower	3	Pumpkins	3
Collards	7	Radishes	7
Cucumber	3	Snap Beans	3
Dry Beans	21	Squash	3
Dry Peas	21	Sweet Corn	1
Eggplant	7	Tomatoes	1
Green Peas	3		

FOR USE ON ORNAMENTAL PLANTS: Such as African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwood, Gladiolus, Marigold and Roses.

TO CONTROL THE FOLLOWING INSECTS: Alfalfa Caterpillar, Alfalfa Looper, Aphid, Armyworm, Artichoke Plume Moth, Beet Armyworm, Buckthorn Aphid, Cabbage Looper, Carrot Weevil, Celery Looper, Chinch Bug, Colorado Potato Beetle, Corn Earworm, Corn Rootworm (adults), Cowpea Curculio, Cucumber Beetle (adults) - spotted and striped, Cutworm, Diamondback Moth, European Corn Borer, Flea Beetle, Grasshopper, Green Cloverworm, Imported Cabbageworm, Leafhopper, Looper, Lygus Bug, Mexican Bean Beetle, Painted Lady Caterpillar, Pea Aphid, Pea Weevil, Pepper Weevil, Pickleworm, Potato Leafhopper, Potato Payllid, Potato Tuberworm, Rindworm, Saltmarsh Caterpillar, Sap Beetle, Southwestern Corn Borer, Squash Vine Borer, Stalk Borer, Stink bug, Tarnished Plant Bug, Tobacco Hornworm, Tomato Fruitworm, Tomato Hornworm, Tomato Pinworm Vegetable Leafminer, Velvetbean Caterpillar, Western Bean Cutworm and Whitefly.