

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

51793-154

DATE OF ISSUANCE

APR 23 1990

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Elite Flea & Tick Spray #8

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Elite Chemical Corporation, Inc.
P.O. Box 1947
Norcross, GA 30091

PLUT
51793-154
1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

A) Add the phrase "EPA Registration No. 51793-154."

B) Since your data matrix does not give a dielectrical breakdown voltage the statement "Do not use this product in or on electrical equipment due to the possibility of shock hazard" must appear on the label.

C) The Confidential Statement of Formula (CSF) dated March 13, 1990 must be upgraded. The following changes and additions must be made and a new CSF submitted to complete the file for this product.

1) Item number 17 must be completed.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

[Signature] - See P. 2 -

DATE

4/23/90

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

55894;I;CR-31;Tavano;LCBI-07;KENC0;04/18/90;05/17/90;de;SW;EK;CT

2) The block marked basic formulation must be checked - not the alternate block.

D) A 1-year storage stability study must be submitted. The formulated product must be analyzed for its active ingredient at time zero and during a year of storage. The storage must be under warehouse conditions of temperature and humidity using containers similar to those that will be used in the trade. This data must be submitted within 15 months of the date of this notice.


3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)



Enclosure

Page 30

ACCEPTED
with COMMENTS
in EPA Letter Dated:

APR 24 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

51793-154

ELITE FLEA & TICK SPRAY #8

**REPELLENT SPRAY WITH SOOTHING
ALOE, LANOLIN, & PABA SUNSCREEN
FOR CATS - KITTENS - PUPPIES - DOGS - HORSES - FOALS**

**KILLS
FLEAS - LICE - TICKS
REPELS GNATS-FLIES-MOSQUITOES FOR 2 TO 3 DAYS
ALSO FOR USE AS A GROOMING AID AND COAT CONDITIONER**

Active Ingredients:

Pyrethrins	0.15%
*Piperonyl Butoxide, Technical	1.00%
N-Octyl Bicycloheptene Dicarboximide.....	0.50%
Di-n-Propyl Isocinchomeronate.....	0.50%
INERT INGREDIENTS	97.85%
	100.00%

*Equivalent to 0.80% of (butylcarbityl)(6-propylpiperonyl) ether and 0.20% of related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panels for Precautionary Statements

**MANUFACTURED BY:
ELITE CHEMICAL CORPORATION, INC
P.O. BOX 1947, NORCROSS, GEORGIA 30091**

EPA Est. No. 51793-GA-1

EPA Reg. No. 51793-5

NET CONTENTS ___ OZ

PRECAUTIONARY STATEMENTS

CAUTION

HUMANS: Harmful if swallowed or inhaled. Avoid breathing mist. Keep out of eyes. Avoid contamination of food. Wash hands with soap & water after using.

ANIMALS: Avoid treatment of foals, nursing kittens & puppies under six weeks old. If treatment is necessary spray on tips of fingers & rub coat.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply where runoff is likely to occur.



PHYSICAL OR CHEMICAL HAZARDS: Flammable. Keep away from heat and open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE ONLY IN WELL VENTILATED AREA

CATS and DOGS

Cover animals eyes with hands. With a firm stroke to get a proper spray mist, spray head, ears and chest until damp. With fingertips, rub into face around mouth, nose, and eyes. Then spray neck, middle and hind quarters, finishing legs last. For best penetration of spray to the skin, direct spray against the natural lay of the hair. On long haired dogs rub your hand against the lay of the hair, spraying the ruffled hair directly behind the hand. Make sure spray thoroughly wets ticks. Repeat treatment as needed.

PUPPIES and KITTENS

Treat same as cats and dogs except nursing puppies and kittens. Spray only along back or on your fingertips and rub in.

PETS SLEEPING QUARTERS

Spray around baseboards, windows, door frames, wall cracks and local area of floors. If mosquitoes, gnats, or flies are present, spray lightly into the air. Repeat as needed. The pets bedding should be sprayed, making sure the area beneath the bedding is sprayed. After spray has dried, remove old bedding and replace with fresh bedding. Treat pets with one of our registered Flea & Tick Control products before allowing them to enter treated area.

HORSES

Use full strength to control stable flies, horse flies, deer flies, face flies, gnats and mosquitoes. Apply to face, legs, flanks, top line and other body areas commonly attacked by these flies. Do not wet horses' skin with excessive spray. After application, brush thoroughly to bring out bright sheen on the coat. Repeat treatment as needed.

HOLD BOTTLE IN UPRIGHT POSITION WHEN SPRAYING

STORAGE AND DISPOSAL

Storage: Do not use or store near heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.



PH 11 20 11 11 11

42 7 11

Clemson University
College of Agricultural Sciences
Department of Fertilizer and Pesticide Control
256 Poole Agricultural Center
Clemson, SC 29634-0394

Attention: Kristie Crunkleton

Gentlemen:

Subject: Equicare Flysect Repellent Spray
EPA Registration No. 51793-154-11787

This will acknowledge your letter dated June 19, 1990 regarding the need of a Statement of Practical Treatment for the product cited above.

The registrant, Elite Chemical Corporation, Inc. of Norcross, Georgia, has been informed of the need for a Statement of Practical Treatment for their product, Elite Flea & Tick Spray #8, EPA Registration No. 51793-154.

Zoecon Corporation should contact Elite Chemical Corporation, Inc. for the correct labeling for their product.

Sincerely yours,

Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (47505C)

51336:I:Tavano:1,17-18:KENCO:12/24/90:01/21/91:DD:JH:DD

CONCURRENCES							
H75000 Tavano 1/2/91							

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 24 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

51793-154

ELITE FLEA & TICK SPRAY #8

**REPELLENT SPRAY WITH SOOTHING
ALOE, LANOLIN, & PABA SUNSCREEN
FOR CATS - KITTENS - PUPPIES - DOGS - HORSES - FOALS**

KILLS

FLEAS - LICE - TICKS

REPELS GNATS-FLIES-MOSQUITOES FOR 2 TO 3 DAYS

ALSO FOR USE AS A GROOMING AID AND COAT CONDITIONER

Active Ingredients:

Pyrethrins	0.15%	/
*Piperonyl Butoxide, Technical	1.00%	/
N-Octyl Bicycloheptene Dicarboximide.....	0.50%	/
Di-n-Propyl Isocinchomeronate.....	0.50%	/
INERT INGREDIENTS	97.85%	
	100.00%	

*Equivalent to 0.80% of (outylcarbityl)(6-propylpiperonyl) ether and 0.20% of related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panels for Precautionary Statements

**MANUFACTURED BY:
ELITE CHEMICAL CORPORATION, INC
P.O. BOX 1947, NORCROSS, GEORGIA 30091**

EPA Est. No. 51793-GA-1

EPA Reg. No. 51793-5

NET CONTENTS OZ

PRECAUTIONARY STATEMENTS

CAUTION

HUMANS: Harmful if swallowed or inhaled. Avoid breathing mist. Keep out of eyes. Avoid contamination of food. Wash hands with soap & water after using.

ANIMALS: Avoid treatment of foals, nursing kittens & puppies under six weeks old. If treatment is necessary spray on tips of fingers & rub coat.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply where runoff is likely to occur.

Department of
Fertilizer & Pesticide Control

JUN 18 1990

Clemson University
Clemson, SC

PHYSICAL OR CHEMICAL HAZARDS: Flammable. Keep away from heat and open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE ONLY IN WELL VENTILATED AREA

CATS and DOGS

Cover animals eyes with hands. With a firm stroke to get a proper spray mist, spray head, ears and chest until damp. With fingertips, rub into face around mouth, nose, and eyes. Then spray neck, middle and hind quarters, finishing legs last. For best penetration of spray to the skin, direct spray against the natural lay of the hair. On long haired dogs rub your hand against the lay of the hair, spraying the ruffled hair directly behind the hand. Make sure spray thoroughly wets ticks. Repeat treatment as needed.

PUPPIES and KITTENS

Treat same as cats and dogs except nursing puppies and kittens. Spray only along back or on your fingertips and rub in.

PETS SLEEPING QUARTERS

Spray around baseboards, windows, door frames, wall cracks and local area of floors. If mosquitoes, gnats, or flies are present, spray lightly into the air. Repeat as needed. The pets bedding should be sprayed, making sure the area beneath the bedding is sprayed. After spray has dried, remove old bedding and replace with fresh bedding. Treat pets with one of our registered Flea & Tick Control products before allowing them to enter treated area.

HORSES

Use full strength to control stable flies, horse flies, deer flies, face flies, gnats and mosquitoes. Apply to face, legs, flanks, top line and other body areas commonly attacked by these flies. Do not wet horses' skin with excessive spray. After application, brush thoroughly to bring out bright sheen on the coat. Repeat treatment as needed.

HOLD BOTTLE IN UPRIGHT POSITION WHEN SPRAYING

STORAGE AND DISPOSAL

Storage: Do not use or store near heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.