

PM 19 51793-161

1242

ACCEPTED

DEC 16 1992

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 51793-161

ELITE FLEA & TICK POWDER #5

KILLS FLEAS, LICE & TICKS

ON DOGS & CATS

Formulated for the control of Fleas, Ticks (including Ticks which transmit Lyme Disease) and Lice. Pleasantly scented to aid in the elimination of "animal odors".

ACTIVE INGREDIENTS:

| | |
|--|----------------|
| Carbaryl (1-naphthyl N-methyl-carbamate) | 5.00% |
| Pyrethrins | .10% |
| *Piperonyl Butoxide, Technical | 1.00% |
| INERT INGREDIENTS: | 93.90% |
| | 100.00% |

*Equivalent to 0.8% of (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS

MANUFACTURED BY:
RSR LABORATORIES, INC.
501 FIFTH STREET, BRISTOL, TENNESSEE 37620


EPA Est. No. 51793-TN-1

EPA Reg. No. 51793-161

NET CONTENTS _____ OZ

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.



2072

FOR CONTROL OF FLEAS, TICKS AND LICE: Dust pet liberally by rubbing dust into animal's hair. Begin at tail and work toward the head. Take care not to get dust in animal's eyes, nose or mouth. Be sure to dust paws and between toes. Dust bedding, kennels and sleeping quarters regularly. Apply at least once a week for best results.

Do Not Use On Pregnant Dogs.

THIS BOTTLE IS FILLED BY WEIGHT NOT BY VOLUME. YOU CAN BE ASSURED OF PROPER WEIGHT EVEN THOUGH SOME SETTLING OF CONTENTS NORMALLY OCCURS DURING TRANSPORTATION AND HANDLING.

PRECAUTIONARY STATEMENTS
CAUTION
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid breathing of dust when you apply powder. May be harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Do not treat puppies or kittens under 4 weeks of age. Keep out of reach of children.

Notice to Physician: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine sulfate is antidotal.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep cap closed tightly.

DISPOSAL: Do not reuse container. Wrap and put in trash. ✓

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by sticking finger down throat. Never give anything by mouth to an unconscious person. Call a physician.

IF IN EYES: Flush with plenty of water. If irritation persists, see a physician.

IF ON SKIN: Wash with soap and water.

