

pm 13

51793-167

51793-167

JAN 27 1992

1986

Until Reregistration

Elite Lawn Spray #4

~~161 5406096~~
18 1

Elite Manufacturing & Packaging, Inc.
225 Horizon Drive, Suite F
Suwanee, GA 30174

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) since you have agreed to:

1. Submit and/or cite all data or other material for registration/ reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

a. Add the phrase, "EPA Registration No. 51793-167."

b. Qualify the site "lawns" as follows:

• Under "Lawn Flea Control," revise as follows:

"To kill fleas and ticks harboring in residential lawns, use this..."

c. Revise the Statement of Practical Treatment as follows:

• Move the statement "If Swallowed" to the end of the section.

• Add "Get medical attention." to "If Inhaled."

TML 1/13/92

d. Revise the Precautionary Statements as follows:

Harmful if absorbed through skin or inhaled. Causes moderate eye irritation. Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapor or spray mist and contact with skin, eyes or clothing. In case of contact, flush with plenty of water. Obtain medical attention if irritation persists. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling. Avoid contamination of food or feed.

Do not spray plants used for food or feed.

e. Revise the statement under Environmental Hazards to:

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

3. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosures

JAN 27 1991

United States Environmental Protection Agency
Washington, D.C. 20460
EPA-10000-20-00
Registration No. 51793-167

ELITE LAWN SPRAY CONCENTRATE #4 51793-167
Kills Fleas and Ticks on Lawns

EMULSIFIABLE CONCENTRATE FOR USE ON RESIDENTIAL LAWNS AND RESIDENTIAL PREMISES ONLY TO KILL FLEAS AND TICKS AND OTHER OUTDOOR INSECTS LISTED ON THIS LABEL. ALSO KILLS DEER TICKS AND OTHER IXODID SPECIES THAT CARRY AND TRANSMIT LYME DISEASE.

Also controls Cockroaches, Palmetto Bugs, Ants, Crickets, Sowbugs (Pillbugs), Centipedes, Ticks and Spiders

ACTIVE INGREDIENT:

(S)-cyano(3-phenoxyphenyl)methyl-(s)-4-chloro-alpha-(1-methylethyl)benzeneacetate..... 0.44%

*INERT INGREDIENTS:..... 99.56%
100.00%

*Contains Petroleum Distillate

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautionary Statements

**MANUFACTURED BY:
ELITE MANUFACTURING & PACKAGING, INC.
225F HORIZON DRIVE, SUWANEE, GEORGIA 30174**

EPA Est. No. 51793-GA-1

EPA Reg. No. 51793-

NET CONTENTS ___ OZ.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labelling.

LAWN FLEA CONTROL:

To kill fleas harboring in lawns use this concentrate in a hose-end sprayer. Place required amount of concentrate in sprayer jar (see chart below) & fill with water to the recommended level. Mix well. Attach to sprayer and spray as recommended. For best results, lawn should be mowed a day or two before spraying. Spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where the pets will normally frequent. Spray under ornamentals and trees, but avoid soaking young or flowering plants. Repeat treatments may be necessary at 7 to 14 day intervals.


Kills on contact the Ixodes dammini tick (deer tick), which transmits lyme disease. Also kills foraging fire ants upon direct contact. A registered fire ant mound treatment should also be used in conjunction with this product. Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs, cats, their kennel or bedding area should also be treated with a registered flea control product in conjunction with this application.

AMOUNT OF PROD.TO USE FLUID OUNCES*	AMOUNT OF WATER TO USE	AREA TO BE TREATED
1 1/3 FLUID OUNCES	3 GALLONS	500 SQ FT(50'X10')
2 2/3 FLUID OUNCES	6 GALLONS	1000 SQ FT(50'X20')
4 FLUID OUNCES	9 GALLONS	1500 SQ FT(50'x30')
5 1/3 FLUID OUNCES	12 GALLONS	2000 SQ FT(50'X40')
8 FLUID OUNCES	18 GALLONS	3000 SQ FT(50'X60')
16 FLUID OUNCES	36 GALLONS	6000 SQ FT(50'X120')

*NOTE: 1 FLUID OUNCE = 2 TABLESPOONSFUL = 6 TEASPOONSFUL

FOR OUTDOOR PESTS: Mix concentrate in a compressed air sprayer or watering can at the rate of two (2) fluid ounces per one (1) gallon of water to control on contact, cockroaches, palmetto bugs, ants, crickets, sowbugs, spiders, and ticks. Use at the rate of one (1) gallon (diluted spray) per 1000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

BUILDING PERIMETER TREATMENT: To help prevent infestations of buildings by ants, crickets, spiders, centipedes, and sowbugs (pillbugs): Treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation..... to a height of 2 to 3 feet where these pests are active and may find entrance. Use eight (8) fluid ounces of concentrate per gallon of water and apply as a coarse wet spray at the rate of one (1) gallon per 1,000 square feet.



STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: Do not reuse empty container. Wrap container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS

CAUTION

Hazards to Humans and Domestic Animals

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs. Do not spray plants used for food or feed.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting because of aspiration hazard.

IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

PHYSICAL OR CHEMICAL HAZARDS


Do not use or store near heat or open flame.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

FOR USE WITH HOSE END SPRAYER CAP

The hose end sprayer cap is calibrated to deliver the correct dilution rate. No mixing - no measuring - no mess. Screw hose into back of sprayer cap. Remove bottle cap (save for storage after use). Secure sprayer cap by turning bottle counter-clockwise. Turn on water supply. TO START FLOW OF INSECTICIDE, place index finger over hole on right side of sprayer cap. Spray evenly and completely over lawns and other infested areas, giving special attention to areas frequented by pets. Hold about three feet above surface, moving at a steady pace to insure consistent, thorough coverage. When treatment is complete, or you wish TO STOP FLOW OF INSECTICIDE for any reason, simply remove finger from hole to break siphon action. TO STORE REMAINING INSECTICIDE: turn off water supply and remove bottle from sprayer unit and hose by turning bottle clockwise. Replace cap on bottle and tighten securely. Unscrew hose from sprayer unit and rinse unit in clear water. Store in cool place.



BEST AVAILABLE COPY

Insecticide Flow Control