



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

FEB 16 1994

Kim Lanham
RSR LABORATORIES, INC.
501 Fifth Street
Bristol, TN 37620

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submission of 08/11/93 in Response to PR Notice 93-7
EPA Reg. No. 51793-180
ELITE DURSBAN 1-12 - R144 INSECTICIDE


Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,


James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Enclosures



Recycled/Recyclable
Printed with Soy/Canola ink on paper that
contains at least 50% recycled fiber

RSR LABORATORIES, INC.

51793-180

08/11/93

ELITE DURSBAN 1-12 - R144 INSECTICIDE

Original Submission

Modify the exclusionary statement to conform to the EPA-approved language specified in PRN 93-11.

Add "Home" to Ornamentals.

ELITE DURSABAN* 1-12 - R144
Insecticide

Contains 1 pound of Chlorpyrifos per gallon.

For Use on Home Lawns.
Controls Numerous Pests of Turf and Ornamental Plants.
Also Recommended for Area Control of Ticks and Chiggers.

ACTIVE INGREDIENT:

Chlorpyrifos [0,0-Diethyl 0-(3,5,6-trichloro-
2-pyridinyl) phosphorothioate]

12.60%

**INERT INGREDIENTS:..... 87.40%
100.00%

* Trademark of DOWELANCO

** Contains Petroleum distillates and Xylene range Aromatic Solvent

Note: Contains 1 pound of Chlorpyrifos per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

AVISO:
PRECAUCION AL USUARIO:

Si usted no lee ingles, no use este producto hasta que la
etiqueta le haya sido explicada ampliamente.

MANUFACTURED BY:
RSR LABORATORIES, INC.
501 FIFTH STREET, BRISTOL, TENNESSEE 37620

EPA Est. No. 51793-TN-1

EPA Reg. No. 51793-180

NET CONTENTS _____ OZ

ACCEPTED
with COMMENTS
In EPA Letter Dated

FEB 16 1991

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

51793-180

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING**

MAY BE IRREVERSIBLE EYE DAMAGE. HARMFUL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION.

Do not get in eyes, on skin or clothing. Wear eye protection. Avoid breathing vapors and spray mist. Handle concentrate in a ventilated area. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Keep away from food, feedstuffs and water supplies.

STATEMENT OF PRACTICAL TREATMENT

- If Swallowed:** Call a physician or Poison Control Center immediately. Do not induce vomiting. Contains an aromatic petroleum solvent. Do not give anything by mouth to an unconscious person.
- If On Skin:** Immediately wash with plenty of soap and water. Get medical attention.
- If In Eyes:** Flush with plenty of water. Get medical attention immediately.
- If Inhaled:** Remove to fresh air if symptoms of cholinesterase inhibition appear and get medical attention immediately.

NOTE TO PHYSICIAN. Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM/protopam, may be therapeutic if used early; however, use only in conjunction with atropine.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. Do not use or store near heat or open flame. Do not cut or weld container.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds and wildlife, and extremely toxic to fish and aquatic organisms. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water by cleaning of equipment or disposal of waste. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

NOTICE: READ AND UNDERSTAND THE ENTIRE LABEL BEFORE USING. USE ONLY ACCORDING TO LABEL DIRECTIONS.

Before buying or using this product, read "WARRANTY LIMITATIONS AND DISCLAIMER" elsewhere on this label. If terms are not acceptable, return unopened package at once to seller for full refund or purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under WARRANTY LIMITATIONS AND DISCLAIMER.

Do Not Ship or Store With Food, Feeds, Drugs or Clothing.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not formulate this product into other end-use products.

PESTS OUT-OF-DOORS:

General Information: Use DURSBAN 1-12 insecticide for control of certain pests on outside surfaces of buildings and on home lawns and ornamental plants, and for area control of ticks and chiggers. Consult the following directions for dosage and application details to control the pests listed.

Pests On Outside Surfaces of Buildings: Use DURSBAN 1-12 at the rate of 5 1/3 fluid ounces per one gallon of water (0.5% chlorpyrifos emulsion) to control ants, clover mites, cockroaches, crickets, earwigs, fleas, flies, millipedes, mosquitoes, sowbugs, spiders and ticks by application as a residual spray or with a paint brush to outside surfaces of buildings, including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate or have been seen. Do not treat or allow the spray to contact plants (lawns, flowering plants, shrubs, trees, evergreens, etc.) because of possible injury. Repeat treatment as needed to maintain effectiveness.

NOTE: To help prevent infestation of buildings by ants, crickets, earwigs, millipedes and sowbugs (pillbugs), treat a band of soil 6 to 10 feet wide around and adjacent to the buildings, also the building foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Use 3.2 fl. oz. of DURSBAN 1-12 per 10 gallons of water and apply as a coarse spray at the rate of about 10 gallons spray mixture per 1,000 sq. ft. to thoroughly and uniformly wet the band area.

Pests of Lawns and Other Ornamental and Recreational Turf Grass Areas: Use DURSBAN 1-12 to control pests listed in the following table by application at the recommended dosages, and in accordance with the directions given below. Dilute DURSBAN 1-12 in enough water to obtain complete and uniform coverage of

pest-infested areas and apply as a coarse, low-pressure spray using suitable application equipment. Thoroughly water immediately after treatment to wash the insecticide into the turf, except as noted. For best results, the lawn should be moist at time of treatment. Not for use on sod farms or grass grown for seed.

Pests of Ornamentals: Use DURSBAN 1-12 insecticide to treat flowers, shrubs, vines, shade and flowering trees, and evergreens found to be infested with the pests listed in the following table. Dilute DURSBAN 1-12 with water according to directions given in the table and apply as a coarse, low-pressure spray using suitable application equipment in a manner to provide complete and uniform coverage. For best results, apply a wetting spray to both upper and lower leaf surfaces and infested limb and trunk areas. Attempt to penetrate dense foliage but avoid overspraying to the point of excessive runoff. Treat when pests appear and repeat at 7 to 10 day intervals, if needed.

NOTE: Do not use on azaleas, camelias, poinsettias, rose bushes, or variegated ivy because of possible injury to these plants.

Dogwood Borers: Apply DURSBAN 1-12 to the trunks and lower limbs of dogwood trees when the adults begin to emerge. Consult your State Agricultural Experimental Station or Extension Service Specialist for proper time to treat in your area. Mix at the rate of 12.8 fl. oz. of DURSBAN 1-12 in 10 gallons of water and apply uniformly on trees as a coarse, low-pressure spray.

Peach Tree Borer: Apply DURSBAN 1-12 to flowering trees and shrubs of the Genus *Prunus* in water as a trunk spray before newly hatched larvae enter the trees. Apply as a coarse, low-pressure spray. Thoroughly wet all bark areas from ground level to scaffold limbs. Consult your State Agricultural Experimental Station or Extension Service specialist for proper time to treat in your area.

NOTE: Mosquitoes coming to rest on areas treated for control of turf and ornamental plant pests will be killed for varying periods of time after treatment, depending on exposure of treated areas to weathering conditions.

ATTENTION: Keep children and pets off treated areas until spray has dried. Keep out of lawn and garden fishpools and other bodies of water.

Native Elm Bark Beetle: (Prevention of Overwintering) To prevent the adult beetle from overwintering in uninfested trees and to reduce beetle populations in disease-free areas, apply DURSBAN 1-12 insecticide as an 0.5% mixture of chlorpyrifos in water to the bottom 9 feet of the trunk. Wet the trunk thoroughly but do not spray to runoff. Care should be taken to apply the spray right to the base of the root flare. Applications can be made with either a backpack mist blower or a hydraulic pressure sprayer from spring through to early fall. (Prevention of Branch and Twig Feeding on High Value Elm Trees) To reduce the twig and branch feeding on uninfested trees deemed to be high in value, apply 0.5% chlorpyrifos water spray to the tree crown. Application should be made in the spring or early summer using a sprayer that will give thorough coverage to the tree crown.

DOSAGE AND DIRECTIONS FOR USE ON TURF

PEST	Dosage DURSBAN 1-12 Per 1000 sq. ft.	REMARKS
Ants, Armyworms, Brown Dog Ticks, Chiggers, Chinch Bugs, Clover Mites, Crickets, Cutworms, Earwigs, Fleas, Grasshoppers, Sod Webworms, Ticks	3* fl. oz. (90 ml)	Spray when pests first appear. Repeat when needed. For Sod Webworms, delay watering or mowing the treated areas for 12 to 24 hours after treatment.
Turfgrass (Hyperodes) Weevils	6 fl. oz. (180 ml)	Spray suspected problem areas in mid-April and again in mid- May or as recommended by your local Agricultural Extension Service specialist in your area.
White Grubs (European Chafer and Japanese Beetle Larvae only)	6 to 12 fl. oz. (180 to 360 ml)	For White Grubs, spray when grubs are young and actively feeding near the soil surface, usually during late July and August or as recommended by your local Agricultural Extension Service specialist for your area. Immediately after spraying, irrigate the treated area with 1/2 to 1 inch of water to wash the insecticide into the underlying soil.
Bluegrass Billbugs	6 to 12 fl. oz. (180 to 360 ml)	Spray early in the season when adults first appear. Repeat as needed.

* 1 1/2 fl. oz. per 1000 sq. ft. - 7 1/2 fl. oz. per 5000 sq. ft. - 1 pint per 10,700 sq. ft.

ATTENTION: Do not allow public use of treated area during application or until spray has dried.

Area Control of Ticks and Chiggers: Use DURSBAN 1-12 insecticide to control ticks and chiggers infesting non-cropland areas such as roadsides, footpaths and trails, picnic and camping sites, parks and other recreational areas where these pests are present and create a nuisance or possible health problem. Apply DURSBAN 1-12 in water at the rate of 1 fl. oz. per 2,700 sq. ft. Using a hydraulic sprayer, mist applicator, knapsack sprayer, or other suitable hand or power spray equipment. Treat low underbrush, grassy areas, weeds, and

ground surface and debris using enough spray volume to obtain thorough coverage, usually 40 to 100 gallons per acre.

Treatment of Fire Ant Mounds: Apply DURSBAN 1-12 as a drench diluted at the rate of 2 fl. oz. (60 ml) per 2 gallons of water. Gently sprinkle a total of 1 gallon of the diluted solution over the surface of each mound using a sprinkler can. Thoroughly wet mound and surrounding area to a 4 ft. diameter (12 sq. ft.). For best results, apply in cool weather, 65-80°F, or in early morning or late evening hours. Treat new mounds as they appear. Pressurized sprays may disturb the ants and cause migration, reducing product effectiveness.

DOSAGES AND DILUTIONS FOR USE ON ORNAMENTAL PLANTS

Pest Controlled		Amount of DURSBAN 1-12 in Water to Make	
		3 Gallons	10 Gallons
Aphids	Mites	1 fl. oz.	3.2 fl. oz.
Bagworms	Orangestriped	(30 ml)	(96 ml)
Eastern Tent	Oakworm		
Caterpillars	Spittlebugs		
Fall Webworms	Whiteflies		
Grasshoppers	Yellownecked		
	Caterpillars		
Cutworms	Mimosa Webworms	2 fl. oz.	6.4 fl. oz.
Leafhoppers	Redhumped	(60 ml)	(190 ml)
Mealybugs	Caterpillars		
	Thrips (exposed)		
Ash Borers	Scale Crawlers	4 fl. oz.	12.8 fl. oz.
Lilac Borers	Oak Lecanium	(120 ml)	(380 ml)
Dogwood Borers	Pine Needle		
	Tea		
	White Peach		
Peach Tree Borers		11.6 fl. oz.	38.4 fl. oz.
		(350 ml)	(1.5 L)

NOTE: 2 Tablespoons = 1 fl. oz.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container in secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. Do not store above 100°F for extended periods of time. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinstate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Plastic: Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill or by incineration or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

Container Disposal: 55 Gallon Drum: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

Containers One Gallon or Less: Do not reuse. Wrap and discard in trash.

WARRANTY LIMITATIONS AND DISCLAIMER

The Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions therein under normal conditions of use. THIS IS THE ONLY WARRANTY MADE ON THIS PRODUCT. NO OTHER EXPRESS AND NO IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS MADE OUTSIDE OF THIS LABEL.

Therefore, neither this warranty nor any other warranty or merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), under abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes, etc.) or under conditions not reasonably foreseeable to or beyond the control of seller.

When buyer or user suffers losses or damages resulting from the use or handling of this product (including claims based on contract, negligence, strict liability, or other legal theories), buyer or user must promptly notify in writing the Manufacturer of any claims to be eligible to receive either remedy given below. The EXCLUSIVE REMEDY OF THE BUYER OR USER and the LIMIT OF LIABILITY of the Manufacturer or any other seller will be one of the following, at the election of the Manufacturer:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

The seller will not be liable for consequential or incidental damages or losses.

The terms of this Warranty Limitations and Disclaimer cannot be varied by any written or verbal statements or agreements. Any employee or sales agent of the seller is not authorized to vary or exceed the terms of this Warranty Limitations and Disclaimer in any manner.

RQ/INSECTICIDE LIQUID N.O.S.
 (Chlorpyrifos)
 NA1993)