

51838-2

07/26/2000

1/1

OZM28-1BK
OZIUM Glycol-ized Air Sanitizer
 Reduces Airborne Bacteria
 Removes Smoke - Dispels Odors
 Specified for Use in
HOSPITALS • SCHOOLS
INDUSTRIES • OFFICES
HOTELS • PUBLIC BUILDINGS
DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling. Spray for one second toward center of room, away from drapes, walls, plastic, vinyl, painted or varnished surfaces, etc. to reduce airborne bacteria in an average size room (10' x 14' x 8'). Repeat application several times daily. For smoke and odor control, treat average size rooms twice with one-second sprays.
PRECAUTIONARY STATEMENTS:
 Hazards to Humans and Domestic Animals: Avoid inhalation of spray mist. Avoid contact with skin or eyes.
PHYSICAL AND CHEMICAL HAZARD:
FLAMMABLE. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperature over 130°F may cause bursting. Do not spray on painted or lacquered surfaces.
STORAGE AND DISPOSAL:
 Not to be refilled. Wrap in newspaper and put in trash.
DO NOT PUNCTURE OR INCINERATE.

EPA EST. NOS. 61203-MA-001 or 36213-MD-02
 EPA REG. NO. 51898-2
 RMR: OZM-628



Manufactured for
 Medo Industries, Inc. Tarrytown, NY 10591-5123
 © 2000 Medo Ind.
 Ozium is a registered trademark of
 Medo Industries © 2000

OUTDOOR BREEZE

NO. ???C NO. ???C

OZIUM
 Net Wt. 3.5 oz (99 g) ®

AIR SANITIZER
 REDUCES AIRBORNE BACTERIA

CAUTION: Keep out of reach of children. See side panel for other cautions.

ACTIVE INGREDIENTS:
 Triethylene Glycol.....4.4%
 Propylene Glycol.....4.4%
OTHER INGREDIENTS.....91.2%
100.0%

ACCEPTED
 JUL 26 2000
 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 51838-2

OZIUM Glycol-ized Air Sanitizer
 Reduces Airborne Bacteria
 Removes Smoke - Dispels Odors
 Specified for Use in
HOSPITALS • SCHOOLS
INDUSTRIES • OFFICES
HOTELS • PUBLIC BUILDINGS
DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling. Spray for one second toward center of room, away from drapes, walls, plastic, vinyl, painted or varnished surfaces, etc. to reduce airborne bacteria in an average size room (10' x 14' x 8'). Repeat application several times daily. For smoke and odor control, treat average size rooms twice with one-second sprays.
PRECAUTIONARY STATEMENTS:
 Hazards to Humans and Domestic Animals: Avoid inhalation of spray mist. Avoid contact with skin or eyes.
PHYSICAL AND CHEMICAL HAZARD:
FLAMMABLE. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperature over 130°F may cause bursting. Do not spray on painted or lacquered surfaces.
STORAGE AND DISPOSAL:
 Not to be refilled. Wrap in newspaper and put in trash.
DO NOT PUNCTURE OR INCINERATE.

EPA EST. NOS 61203-MA-001 OR 36213-MD-02
 EPA REG NO. 51898-2
 RMR: OZ-628

NO. ???C NO. ???C

OZIUM
 Net Wt. 0.8 oz. (22.6 g)

AIR SANITIZER
 REDUCES AIRBORNE BACTERIA

CAUTION: Keep out of reach of children. See side panel for other cautions.