



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

MAY 22 2008

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Ms. Sherry Hutcherson  
Consultant for Medo Industries, Inc.  
P. O. Box 4427  
Houston, TX 77210-4427

Mail to: Rivendell Consulting USA, LLC  
400 East Jane Street  
Valdosta, GA 31601

Subject: Ozium Glycol-ized Air Sanitizer  
EPA Registration Number 51838-2  
Your Amendment Dated April 2<sup>nd</sup>, 2008  
EPA Received Date April 14<sup>th</sup>, 2008

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, FIFRA, as amended, to correct outdated "First Aid Statement for "If In Eyes" as per Agency e-mail dated February 13<sup>th</sup>, 2008, is acceptable.

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Karen M. Leavy-Munk at (703)-308-6237.

Sincerely,

A handwritten signature in black ink that reads "M. Swindell".

Marshall Swindell  
Product Manager 33  
Regulatory Management Branch I  
Antimicrobial Division(7510C)

**OZIUM® Glycol-ized Air Sanitizer**  
**REDUCES AIRBORNE BACTERIA**  
 Eliminates Smoke and Offensive Malodors  
 Caused by Airborne Bacteria!  
**HOSPITALS • SCHOOLS • INDUSTRIES • OFFICES •**  
**HOTELS • PUBLIC BUILDINGS**

**DIRECTIONS FOR USE** It is a violation of federal law to use this product in a manner inconsistent with its labeling. Shake well. Spray for one second toward center of room away from drapes, walls, plastic, vinyl, painted or varnished surfaces, etc. to reduce airborne bacteria in an average size room (10' x 14' x 8'). Repeat application several times daily. Treat average size rooms twice with one-second sprays for smoke and malodor control caused by airborne bacteria.

**PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS. CAUTION:** Avoid inhalation of spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or tobacco. Keep out of reach of children and pets. **FIRST AID IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. Call a poison control center or doctor for treatment advice. For Health Emergency: (877) 276-7283.

**PHYSICAL OR CHEMICAL HAZARDS:** Extremely Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures over 130°F may cause bursting. Do not spray on painted or lacquered surfaces.

**STORAGE AND DISPOSAL:** Not to be refilled. Wrap in newspaper and put in trash. **DO NOT PUNCTURE OR INCINERATE.**



Distributed by SOPUS Products  
 P.O. Box 4427  
 Houston, TX 77210-4427  
[www.autoexpressions.com](http://www.autoexpressions.com)  
 © 2008 SOPUS Products  
 All Rights Reserved.  
 Pkg# 11109A  
 MP 0308

**MEDO®**

OZS-1

EPA EST. NOS 73516-MD-001 OR 61203-MA-001

EPA REG. NO. 51838-2

RM#: OZS-601R



NO. 7000C

NO. 7000C

# OZIUM®

*glycol-ized*  
**AIR SANITIZER**

**ORIGINAL**

**REDUCES AIRBORNE BACTERIA**

**CAUTION:** Keep out of reach of children and pets. See side panel for other cautions.

**ACTIVE INGREDIENTS:**

Triethylene Glycol 4.4%  
 Propylene Glycol 4.4%

**INERT INGREDIENTS**

91.2%  
 100%

Net Wt. 14.5 oz. (411 g)

PTED  
 MENTS  
 or Dated:  
 2008

Insecticide,  
 Fungicide Act as  
 Pesticide,  
 EPA Reg. No.

2

282