

51873-6

08/01/2006

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Roland L. Cargill
Product Registration Specialist
Fair Products, Inc.
P.O. Box 386
Cary, NC 27512

AUG 1 2006

Subject: FST-7
EPA Reg. No. 51873-6
Amendment dated March 3, 2006
EPA Decision Number 365814

Dear Mr. Cargill:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act as amended is acceptable provided the following changes are made:

1. Move the signal words "DANGER-PELIGRO" to immediately below the warning "Keep out of reach of children."
2. In the Spanish language warning delete the phrase "PRECAUCION AL USUARIO"
3. In the "Precautionary Statements" box, remove the notations "(moved into box)"
4. In the section "Special Directions for Tank Mixing..." (page 7), change the product name from "Prime+ EC" to "Prime+"
5. In both the "Flue" and "Burley" sections, move the two sentences "Remove by hand all suckers... sprayed promptly." To be the first two sentences in these sections. Also, define "promptly" (e.g. 24 hours, 48 hours, etc.)
6. In the "Flue" section, in the 4th line change "...second application..." to "...second Fair85 application"
7. In the Warranty Statement, change "Seller' guarantee shall be limited..." to "To the extent allowed by state law, the Seller's guarantee shall be limited...."

One copy of the label stamped "Accepted with comments" is enclosed for your records. This label supersedes all labels previously accepted for this product. Please submit one copy of the final printed label that incorporates the required changes before the product is released for shipment. If you have any questions, please contact Robert Westin by phone at (703) 305-5721 or via email at westin.robert@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Tony Kish", is written over the typed name.

Tony Kish
Product Manager (22)
Fungicide Branch
Registration Division (7505P)

Enclosure: label stamped "Accepted with comments"

2/9

****DRAFT****

EPA Approved w/comments 04/02/03 label Updated 09-15-03

FST-7/Front panel-01

****PROPOSED CHANGES IN RED****

FST-7®

CONTACT AND SYSTEMIC TOBACCO SUCKER CONTROL AGENT

DANGER-PELIGRO

KEEP OUT OF REACH OF CHILDREN

PRECAUCION AL USUARIO: Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail)

ACTIVE INGREDIENTS:

n-Decanol.....	38.3%
Potassium salt of 1,2-Dihydro-3,6-pyridazinedione*.....	11.1%
INERT INGREDIENTS.....	50.6%
TOTAL.....	100.0%

*Hereafter called potassium salt of maleic hydrazide CAS No. 28382-15-2

This product contains 0.66 lbs. maleic hydrazide (MH) equivalent per gallon.

Weight of Active Ingredients = 4.0 lbs. per gallon

SHAKE WELL BEFORE USING

READ ENTIRE LABEL CAREFULLY BEFORE USING THIS PRODUCT.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

If not used in accordance with directions, plant injury, or other undesirable results may occur.

Sold by:

Fair Products, Inc., USA

Agri-Specialties Division

Post Office Box 386

Cary, North Carolina 27512-0386

Telephone: (919) 467-8352

EPA EST. NO. 45671-NC-01

EPA REG. NO. 51873-6

02292000V-2003P

Net Contents:

3 GALLONS (384 Fl. Oz.)

(11.355 Liters)

**ACCEPTED
with COMMENTS
In EPA Letter Dated**

AUG 1 2006

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.**

51873-6

DRAFT

EPA Approved w/comments 04/02/03 label Updated 09-15-03

FST-7/Left side panel(changes required by April 2, 2003 EPA letter in Red)

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals

DANGER

Corrosive, Causes irreversible eye damage. Do not get in eyes, on skin or on clothing. Wear protective eyewear, (goggles or face shield). Harmful if absorbed through skin or inhaled. Avoid contact with skin, eyes, or clothing. Avoid inhalation of mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS (moved into box)

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply this product through any type of irrigation system. Do not contaminate water when disposing of equipment washwaters.

SURFACE WATER ADVISORY (moved into box)

Under some conditions, maleic hydrazide (MH) may have a significant potential for runoff into surface water (primarily via dissolution in runoff water), for several days post-application. Conditions favoring runoff include poorly draining soils or wet soils with readily visible slopes, frequently flooded areas, areas where an intense or sustained rainfall is forecast to occur within 48 hours, areas overlying extremely shallow ground water, and areas overlying tile drainage systems that flow to surface water.

FIRST AID**FATTY ALCOHOLS (N-DECANOL)****MALEIC HYDRAZIDE**

If In Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye • Call a poison control center or doctor for treatment advice.
If On Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person
If Inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for treatment advice.

Hot Line Number**FATTY ALCOHOLS (N-DECANOL)****MALEIC HYDRAZIDE**

Have the container or label with you when calling a poison control center or doctor or going for treatment.*** For emergency information on product call (919) 467-8352, Monday through Friday 9 am to 5 PM EST. After 5 PM call your poison control center or call the National Poison Control Hotline at 1-800-222-1222 for additional information.

****Note text moved.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage

4/9

****DRAFT****

EPA Approved w/comments 04/02/03 label Updated 09-15-03

FST-7/Left side panel-01 (continued)

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or persons, either directly or indirectly through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

**Do not enter or allow worker entry into treated areas during the
Restricted Entry Interval (REI) of 24 hours.**

PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls over long sleeved shirt and long pants
- Chemical resistant gloves made of any waterproof material
- Shoes plus socks
- Protective eyewear.

****DRAFT****

EPA Approved w/comments 04/02/03 label Updated 09-15-03

FST-7/Right side panel

(Box added here)

USE PRECAUTIONS

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for **CATEGORY C** on an EPA chemical resistance category selection chart.

APPLICATORS AND OTHER HANDLERS MUST WEAR:

- Long-sleeved shirt and long pants
- Chemical resistant gloves made of any waterproof material
- Shoes plus socks
- Protective eyewear.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

6/9

****DRAFT****

EPA Approved w/comments 04/02/03 label Updated 09-15-03

FST-7/Right side panel

(Changed at request of Local EPA to adhere to PR Notice 83-3 criteria)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

1. **PESTICIDE STORAGE** - Do not stack over 2 pallets high. Store original containers in cool dry place away from food, water and feed. Avoid storage below 45 degrees F. At temperatures below 40 degrees F, the formulation will form solids. It readily re-dissolves, but must be warmed to 50 degrees F or above.
2. **PESTICIDE DISPOSAL** - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.
3. **CONTAINER DISPOSAL** - Do not reuse empty container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned stay out of smoke.
4. **GENERAL** - Consult federal, state or local disposal authorities for approved alternative procedures in your area.

7/9

****DRAFT****

EPA Approved w/comments 04/02/03 label Updated 09-15-03

FST-7/Rear panel, p.1

FST-7 FOR CONTROL OF TOBACCO SUCKERS. DIRECTIONS FOR USE.

Make sure the container of FST-7 is well mixed and shaken before measuring.

FST-7 is a contact and systemic sucker control agent which with one application kills small suckers on contact with one-half to one hour after application and then works systematically on the tobacco plant to control cell subdivisions and the formation of new suckers. FST-7 is formulated exclusively for the control of tobacco suckers.

FST-7 can be applied by conventional spray mechanisms. Use a coarse spray and spray one or more rows at a time wetting only the upper 1/3 to 1/2 of the tobacco plant and allowing the liquid to run down the stalk to each plant, using only about twenty pounds of pressure. Plants that are leaning should be straightened so that the spray flows down the stalk evenly and contacts each sucker.

FST-7 should be applied during early morning after the dew dries, all day on cloudy days, avoiding late afternoon or night applications. Spraying during the bright noon day sun at atmospheric temperatures above 90°F should be avoided since injury to the top tender leaves may result.

Do not apply FST-7 when the wind velocity is high enough to turn the top leaves since injury may result from the application to the tender underside of the tobacco leaf. Do not apply during a rain or when the leaves are still wet or when rain is predicted during the period of 6 hours for absorption throughout the entire plant and rain within that period may reduce effectiveness. If applied during drought, the contact portion of the formulation continues to function normally but the systemic sucker control action may be reduced because of the diminished absorption capabilities of the tobacco plant under drought conditions.

FLUE CURED TOBACCO

Make sure the container of FST-7 is well mixed and shaken before measuring.

Apply FST-7 after topping at early flower (one week after button), following application of an appropriate contact control agent (such as FAIR 85 or FAIR TAC) at the early button stage. Remove by hand all suckers which are over one inch long. The plants should be sprayed promptly. Add 3 gallons of FST-7 to 10-20 gallons of water and with the mixer running add more water to bring the volume up to a total of 50 gallons. Operate the sprayer at a speed of 2.5 to 3 miles per hour and spray 50 gallons of diluted emulsion per acre of tobacco. Use a coarse spray covering the top 1/3 to 1/2 of the plant and allow the liquid to run down the stalk to the bottom of each plant using only about 20 pounds of pressure.

BURLEY TOBACCO

Make sure the container of FST-7 is well mixed and shaken before measuring.

Top the tobacco plants when they are about the full flower stage and remove by hand all suckers which are over one inch long. The plants should be sprayed promptly (within one day after topping). Add 3 gallons of FST-7 to 10-20 gallons of water and with the mixer running add more water to bring the volume to a total of 50 gallons. Operate the sprayer at a speed of 2.5 to 3 miles per hour and apply 50 gallons of diluted emulsion per acre of tobacco. Use a coarse spray covering the top 1/3 to 1/2 of the plant and allow the liquid to run down the stalk to the bottom of each plant using only about 20 pounds of pressure. For the compressed air shoulder sprayer use 23 ounces of FST-7 per 3 gallons of water and mix well before using. Apply at a rate of 3 gallons of diluted emulsion per 667 plants agitating the solution from time to time during spraying.

Special Directions for Burley Tobacco:

Alternatively, to reduce maleic hydrazide (MH) residues and enhance sucker control apply FST-7 as soon as 10 to 25% of the plants have open flowers or whenever the majority of plants have 20 to 25 harvestable leaves (greater than 8 inches long and about 5 inches wide). This will result in MH application 7 to 14 days earlier than the normal application at full to late flower.

8/9

****DRAFT****

EPA Approved w/comments 04/02/03 label Updated 09-15-03

Special Directions for Tank Mixing FST-7 plus Prime+ EC

FLUE-CURED TOBACCO

Application Sequence:

Following an application of 1 gallon per acre of FST-7 at the bud stage and a second application of 1.5 gallons of FST-7 at 1 to 2 weeks later, apply 1 gallon of FST-7 plus 1 quart of Prime+ EC in 400 gallons of water per acre about five to seven days after the second application. Remove by hand all suckers which are over one inch long. The plants should be sprayed promptly. Add 1 gallon of FST-7 and 1 quart of Prime+ EC to 100 gallons of water with the mixer running and more water to bring the volume up to a total of 400 gallons. Operate the sprayer at a speed of 1.5 to 2 miles per hour and spray 50 gallons of diluted emulsion per acre of tobacco. Use a mist-spray covering the top 1/3 to 1/2 of the plant and allow the liquid to run down the stem to the bottom of each plant using only as much pressure as required.

BURLEY, DARK, MARYLAND AND CIGAR TOBACCO

Application Sequence:

Apply FST-7 mixed with Prime+ EC to 100 gallons of water and 1 gallon of FST-7 in 100 gallons of water per acre at the early bottom stage. Remove by hand any suckers that are over one inch long. The plants should be sprayed promptly. For powered spray equipment, add 1 gallon of FST-7 and 1 quart of Prime+ EC to 100 gallons of water and with the mixer running add more water to bring the volume to a total of 400 gallons. Operate the sprayer at a speed of 1.5 to 2 miles per hour and apply 50 gallons of diluted emulsion per acre of tobacco. Use a mist-spray covering the top 1/3 to 1/2 of the plant and allow the liquid to run down the stem to the bottom of each plant using only as much pressure as required. For the mist-spray equipment, use 1 gallon of FST-7 and 1 quart of Prime+ EC per 100 gallons of water and mix well before using. Apply at a rate of 1 gallon of diluted emulsion per 600 plants, adjusting the spray from time to time during spraying.

Follow precautions and label restrictions on the FST-7 label and the Prime+ EC label.

9/9

****DRAFT****

EPA Approved w/comments 04/02/03 label Updated 09-15-03

FST-7/Rear panel,p.2

NOTES AND LIMITATIONS

1. Do not make more than one application per season.
2. Should wash off occur within 6 hours of application, a single repeat application may be made.
3. Do not harvest earlier than 7 days after application
4. Mix well prior to use. If allowed to stand during use, mix again before applying since the diluted emulsion may separate on standing.
5. Do not use on burley tobacco during periods of high heat and humidity.
6. Make sure that the spray equipment is clean before use.
7. Do not use on seed tobacco.
8. Do not allow to drift to nearby crops.
9. Usage according to the directions outlined has resulted in effective sucker control with little or no leaf injury. Application not in accordance with the directions may lead to injury to leaves or improper sucker control.

WARRANTY STATEMENT: Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.