51873-1	20
---------	----

-20 07/18/2013	$\left(\begin{array}{c} \\ \\ \end{array}\right)$	
U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Chemical Safety and Pollution Prevention Office of Pesticide Programs Registration Division (7504P) 1200 Pennsylvania Ave., N.W. Washington, DC 20460 NOTICE OF PESTICIDE: X_ Registration (under FIFRA, as amended)	EPA Reg. Number: 51873-20	Date of Issuance: JUL 1 8 2013
	Term of Issuance: Unconditional	
	Name of Pesticide Pr N-Tac	roduct:
Name and Address of Registrant (include ZIP Code):Mailed to:Fair Products IncRoland CaPO Box 386Cary, NC 27512-0386	nrgill	
Note: Changes in Tabeling differing in Substance from that accepted in co be submitted to and accepted by the Registration Division prior to use of correspondence on this product always refer to the above EPA registration On the basis of information furnished by the registrant, the a hereby registered under the Federal Insecticide, Fungicide a Registration is in no way to be construed as an endorsement product by the Agency. In order to protect health and the en- on his motion, may at any time suspend or cancel the registr accordance with the Act. The acceptance of any name in con of a product under this Act is not to be construed as giving the exclusive use of the name or to its use if it has been covered in This product is unconditionally registered in accordance with provided that you: 1. Submit and/or cite all data required for registration of sec 3(c)(5) when the Agency requires all registrants of such data; and submit acceptable responses required product under FIFRA section 4.	the label in commer on number above named pest nd Rodenticide A or recommendat vironment, the A ation of a pesticion nection with the ne registrant a rig by others. The FIFRA section a of your product up of similar product	cicide is ct. tion of this dministrator, le in registration (ht to B(c)(5) ader FIFRA ts to submit
Signature of Approving Official:	Date:	Page 1 of 2

1/8

Notice of Pesticide Registration N-Tac EPA Reg. No. 51873-20 Page 2 of 2

- 2. Make the following change to the label:
 - a. Change the product registration number to "EPA Reg. No. 51873-20"
- 3. Submit one copy of the revised final printed label for the record before the product is released for shipment.

Your release for shipment of the product constitutes acceptance of these conditions.


A copy of the label stamped "Accepted" is enclosed for your records.

Tony Kish Product Manager (22) Fungicide Branch Registration Division (7504P)

Enclosure:

Label stamped "Accepted"

N-TAC/Front panel



N-TAC®

Tobacco Sucker Control

KEEP OUT OF REACH OF CHILDREN

DANGER - PELIGRO

PRECAUCION AL USUARIO: Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail)

READ ENTIRE LABEL CAREFULLY BEFORE USING THIS PRODUCT.

ACTIVE INGREDIENTS: (% by weight)

Octanol (C8)	
Decanol (C10)	
Related Compounds (dodecanol C12)	0.3%
OTHER INGREDIENTS:	15.3%
TOTAL	100%
This product contains 2.57 lb. octanol 3.41 lb. decanol a	and 0.02 lb.
dodecanol per gallon. If not used in accordance with dir	rections, plant injury,
excessive residues, or other undesirable results may occ	ur.

Sold by:

Fair Products, Inc., USA Agri-Specialties Division Post Office Box 386 Cary, North Carolina 27512 Telephone: (919) 467-8352

MADE IN U.S.A. EPA REG. NO. 51873-EN EPA EST. NO. 45671-NC-01 10192012V-2013P NET CONTENTS: 5 GALLONS 18.93 LITERS 3 8

N-TAC/Left side panel, p. 1

If In Eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye
	• Call a poison control center or doctor for treatment advice.
If On Skin or	Take off contaminated clothing.
Clothing	• Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
If Swallowed	Call a poison control center or doctor for treatment advice.
	• Have person sip a glass of water if able to swallow.
	• Do not induce vomiting unless told to do so by the poison control center or doctor.
	Do not give anything to an unconscious person
If Inhaled	• Move person to fresh air.
	• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
	 Call a poison control center or doctor for treatment advice.

Have the container or label with you when calling a poison control center or doctor or going for treatment. For emergency information on product call (919) 467-8352, Monday through Friday 9 am to 5 PM EST. After 5 PM call your poison control center or call the National Poison Control Hotline at 1-800-222-1222 for additional information.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER

Corrosive. Causes irreversible eye damage. Causes skin irritation. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are made of barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride, or viton. If you want more options, follow the instructions for **CATEGORY** C on an EPA chemical resistance category selection chart.

MIXERS, LOADERS, APPLICATORS AND OTHER HANDLERS MUST WEAR:

- Goggles or faceshield
- Coveralls over short-sleeved shirt and short pants
- Chemical resistant footwear plus socks, and
- Chemical resistant gloves

USER SAFETY REQUIREMENTS

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

- 2 -

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the Restricted Entry Interval (REI) of 24 hours.

PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Chemical resistant gloves
- Shoes plus socks
- Protective eyewear

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning equipment or disposal of waste.

- 3 -

N-TAC/Left side panel, p. 2

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

- 1. **PESTICIDE STORAGE** Do not stack over 2 pallets high. Store original containers in cool dry place away from food, water and feed.
- 2. **PESTICIDE DISPOSAL** Pesticide wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

3. CONTAINER DISPOSAL – Non-refillable containers. Do not reuse or refill this container. For container sizes of 5 gallons or less, triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and draining for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

For container sizes greater than 5 gallons, triple rinse as follows: empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least on complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinate for later use or disposal. Repeat the procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or persons, either directly or indirectly through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

N-TAC/Rear panel, p.1

N-TAC is a carefully balanced combination of active ingredients and wetting agents to be used for the control of sucker growth on Burley, Flue-Cured, Dark Fired, Maryland and Cigar tobacco. The concentrated product is diluted with water to form a creamy emulsion, which is applied as a coarse spray. The emulsion is effective only when it comes in direct contact with suckers; therefore, the material is applied so that maximum contact is made with the suckers.

WHEN TO APPLY:

N-TAC can be applied before or after topping. Best results are usually obtained by spraying the tobacco with N-TAC before topping in the early to late button stage and then topping the tobacco immediately followed by additional applications of N-TAC starting and spaced 3 to 5 days apart. If you top the tobacco before spraying, remove any suckers over one inch in length as you top and apply N-TAC after topping. Because N-TAC is a contact type agent, it is necessary to straighten any plants that are leaning so that the emulsion flows down the stalk evenly and contacts each sucker.

N-TAC usually can be applied anytime during the day, but not to wilted plants. For best results, it is recommended that you wait until the dew dries before spraying. Do not spray after the leaves begin to close in the evening. Because the underside of the leaves may be injured by contact with N-TAC, do not apply when the wind is high enough to turn the top leaves over. Do not apply during the rain or when plants are wet. If however, it rains after N-TAC has been on the plants for over an hour, you should not have to apply N-TAC again. Do not apply during periods of high heat or if plants are wilted.

HOW MUCH N-TAC TO APPLY:

For each tobacco type listed use the lower rate and apply to untopped plants in the button stage when plant tissue is tender, then top immediately.

Use the higher rate for the first application when plants are more mature and for the second application 3 to 5 days later followed by additional applications 3 to 5 days apart as needed.

Flue-Cured:	For power sprayer - use 2 gallons (7.57 liters) in 48 gallons (182 liters) of water, for a total spray solution of 50 gallons (189 liters) -4% solution; or 2.5 gallons (9.4 liters) in 47.5 gallons (180 liters) of water for a total spray solution of 50 gallons (189 liters) - 5% solution.	
	For hand sprayer - use 5 ounces (148 milliliters) in water to make a total of 1 gallon (3.785 liters) of spray (4% solution), or 6 ounces (177 milliliters) in water to make a total of 1 gallon (3.785 liters) of spray (5% solution).	
	NOTE: In the event of an extended season, later applications of 2.5 gallons (9.4 liters) N-TAC in 47.5 gallons (180 liters) water (5% concentration) may be made.	
Burley:	For power sprayer - use 1.75 to 2 gallons (6.62-7.57 liters) in water to make a total of 50 gallons (189 liters) of spray solution (3.5 to 4% solution).	
Dark Fired:	For hand sprayer, use 6 to 8 ounces (177-237 milliliters) in water to make a total of 1 gallon (3.785 liters) of spray (4.5 - 6% solution).	
Cigar:	Use 4 to 5 ounces (118-148 milliliters) in water to make a total of 1 gallon (3.785 liters) of spray solution to apply with a hand sprayer $(3 - 4\%$ solution).	
Maryland:	Use 4 to 4.5 ounces (118-133 milliliters) in water to make a total of 1 gallon (3.785 liters) of spray solution to apply with a hand sprayer (3 to 3.5% solution).	

- 5 -

When applied by hand using 2/3 to 1 ounce (20 - 30 milliliters) of spray solution per plant, 1 gallon (3.785 liters) of diluted N-TAC will treat 128-190 plants.

If a power sprayer is used, 50 gallons (189 liters) of diluted product should be applied per acre of tobacco.

HOW TO APPLY:

The diluted emulsion is most easily prepared by adding the required amount of N-TAC to your spray tank and then adding the water. In order to obtain the best results, it is important that the water be added to the N-TAC rather than the N-TAC to the water to enhance mixing and reduce floating.

If you use a hand-held or backpack sprayer, the diluted solution must be applied at a rate of 2/3 to 1 ounce (20-30 milliliters) per plant (or enough to insure rundown to the bottom of the plant). A coarse spray is recommended, directed downward at the top of the stalk from 6-8 inches above the top leaves, very little tank pressure is required, and in no case should more than 20 pounds be used.

When applied with power equipment, three nozzles per row must be used (TG full cone tips, or larger, are satisfactory). One TG-5 nozzle should be directed downward over the center of the row and two TG-3s should be positioned approximately 11 inches on either side directed at or slightly above the top of the stalk. The diluted N-TAC must be applied to the tobacco as a coarse spray from a height of 12 to 16 inches above the top of the stalk. It is recommended that boom pressure be kept at 20 lbs. By using the recommended spray tips, spraying at approximately 20 lbs. pressure, and operating a tractor speed of 2.5 to 3 mph, you will apply approximately 50 gallons of diluted solution per acre of tobacco.

HOW OFTEN TO APPLY:

Usually one application of N-TAC will give good control of both primary and secondary suckers and produce excellent leaf quality. However, in most cases additional treatments of N-TAC are recommended 3 to 5 days apart to allow time for uneven crops to become uniform.

NOTES:

- 1. Mix well prior to use and, if allowed to stand during the use, mix again before applying since the diluted emulsion may separate on standing.
- 2. Do not use on Burley tobacco during periods of high heat and high humidity.
- 3. Usage according to the directions outlined has resulted in adequate sucker control with very little or no leaf injury. Application not in accordance with the directions may lead to injury of leaves or improper sucker control.
- 4. Make sure spray equipment is clean before using.
- 5. Do not mix with other pesticides, fertilizers, surfactants or any other materials as plant damage or death may result.

WARRANTY STATEMENT: To the extent permitted by applicable law, Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.