Reg # 51896-1

PM-25



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



APR 28 1994

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Michael S. Patin CROP PRODUCTION SERVICES, INC. 509 WEST WEBER AVENUE SUITE 201 STOCKTON, CA 95203

Subject: Label Amendment Submission of 03/21/94 in Response to PR Notice 93-7 EPA Reg. No. 51896-1 PICK-QUIK

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

Send to EPA one (1) copy of the final printed labeling:

 BEFORE selling or distributing any product bearing the final printed labeling AND

WITHIN one year from date of this acceptance.



Page 2

Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL) Office of Pesticide Programs (7505C) U.S. Environmental Protection Agency 401 M Street, SW Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL) Office of Pesticide Programs Room 266A, Crystal Mall 2 1921 Jefferson Davis Highway Arlington, VA 22202

Sincerely, Jim Tompkins, Deputy Chief Registration Support Branch Registration Division (7505W)

Attachment

PRECAUTIONARY STATEMENTS	$\mathbf{\Lambda}$
HAZARDS TO HUMANS (& DOMESTIC ANIMALS)	PICK - QUIK
M CAUTION	
	CF Dated LIQUID DEFOLIANT
Shoes plus socks Shoes plus socks Follow manufacturer's instructions for cloaning/maintaining PPE. I no such instructions for washables, use dolergent and hot water. Keep and wash PPE separatoly form other laundry.	the product Agodium Chlorate
When handlers use closed systems, enclosed cabs, or alroralt in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.	KEEP OUT OF REACH OF CHILDREN CAUTION
USER SAFETY RECOMMENDATIONS Users should: • Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. • Remove clothing knimediately if pestickle gets inside. Then wash thoroughly and out on clean clothing.	SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON THE LEFT PANEL STATEMENT OF PRACTICAL TREATMENT

 Remove PPE immediately alter handling this product. Washoutside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or wetlands. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Strong oxidant. Contact with combustible material may cause fire. Keep away from heat and open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

Storage: Store in a cool, dry, fire resistant, locked storage area; separate from acids, solvents, oils, organic substances, sultur, sulfides, powdered metal, ammonium salts and away from fire hazards. In case of spill, flood areas with large quantities of water.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposat of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not reuse empty container,

If an Skin: Yush vith plenty of seap and vater, fee a dector if irritation persists. Los Angeles Pelson Control Conter; (213) 664-2121.

CONDITIONS OF SALE AND WARRANTY

Crep Production Services varrants that this product conferms to the chemistal description on the label and is reasonably fit for the pur-person stated when used in seardance with the use directions under narmal conditions. Crep Production Services neither makes, nor suther izes any agent or representative to make ony other varranty of fittESS or of MECRANTABLIT?, Quirantee or representation, express or implied concerning this material.

2. Critical and unferdanceble factors beyond Grap Production Servises's control prevent it fram eliminating all risks in connection with the use of this material. Such risks accur even though the product is reasonably fill for the uses stated herein and your though the block of the initial for the uses attained herein and some though the product is initial initial initial for the second of the second second second for the second second second the second second second the second second by Grap Production Services shall not be liable for incidental encoded second second by the second. Crep Production Services shall not be liable for incidental deservential deservents.



E.P.A. REG. NO. 51896-1 EPA Est. No.

NET CONTENTS____ _GALS. LOT NO ._

kion of Federal la

Г

oly this product in i dril. Only prote rits specific to yo

itural Use Red

product only in a 40 CFR part 17 hural workers on itural pesticides. on, and emerger is pertaining to nt (PPE) and rest I this product the

ler or allow worke 2 hours.

ilied for early er n Standard and t larita, soll, or wai

prool gloves

DUS Socks

GENE

IMMATURITY AND MOST FREQUEN **DEFOLIATION. Un** maturity is indicated lighter and tinged w the stems. Do not de drought as evidence suffering from an defoliated. Thoroug whether applied by days before picking

FOR AIRCRAFT: Ad of 5 gallons of spra-

٦.

COTTON SPRAYE PickQuik Liquid Def acre for cotton.

COTTON: Apply 2 sprayer or aircraft. F cation, six to eight n to obtain good resul treated areas or feed within 7 days of ha MILO, SORGHUM: (cation. Apply when harvest.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contact with skin and clothing. Week hands after use: Remove and leunder elething before reuse. Avoid contamination of food. Do not use on humansor-permit-children to go onto oprayod areas until spray hascompletely dried.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, give large amount of water to drink, make person vomit, and call a doctor or Poison Control Center. In case of eye contact, immediately flush eyes with fresh water for 15 minutes and see a doctor. For skin contact, wash with plenty of soap and water. See a doctor if irritation persists. Los Angeles Poison Control Center: (213) 664-2121.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or wetlands. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Strong oxidant. Contact with combustible material may cause fire, Keep away from heat and open flame.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

Storage: Store in a cool, dry, fire resistant, locked storage area; separate from acids, solvents, oils, organic substances, sulfur, sulfides, pov/dered metal, ammonium salts and away from fire hazards. In case of spill, flood areas with large quantities of water.

PestIcide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not reuse empty container.



LIQUID DEFOLIANT

ACTIVE INGREDIENT:	
Sodium Chlorate	
INERT INGREDIENTS:	
	100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

Contains Urea as a fire suppressant. E.P.A. REG. NO. 1202-206-AA E.P.A. Est. No.



NET CONTENTS_____

_GALS. LOT NO.____8/84 CD

SUGGESTIONS FOR APPLICA

IMMATURITY AND DROUGHT OF PLAN MOST FREQUENT CAUSES OF UNS# DEFOLIATION. Under most growing cor maturity is indicated by the green foliage c lighter and tinged with red, and by a definit the stems. Do not defoliate when plants are drought as evidenced by wilt condition of th suffering from an alkali soil condition s defoliated. Thorough coverage of the pla whether applied by ground or air. Apply days before picking date on cotton.

FOR AIRCRAFT; Add sufficient water to eq of 5 gallons of spray per acre.

COTTON SPRAYERS: Use recommender PickQuik Liquid Defoliant in 20 to 60 gallos acre for cotton.

COTTON: Apply 2 to 2½ gallons per ac sprayer or aircraft. For pre-harvest defoliat cation, six to eight nozzles per row are usu to obtain good results with ground sprayer treated areas or feed gin waste to livestock within 7 days of harvest.

MILO, SORGHUM: 2-3 gallons per acre for cation. Apply when full mature, 7 to 10 harvest.

PUREGRO CONDITIONS SALE AND WARRANT

PureGro Company warrants that this produ the chemical description on the label and is for purposes stated on such label. PureC other warranty, express or implied, of fitnes tability nor authorizes any agent or represer any variation or exception from this warran

Follow directions carefully. Timing and meth tion, weather and crop conditions, mixtur chemicals not specifically recommended, a encing factors in the use of this product a control of PureGro Company. Buyer assuuse, storage, or handling of this materia accordance with directions given herewith

