PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

CAUTION

Harm'ul if swallowed. Avoid contact with skip and clothing E PERSONAL PROTECTIVE EQUIPMENT W/Comments

Applicators and other handlers must wear:

Long sleeved shirt and long pants

- Waterproof gloves

• Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If to such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry

When handlers use closed systems, enclosed cabs, or a aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)L the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- . Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal greas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Strong exident. Contact with combustible material may cause fire. Keep away from heat and open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

Storage: Store in a cool, dry, lire resistant, locked storage area; separate from acids, solvents, oils, organic substances, sulfur, sulfides, powdered metal, ammonium salts and away from fire hazards. In case of spill, flood areas with large quantities of water. Pesticide Disposal: Pesticide wastes are acutely hazardous. improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent), Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not reuse empty container.



PM 25 51896-1

LIQUID DEFOLIANT

Under the Federal Insecticide CTIVE INGREDIANT:

Fungicide, and Rodenticide ActSodium Chlorate....... 18.5%

100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE ADDITIONAL PRECAUTIONARY STATMENTS ON THE LEFT PANEL STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Give large amounts of water to drink, make person vomit, and call a doctor or Poison Control Center. If in Eyes: Immediately flush eyes with fresh water for about 15 minutes and see a doctor.

If on Skin: Wash with plenty of soap and water. See a doctor if irritation persists.

For emergency medical assistance, contact a poison control center, hospital emergency room or physician. When seeking medical attention, provide a copy of this label and/or the MSDS to any qualified medical personnel.

CONDITIONS OF SALE AND WARRANTY

- 1. Crop Production Services warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated when used in accordance with the use directions under normal conditions. Crop Production Services neither makes, nor authorizes any agent or representalive to make any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied concerning this material.
- 2. Critical and unforeseeable factors beyond Crop Production Service's control prevent it from eliminating all risks in connection with the use of this material. Such risks occur even though the product is reasonably fit for the uses stated herein and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability resulting from handling, storage and use of this material (except for those assumed by Grop Production Services In (1) above). Crop Production Services shall not be liable for incidental or consequential damage.

DISTRIBUTED



Crop Production Services, Inc. 2532 E. 71st Street P.O. Box 707500 Tulsa, OK 74170-7500

BEST AVAILABLE COPY

E.P.A. REG. NO. 51896-1 EPA Est. No.

NET CONTENTS GALS. LOT NO.

DIRECTIONS FOR USE

It is a violation of Federal law to ese this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any equirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard. 40 CFR part 170. This Standard contains requirements for the protection of agriculture workers on farms, forests, nurseries, and greenhouses, and handlers of agriculture pesticides. It contains requirements for training, decuntamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertrining to the statements on this label about personal protective aguipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralis
- Waterproof gloves
- Shoes plus socks

GENERAL USE INFORMATION

IMMATURITY AND DROUGHT OF PLANTS ARE THE MOST FREQUENT CAUSES OF UNSATISFACTORY DEFOLIA-TION: Under most growing conditions proper maturity is indicated by the green foliage color becoming lighter and tinged with red, and by a definite reddening of the stems. Do not defoliate when plants are suffering from drought as evidenced by wilt condition of the plant. Cotton suffering from alkali soil condition should not be defoliated. Thorough coverage of the plant is essential, whether applied by ground or air. Apply defoliant 10-21 days before picking date on cotton.

FOR AIRCRAFT: Add sufficient water to equal a minimum of 5 gallons of spray per acre.

COTTON SPRAYERS: Use recommended amount of PickQuik Liquid Defollant in 20 to 60 gallens of water per acre for cotton.

COTTON: Apply 2 to 21/2 gallons her acre by ground sprayer or aircraft. For pre-harvest defor union and desiccation, sector eight nozzles per row are usually necessary to obtain good results with ground sprayer. Do not graze treated areas or feed gin waste to livestock. Do not apply within 7 days of harvest.

MILO, SORGHUM: 2-3 gallons per acre for harvest desiccation. Apply when full mature, 7 to 10 days before harvest.