



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

October 23, 2015

Cheryl Wagner  
Agent for Trece, Inc.  
Wagner Regulatory Associates  
P.O. Box 640  
Hockessin, DE 19707

Subject: Labeling Notification per Pesticide Registration Notice (PRN) 2007-4 – Adding Non-Refillable Container Language  
Product Name: TRECE JAPANESE BEETLE TRAP  
EPA Registration Number: 51934-6  
Application Date: June 10, 2015  
OPP Decision Number: 505917

Dear Ms. Wagner:

The U.S. Environmental Protection Agency (EPA) is in receipt of your application for notification under Pesticide Registration Notice (PRN) 2007-4 for the above referenced product. The Biopesticides and Pollution Prevention Division (BPPD) has conducted a review of this request for its applicability under PRN 2007-4 and finds that the action requested falls within the scope of PRN-2007-4.

The labeling submitted with this application has been stamped “Notification” and will be placed in our records. Please be reminded that 40 CFR § 156.140(a)(4) requires that a batch code, a lot number, or other code identifying the batch of the product distributed and sold be placed on nonrefillable containers. The code/number may appear either on the label (and can be added by non-notification via PRN 98-10) or durably marked on the container itself. You must submit one (1) copy of the final printed labeling with the modifications.

Should you wish to add/retain a reference to your company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance Assurance.

Page 2 of 2  
EPA Reg. No. 51934-6  
OPP Decision No. 505917

If you have any questions, please contact Gina Burnett of my team by phone at (703) 605-0513 or via email at [burnett.gina@epa.gov](mailto:burnett.gina@epa.gov).

Sincerely,

A handwritten signature in blue ink that reads "Andrew C. Bryceland". The signature is written in a cursive style with a large, sweeping flourish at the end.

Andrew Bryceland, Team Leader  
Biochemical Pesticides Branch  
Biopesticides and Pollution  
Prevention Division (7511P)  
Office of Pesticide Programs

Enclosure

**NOTIFICATION**

51934-6

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

10/23/2015

51934.6.20150610.V1.highlighted  
Trece Japanese Beetle Trap  
Page 1 of 3

**TRECE JAPANESE BEETLE TRAP**

This package Contains:

- One DOUBLE LURE containing a food-floral attractant and sex pheromone attractant in a sealed pouch.

FLORAL LURE  
Net Weight 8.00 g

**ACTIVE INGREDIENTS**

Eugenol.....	22.25%
Geraniol.....	9.50%
2-Phenyl Ethyl Propionate.....	9.50%
INERT INGREDIENTS.....	58.75%
Total	100.00%

SEX LURE (PHEROMONE)  
Net Weight 750 mg

**ACTIVE INGREDIENT**

(R,Z)-5-(1-Decencyl) dihydro-2(3H) furanone*.....	0.133%
INERT INGREDIENTS.....	99.867%
Total	100.00%

\*1 mg. per dispenser.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION  
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

<b>FIRST AID</b>	
<b>IF ON SKIN OR CLOTHING</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>HOT LINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.	

**EPA Reg. No. 51934-6**

**EPA Est. No. 51934-OK-001**

Trece, Inc.  
7579 Highway 28 West  
Adair, OK 74330

**PRECAUTIONARY STATEMENTS**  
**Hazards to humans and domestic animals**

CAUTION. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling, For outdoor residential use only.

**TRAP ASSEMBLY:**

- Remove vanes, bag and lure from box.
- Attach bag to the hooks on the sides of the vanes.
- Peel top from the "DOUBLE-LURE" attractant.
- Insert the "DOUBLE-LURE" inside vane slots with dispensers facing the vanes.

[PLACE HOLDER FOR TRAP ASSEMBLY PICTOGRAM]

**HANGING TRAPS:**

- Hang traps from a metal or wooden stake 3 to 5 feet above the ground at least 8 to 25 feet downwind from plants you are protecting. Be sure that the rod or stake is strong enough to prevent traps from detaching in windy conditions.
- Place traps in areas with minimum exposure to people or where pets or other animals do not have frequent access.
- For maximum effectiveness, use the suggested number of traps below.

<b>NUMBER OF TRAPS</b>	<b>LAWN OR GARDEN AREA</b>
One	<5,000 square feet or 1/10 acre.
Two	5,000-10,000 square feet or 1/10-1/4 acre
Three	10,000-15,000 square feet or 1/4-1/3 acre
Four	15,000-22,000 square feet or 1/3-1/2 acre
Use at 150-200 ft. intervals along perimeter of areas	>22,000 square feet or >1/2 acre

**SUGGESTED TRAP MAINTENANCE:**

- To replace bag, grasp the neck of the bag firmly in one hand and detach at each vane hook with the other hand.
- Twist neck of bag and secure with a twist tie.
- Place in securely covered garbage container.
- Replace bags when full or when they begin to emit an offensive odor, which can repel Japanese beetles.
- To reduce build up of odors or when holes become blocked during wet conditions, use a toothpick to unplug holes in bag to allow for drainage.
- Do not replace DOUBLE LURE—it lasts all season.

### **SUPPLEMENTAL TREATMENT TIPS**

If the Japanese Beetle trap becomes over ½ full with beetles, this indicates a heavy population. To further protect desirable plants from feeding damage, spray susceptible plants with Bug-B-Gon Multi-Purpose Insect Killer, Concentrate or Isotox Insect Killer Formula IV. Also treat the lawn with Grub-B-Gon to prevent late season grub damage. Follow all label directions when using these products. Continue trapping for about 6 weeks after the first beetles are captured because new beetles will continue to emerge from the soil.

### **STORAGE AND DISPOSAL**

**STORAGE:** Do not contaminate water, food, or feed by storage or disposal. Store in a cool, dry place. Do not open until ready to use.

**DISPOSAL:** **Nonrefillable container. Do not reuse or refill this container.** When floral lure element no longer has detectable odor, wrap and dispose of it in a regular trash collection. Sex lure may be disposed of in the same manner.

This package contains:

- 1 Season-long sex/floral lure
- 1 Set of vanes
- 1 Set of 3 bags
- 1 Hanger

Manufactured and sold by Trece, Inc., 7569 Hwy 28 W, Adair, OK 74330