

U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division
(7511C)
1200 Pennsylvania Avenue NW
Washington, DC 20460

EPA Reg. Number: 51934-8

Date of Issuance:

Unconditional

Term of Issuance:

Name of Pesticide Product:

Cidetrak OFM-L

**NOTICE OF PESTICIDE:** 

X Registration

\_ Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Trece, Inc.

7569 Highway 28 West

Adair, OK 74330

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA Sec. 3(c)(5) provided you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA section 3(c)(5) and section 4 when the Agency requires all registrants of similar products to submit such data.
- 2. Revise the EPA Registration Number to read, "EPA Reg. No. 51934-8."
- 3. Submit three (3) copies of the revised final printed labeling before you release the product for shipment.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Janet L./Andersen, Director,

Biopesticides and Pollution Prevention Division

Data

9/06/06

### CIDETRAK® OFM-L

2/3

A MATING DISRUPTANT FORMULATION FOR ORIENTIAL FRUIT MOTH (Grapholita molesta). MACADAMIIA NUT BORER (Cryptophlebia ambrodelta), KOA SEEDWORM (Cryptophlebia illepida)

#### **ACTIVE INGREDIENTS:**

Z-8-Dodecen-1-yl Acetate\* 4.65%
E-8-Dodecen-1-yl Acetate\* 0.30%
Z-8-Dodecen-1-ol\* 0.05%


OTHER INGREDIENTS: 95.00%
TOTAL: 100.00%

\*250 mgs of pheromone/dispenser

**NET CONTENTS:** 

Dispensers per package: 400 units

EPA Registration No. 51934-X EPA Establishment No. 51934-OK-1



# KEEP OUT OF REACH OF CHILDREN CAUTION

See side/back panel for first aid

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse. Wear chemical resistant gloves.

#### **ENVIROMENTAL HAZARDS**

For terrestrial uses: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of product, wash water, or when cleaning equipment.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### READ ENTIRE LABEL BEFORE USING

CIDETRAK® OFM-L disrupts the mating communication between adult male and female moths, reduces fertile egg laying, suppresses subsequent larval infestation, and reduces the need for applying insecticides.

For maximum effectiveness, growers remove and destroy infested fruit from trees and the ground. Growers maintain accurate records of OFM adult populations monitoring and larval damage within their orchards. Consult your local extension specialist, certified crop advisor, or Trece representative for assistance in designing the best CIDETRAK® OFM-L program for your orchard.

CROP	Peaches, Nectarines, Apricots, Plums, Cherries, and other stone fruits, Apples, Pears, Quince, and other pome fruits; Almonds, Macadamia, and other tree fruit crops.
TARGETED PEST	Oriental Fruit Moth (Grapholita_molesta), Macadamia nut borer (Cryptophlebia ambrodelta), Koa seedworm (Cryptophlebia illepida).
RATE	Minimum of 100 dispensers per acre (250 dispensers per hectare) or 25.0 gm. a.i. per acre per application. Maximum of 200 dispensers per acre (500 dispensers per hectare) or 50 gm a.i. per acre per application. Apply the maximum dispenser rate in orchards that are moderately to heavily infested with OFM, or any orchard adjacent to an untreated orchard.  Do not exceed 150 gm a.i. or 600 dispensers per acre per year.
APPLICATION	Attach dispensers securely to lateral branches in upper one-third of tree canopy. Attach the dispensers from the ground or a moving trailer using a pole applicator.

)				
-	>	ı		
_	2	1.	-	
_	1	-	5	١
	/	•		

ŢIMING	Apply prior to moth emergence in the spring, but no later than 2-3 days after trap capture of first male moth. Monitor moth activity using PHEROCON <sup>®</sup> 1C traps and lures. Begin monitoring in early spring and continue throughout the season to assess treatment effectiveness. Depending on temperature, CIDETRAK <sup>®</sup> OFM-L dispensers will release pheromone for up to 150 days. In late maturing varieties with long field seasons (i.e. more than 120 days), a second application should be made prior to subsequent OFM flights.  NOTE-CIDETRAK <sup>®</sup> OFM-L will not prevent crop damage from immigration of mated female moths into treated orchards. In late season treat Oriental Fruit Moth host crops, such as pears, with pheromone only when the crops are within or near blocks that have been treated with CIDETRAK <sup>®</sup> OFM-L.
TREATMENT TIPS	CIDETRAK® OFM-L suppresses mating of Oriental Fruit Moth. Immigration of mated female moths from adjacent, infested orchards can reduce the level of control. Area-wide treatment of the entire host plant block is the most effective strategy. To supplement CIDETRAK® OFM-L, use insecticides to control high populations of Oriental Fruit Moth. Monitor all pest populations to determine timely use of insecticides. To manage immigration and high population pressures, consider:  1. Treatment of external sources of infestation with CIDETRAK® OFM-L  2. Treatment of external sources of infestation with an insecticide  3. Treatment of pheromone treated orchard with insecticide  Consult your local extension specialist, certified crop advisor, or Trece representative for local field condition management strategies.

FIRST AID STATEMENT			
IF ON SKIN OR CLOTHING	<ul> <li>Remove contaminated clothing.</li> <li>Rinse skin immediately for 15-20 minutes with water.</li> <li>Contact a poison center or doctor for advice on treatment.</li> </ul>		
IF IN EYES:	<ul> <li>Hold eyes open and rinse slowly and gently for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing eyes.</li> <li>Contact a poison control center or doctor for advice on treatment.</li> </ul>		
HOT LINE NUMBER	<ul> <li>When calling a poison control centre or doctor, or when seeking treatment, have the product container or label with you. For additional information, you may also contact Trece Inc. at 1- 866-785-1313.</li> </ul>		

STORAGE AND DISPOSAL					
	Do not contaminate water, food or feed by storage and disposal.				
PESTICIDE STORAGE	Store unopened original package in a dry location at temperature below 40° C. To avoid contamination of food or feed items, only unopened product packages may be stored in cold storage facilities that are used for food storage.				
PESTICIDE DISPOSAL	Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.				
CONTAINER DISPOSAL	Dispose of empty dispensers and foil envelopes in trash.				

#### WARRANTY AND LIMITATION OF DAMAGES

All statements concerning the use of this product apply only when used as directed as stated on this product label. Trece Inc. warrants that the product conforms to this label and under normal conditions of use according to this label, is reasonable fit for the stated label purpose. The manufacturer makes no express or implied warranties of merchantability or fitness for a purpose concerning this product, or its use, extending beyond the label. Under no circumstance will Trece Inc. be liable for damage (special, consequential or incidental) that result from the handling, storage, or use of this product which is not in compliance with the label. Read all label directions carefully.

Buyer's exclusive remedy, should this product be defective, is replacement of the product, or if this is impracticable, a purchase price refund.

### TRÉCÉ INCORPORATED

Mailing Address: P.O. Box 129 · Adair, Oklahoma 74330 Shipping Address: 7569 Hwy 28 W. · Adair, Oklahoma 74330 Phone: (918) 785-3061 · Fax: (918) 785-3063