

51934-10



2/15/2011

1028

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

February 15, 2011

Trece, Inc.
c/o Catherine M. Byrd
Wagner Regulatory Associates, Inc.
P.O. Box 640
7460 Lancaster Pike, Suite 9
Hockessin, DE 19707

RE: Product Name: Cidetrak CM
EPA Reg. No.: 51934-10
Application for Label Notification dated February 2, 2011 to add "Meso" dispenser, which is larger than the currently approved PVC dispenser and update application rate directions to reflect option for larger "Meso" dispenser size.

Dear Ms. Byrd:

The Biopesticides and Pollution Prevention Division is in receipt of your application for Notification under PR Notice 98-10 dated above. A preliminary screen of this request has been conducted for its applicability under PR Notice 98-10 and it has been determined that the action(s) requested falls within the scope of PR Notice 98-10. Our records have been duly noted, and the label submitted with this application has been stamped "Notification Accepted" and will be placed accordingly in our records.

If you have any questions concerning this action, please feel free to contact Mr. Colin Walsh at (703) 308-0298 or via email at walsh.colin@epa.gov.

Sincerely,

Linda A. Hollis

Linda A. Hollis, Chief
Biochemical Pesticides Branch
Biopesticides and Pollution Prevention
Division (7511P)



United States
Environmental Protection Agency
Washington, DC 20460

Registration	OPP Identifier Number
Amendment	
<input checked="" type="checkbox"/> Other	

Application for Pesticide - Section I

1. Company/Product Number Trece, Inc./51934-10	2. EPA Product Manager Linda Hollis	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Trece, Inc./CIDETRAK@CM	PM# 91	
5. Name and Address of Applicant (Include Zip Code) Trece, Inc. c/o Wagner Regulatory Associates, Inc. P.O. Box 640 Hockessin, DE 19707 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name: _____ Notification Accepted Date: FEB 15 2011	

Section - II

Reviewer: *C. Walsh*

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below. <u>Changes in Packaging and Related Labeling Statements per PR Notice 98-10</u>	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For Section I and Section II.) Changes in Packaging and Related Labeling Statements per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" No. per	If "Yes" No. per	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
		Unit Packaging wgt. container	Package wgt container	<input type="checkbox"/> Other (Specify) HDPE lined bags	
		40, 400			
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product		<input type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Catherine M. Byrd	Title Agent for Trece, Inc.	Telephone No. (Include Area Code) (302) 234-2780			
Certification					6. Date Application Received (Stamped)
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					
2. Signature <i>Catherine M. Byrd</i>	3. Title Agent for Trece, Inc.				
4. Typed Name Catherine M. Byrd	5. Date February 2, 2011				

4098

CIDETRAK[®] CM

A MATING DISRUPTANT FORMULATION FOR CODLING MOTH (*Cydia pomonella*),
AND HICKORY SHUCKWORM (*Cydia caryana*)

ACTIVE INGREDIENT:		
	(8E,10E)-8,10-dodecadien-1-ol	2.00 %
OTHER INGREDIENTS:		98.00 %
TOTAL:		100.00 %

NET CONTENTS:

For 6 gm dispensers:
Dispensers per package: 400 units
One dispenser contains: 120 mg active ingredient

For Meso dispensers:
Dispensers per package: 40 units
One dispenser contains: 1200 mg active ingredient

Notification Accepted

Date: FEB 15 2011

Reviewer: C. Walsh

EPA Registration No. 51934-10

EPA Establishment No. 51934-OK-1

Batch: _____

Lot: _____

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

CAUTION. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, and clothing. Wear chemical resistant gloves and protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse.

50f8

FIRST AID	
IF ON SKIN OR CLOTHING:	If on skin or clothing: <ul style="list-style-type: none"> - Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call poison control center or doctor for treatment advice.
IF IN EYES:	If in eyes: <ul style="list-style-type: none"> - Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER:	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-866-785-1313 for emergency medical treatment information.	

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of product, wash water, or when cleaning equipment.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USING

CIDETRAK® CM disrupts the mating communication between adult male and female moths, reduces fertile egg laying, suppresses subsequent larval infestation, and reduces the need for applying insecticides.

For maximum effectiveness, growers should remove and destroy infested fruit from trees and the ground. Growers should maintain accurate records of CM adult population monitoring and larval damage within their orchards. Consult your local extension specialist, certified crop advisor, or Trece representative for assistance in designing the best CIDETRAK® CM program for your orchard.

6008

Crop	Apple, Pear, Walnut, Pecan, Quince, and other pome fruits
Targeted Pest	Codling Moth (<i>Cydia pomonella</i>), Hickory Shuckworm (<i>Cydia caryana</i>)
Rate	<p>For standard puzzle piece dispensers: Minimum 320 dispensers per acre (800 dispensers per hectare) or 38 gm a.i. per acre per application. Maximum of 800 dispensers per acre (2,000 dispensers per hectare) or 96 gm a.i. per acre per application. Apply 400 dispensers per acre (1000 dispensers per hectare) or 48 gm a.i. per acre per application to moderately infested orchards. Apply 10-20% of the total per acre rate to all orchard borders, to orchards that are moderately to heavily infested with CM, or adjacent to an untreated orchard. Do not exceed 150 grams of active ingredient per acre per year.</p> <p>For Meso dispensers: Minimum of 32 dispensers per acre (80 dispensers per hectare) or 38 gm a.i. per acre per application for orchards with low infestations. Maximum of 80 dispensers per acre (200 dispensers per hectare) or 96 gm a.i. per acre per application. Apply 40 dispensers (100 dispensers per hectare) or 48 gm a.i. per acre per application to moderately infested orchards. Apply maximum rate of dispensers to orchard borders that are medium to high-risk, such as moderate to heavily infested orchards, or any orchard adjacent to an untreated orchard. Apply double rate of dispensers to edges of orchards or to adjacent untreated orchards. Do not exceed 150 grams of active ingredient per acre per year.</p>
Application	Attach dispensers securely to lateral branches in upper one-third of tree canopy. Attach the dispensers from the ground using a pole applicator or from a moving trailer.
Timing	<p>Apply prior to moth emergence in early spring. Monitor moth activity using PHEROCON®IIB or PHEROCON VI traps and lures. Begin monitoring in early spring and continue throughout the season to assess treatment effectiveness.</p> <p>Depending on temperature, CIDETRAK®CM dispensers will release pheromone for 120-140 days. In areas with long field season (i.e. more than 120 days) a second application may be necessary, based on monitoring results, prior to subsequent CM flights.</p> <p>Note - CIDETRAK®CM <u>will not prevent crop damage</u> from immigration of mated female moths into treated orchards. Nearby (500 yards) untreated Codling Moth hosts, such as apple, walnut, pear, quince, crabapple, plum, and others, can be a source of these mated females. Treatment with pheromone is recommended only when all host crops within or near treated blocks have been treated with CIDETRAK®CM.</p>
Treatment Tips	CIDETRAK®CM suppresses mating of Codling Moth and Hickory

7 of 8

	<p>Shuckworm. Immigration of mated female moths from adjacent, infested orchards can reduce the level of control. Area-wide treatment of the entire host plant block is the most effective strategy. To supplement CIDETRAK®CM, use insecticides to control high populations. Monitor all pest populations to determine timely use of insecticides. To manage immigration and high population pressures, consider:</p> <ol style="list-style-type: none">1. Treatment of external sources of infestation with CIDETRAK®CM2. Treatment of external sources of infestation with an insecticide3. Treatment of pheromone treated orchard with insecticide. <p>Consult your local extension specialist, certified crop advisor, or Trece representative for local field condition management strategies.</p>
--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

808

STORAGE AND DISPOSAL	
Do not contaminate water, food, or feed by storage and disposal.	
Pesticide Storage:	Store unopened original package in a dry location at a temperature below 40°C.
Pesticide Disposal:	Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.
Container Disposal:	Nonrefillable container. Do not reuse or refill this container. Dispose of empty containers and foil envelopes in trash. Offer for recycling.

WARRANTY AND LIMITATION OF DAMAGES

To the extent consistent with applicable law, all statements concerning the use of this product apply only when used as directed as stated on this product label. Trece Inc. warrants that the product conforms to this label and under normal conditions of use according to this label, is reasonably fit for the stated label purpose. The manufacturer makes no express or implied warranties of merchantability or fitness for a purpose concerning this product, or its use, extending beyond the label. Under no circumstance will Trece Inc. be liable for damage (special, consequential or incidental) that result from the handling, storage, or use of this product which is not in compliance with the label. Read all label directions carefully.

Buyer's exclusive remedy, should this product be defective, is replacement of the product, or if this is impractical, a purchase price refund.

TRECE INCORPORATED

Mailing Address: P.O. Box 129 · Adair, Oklahoma 74330
Shipping Address: 7569 Hwy 28 W · Adair, Oklahoma 74330
Phone: (918) 785-3061 · Fax: (918) 785-3063

PHEROCON® and CIDETRAK® are registered Trademarks of TRECE Incorporated, Adair, OK USA ©2005 TRECE, Adair, OK USA