

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

August 30, 2024

SENT BY EMAIL

Michael Niedbalski mike.niedbalski@syntechresearch.com TRECE. INC.

Subject: Labeling Notification per Pesticide Registration Notice (PRN) 98-10 - Revision to update

dispenser weights

Product Name: CIDETRAK CM Admin Number: 51934-10 EPA Receipt Date: 07/02/2024 Action Case Number: 00619652

Dear Michael Niedbalski:

The U.S. Environmental Protection Agency is in receipt of your application for notification under Pesticide Registration Notice 98-10 for the above referenced product. The EPA has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The labeling submitted with this application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

If you have questions, please contact Cecilia Kujawa via email at kujawa.cecilia@epa.gov.

Sincerely,

James Parker, Team Leader BPB, BPPD Office of Pesticide Programs

NOTIFICATION

51934-10

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

08/30/2024

51934-10.20240702.V1

CIDETRAK CM Notification – Add dispenser weight 1 of 5

CIDETRAK® CM

A MATING DISRUPTANT FORMULATION FOR CODLING MOTH (Cydia pomonella), AND HICKORY SHUCKWORM (Cydia caryana)

ACTIVE INGREDIENT:

(8E,10E)-8,10-dodecadien-1-ol 2.00 %

OTHER INGREDIENTS: 98.00 %

TOTAL: 100.00 %

NET CONTENTS:

For 6 gm dispensers:

Dispensers per package: 400 units

One dispenser contains: 120 mg active ingredient (Total Weight: 6 g)

For Meso dispensers:

Dispensers per package: 40 units

One dispenser contains: 1200 mg active ingredient

EPA Registration No. 51934-10 EPA Establishment No. 51934-OK-1

Batch:			
Lot:			

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, and clothing. Wear chemical resistant gloves and protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse.

Formatted: English (United States)

	FIRST AID
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for
	15-20 minutes.
	 Call poison control center or doctor for treatment advice.
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER:	

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-866-785-1313 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

For terrestrial uses: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of product, wash water, or when cleaning equipment.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USING

CIDETRAK® CM disrupts the mating communication between adult male and female moths, reduces fertile egg laying, suppresses subsequent larval infestation, and reduces the need for applying insecticides.

For maximum effectiveness, growers should remove and destroy infested fruit from trees and the ground. Growers should maintain accurate records of CM adult population monitoring and larval damage within their orchards. Consult your local extension specialist, certified crop advisor, or Trece representative for assistance in designing the best CIDETRAK® CM program for your orchard.

Crop	Apple, Pear, Walnut, Pecan, Quince, and other pome fruits
Targeted Pest	Codling Moth (<i>Cydia pomonella</i>), Hickory Shuckworm (<i>Cydia caryana</i>)
Rate	For standard puzzle piece dispensers: Minimum 320 dispensers per acre (800 dispensers per hectare) or 38 gm a.i. per acre per application. Maximum of 800 dispensers per acre (2,000 dispensers per hectare) or 96 gm a.i. per acre per application. Apply 400 dispensers per acre (1000 dispensers per hectare) or 48 gm a.i. per acre per application to moderately infested orchards. Apply 10-20% of the total per acre rate to all orchard borders, to orchards that are moderately to heavily infested with CM, or adjacent to an untreated orchard. Do not exceed 150 grams of active ingredient per acre per year.
	For Meso dispensers: Minimum of 32 dispensers per acre (80 dispensers per hectare) or 38 gm a.i. per acre per application for orchards with low infestations. Maximum of 80 dispensers per acre (200 dispensers per hectare) or 96 gm a.i. per acre per application. Apply 40 dispensers (100 dispensers per hectare) or 48 gm a.i. per acre per application to moderately infested orchards. Apply maximum rate of dispensers to orchard borders that are medium to high-risk, such as moderate to heavily infested orchards, or any orchard adjacent to an untreated orchard. Apply double rate of dispensers to edges of orchards or to adjacent untreated orchards. Do not exceed 150 grams of active ingredient per acre per year.
Application	Attach dispensers securely to lateral branches in upper one-third of tree canopy. Attach the dispensers from the ground using a pole applicator or from a moving trailer.
Timing	Apply prior to moth emergence in early spring. Monitor moth activity using PHEROCON®IIB or PHEROCON VI traps and lures. Begin monitoring in early spring and continue throughout the season to assess treatment effectiveness. Depending on temperature, CIDETRAK®CM dispensers will release pheromone for 120-140 days. In areas with long field season (i.e. more than 120 days) a second application may be necessary, based on monitoring results, prior to subsequent CM flights. Note - CIDETRAK®CM will not prevent crop damage from immigration of mated female moths into treated orchards. Nearby (500 yards) untreated Codling Moth hosts, such as apple, walnut, pear, quince, crabapple, plum, and others, can be a source of these mated females. Treatment with pheromone is recommended only when all host crops within or near treated blocks have been treated with CIDETRAK®CM.

51934-10.20240702.V1

Treatment Tips

CIDETRAK®CM suppresses mating of Codling Moth and Hickory Shuckworm. Immigration of mated female moths from adjacent, infested orchards can reduce the level of control. Area-wide treatment of the entire host plant block is the most effective strategy. To supplement CIDETRAK®CM, use insecticides to control high populations. Monitor all pest populations to determine timely use of insecticides. Tom manage immigration and high population pressures, consider:

- Treatment of external sources of infestation with CIDETRAK®CM
- 2. Treatment of external sources of infestation with an insecticide
- 3. Treatment of pheromone treated orchard with insecticide. Consult your local extension specialist, certified crop advisor, or Trece representative for local field condition management strategies.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store unopened original package in a dry location at a

temperature below 40°F.

Pesticide Disposal: Wastes resulting from the use of this product must be

disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse of refill this container.

Dispose of empty containers and foil envelopes in trash.

Offer for recycling.

WARRANTY AND LIMITATION OF DAMAGES

To the extent consistent with applicable law, all statements concerning the use of this product apply only when used as directed as stated on this product label. Trece Inc. warrants that the product conforms to this label and under normal conditions of use according to this label, is reasonably fit for the stated label purpose. The manufacturer makes no express or implied warranties of merchantability or fitness for a purpose concerning this product, or its use, extending beyond the label. Under no circumstance will Trece Inc. be liable for damage (special, consequential or incidental) that result from the handling, storage, or use of this product which is not in compliance with the label. Read all label directions carefully.

Buyer's exclusive remedy, should this product be defective, is replacement of the product, or if this is impractical, a purchase price refund.

TRÉCÉ INCORPORATED

Mailing Address: P.O. Box 129 · Adair, Oklahoma 74330 Shipping Address: 7569 Hwy 28 W · Adair, Oklahoma 74330 Phone: (918) 785-3061 · Fax: (918) 785-3063

PHEROCON® and CIDETRAK® are registered Trademarks of TRECE Incorporated, Adair, OK USA ©2005 TRECE, Adair, OK USA