

51934-15

8/22/2013

1/5



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Biopesticides and Pollution Prevention Division (7511P)  
1200 Pennsylvania Avenue NW  
Washington, DC 20460

EPA Reg. Number:

51934-15

Date of Issuance:

AUG 22 2013

Term of Issuance:

Unconditional

Name of Pesticide Product:

CideTrak® CMDA 185/60

NOTICE OF PESTICIDE:

- Registration
- Reregistration  
(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Jim Wagner  
Trece Incorporated  
P.O. Box 640  
7217 Lancaster Pike, Suite A  
Hockessin, DE 19707

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This registration does not eliminate the need for continual reassessment of the pesticide. If EPA determines at any time that additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under section 3(c)(2)(B) of FIFRA. This product is unconditionally registered in accordance with FIFRA Sec. 3(c)(5) provided you:

1. Submit and/or cite all data required for registration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Revise the EPA Registration Number to read, "EPA Reg. No. 51934-15."
3. Submit two (2) copies of the final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Robert McNally, Director,  
Biopesticides and Pollution Prevention Division

Date:

8/22/13

EPA Form 8570-6

CONCURRENCES

SYMBOL	7511P	7511P	201P				
SURNAME	Burnett	HVO	McNally				
DATE	8/16/13	8/20/13	8/22/13				

EPA Form 1320-1A (1/90)

OFFICIAL FILE COPY

2/5

**CIDETRAK® CMDA 185/60  
CODLING MOTH PHEROMONE  
MATING DISRUPTANT**

A Mating Disruption Formulation for Codling Moth, *Cydia pomonella*, and Hickory  
Shuckworm (*Cydia caryana*)

**CIDETRAK CMDA 185/60:****ACTIVE INGREDIENTS:**

<i>8,10-Dodecadien-1-ol, (8E, 10E)</i>	3.70%
<i>2,4-decadienoic acid, ethyl ester, (E, Z)</i>	1.20%

**OTHER INGREDIENTS:**

95.10%

**TOTAL:**

**ACCEPTED**  
100.00%  
AUG 22 2013

**CIDETRAK CMDA 185/60**

Dispensers per package : 400 units

One dispenser contains : 245 mg, active ingredient

Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended, for  
the pesticide registered under  
EPA Reg. No.

EPA Registration No. 51934-X

EPA Establishment No. 51934-OK-1

51934-15

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

<b>FIRST AID STATEMENT</b>	
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF INHALED:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>• Do not give anything to an unconscious person.</li> </ul>

<b>HOT LINE NUMBER:</b>	Have the product container or label with you when calling a poison control center or doctor or going for treatment. – For emergency information on (product, use, etc.), call the National Pesticides Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM Pacific time (PT), seven days a week. During other times, call the poison control center 1-800-222-1222. For additional information, you may also contact Trece Inc. at 1-866-785-1313.
-------------------------	---

**Precautionary Statements  
Hazards to Humans and Domestic Animals**

Caution. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL BEFORE USING**

CIDETRAK® CMDA 185/60 disrupts the mating communication between adult male and female moths, reduces fertile egg laying, suppresses subsequent larval infestation, and reduces the need for applying insecticides.

For maximum effectiveness, growers should remove and destroy infested fruit from trees and the ground. Growers should maintain accurate records of CM adult population monitoring and larval damage within their orchards. Consult your local extension specialist, certified crop advisor, or Trece representative for assistance in designing the best CIDETRAK® CMDA 185/60 program for your orchard.

4/5

Crop	Apple, Pear, Walnut, Pecan, Quince, and other pome fruits
Targeted Pest	Codling Moth ( <i>Cydia pomonella</i> ), Hickory Shuckworm ( <i>Cydia caryana</i> ).
Rate	<b>CIDETRAK CMDA 185/60:</b> Minimum of 160 dispensers per acre (400 dispensers per hectare) or 30 gm CM a.i. and 10 gm DA a.i. per acre per application. Maximum of 250 dispensers per acre (625 dispensers per hectare) or 46 gm a.i. and 15 gm DA a.i. per acre per application. Apply 200 dispensers per acre (500 dispensers per hectare) for moderate populations. Apply the maximum dispenser rate to all orchard borders, to orchards that are heavily infested with CM, or adjacent to an untreated orchard. Do not exceed 150 gm combined a.i. per acre per year.
Application	Attach dispensers securely to lateral branches in upper one-third of tree canopy. Attach the dispensers from the ground using a pole applicator or from a moving trailer.
Timing	Apply prior to moth emergence in early spring. Monitor moth activity using PHEROCON® IIB or PHEROCON VI traps and lures. Begin monitoring in early spring and continue throughout the season to assess treatment effectiveness. Depending on temperature, CIDETRAK® CMDA 185/60 dispensers will release pheromone for 120-150 days. In areas with a long field season (i.e. more than 120 days), a second application may be necessary prior to subsequent CM flights. <b>Note - CIDETRAK® CMDA 185/60 will not prevent crop damage from immigration of mated female moths into treated orchards. Nearby (500 yards) untreated Codling Moth hosts, such as apple, walnut, pear, quince, crabapple, plum and others, can be a source of these mated females. Treatment with pheromone is recommended only when all host crops within or near treated blocks have been treated with CIDETRAK® CMDA 185/60.</b>
Treatment Tips	CIDETRAK® CMDA 185/60 suppresses mating of Codling Moth. Immigration of mated female moths from adjacent, infested orchards can reduce the level of control. Area-wide treatment of the entire host plant block is the most effective strategy. To supplement CIDETRAK® CMDA 185/60, use insecticides to control high populations. Monitor all pest populations to determine timely use of insecticides. To manage immigration and high population pressures, consider: <ol style="list-style-type: none"> <li>1. Treatment of external sources of infestation with CIDETRAK® CMDA 185/60</li> <li>2. Treatment of external sources of infestation with an insecticide</li> <li>3. Treatment of pheromone treated orchard with insecticide</li> </ol> Consult your local extension specialist, certified crop advisor, or Trece representative for local field condition management strategies.

S/S

**STORAGE AND DISPOSAL**

**Do not contaminate food or feed by storage or disposal of unused or used dispensers.**

**PESTICIDE STORAGE:** Store unopened original package in a dry location at temperature below 40° C. To avoid contamination of food or feed items, only unopened product packages may be stored in cold storage facilities that are used for food storage.

**PESTICIDE DISPOSAL:** Product wastes resulting from use of this product may be disposed of on use site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Offer for recycling, if available. Dispose of empty dispensers and foil envelopes in the trash.

**WARRANTY AND LIMITATION OF DAMAGES**

All statements concerning the use of this product apply only when used as directed as stated on this product label. To the extent consistent with applicable law, Trece Inc. warrants that the product conforms to this label and under normal conditions of use according to this label, is reasonably fit for the stated label purpose. To the extent consistent with applicable law, the manufacturer makes no express or implied warranties of merchantability or fitness for a purpose concerning this product, or its use, extending beyond the label. Under no circumstance will Trece Inc. be liable for damage (special, consequential or incidental) that result from the handling, storage, or use of this product which is not in compliance with the label. Read all label directions carefully.

Buyer's exclusive remedy, should this product be defective, is replacement of the product, or if this is impracticable, a purchase price refund.

**TRÉCÉ INCORPORATED**

Mailing Address: P.O. Box 129 · Adair, Oklahoma 74330

Shipping Address: 7569 Hwy 28 W · Adair, Oklahoma 74330

Phone: (918) 785-3061 · Fax: (918) 785-3063

PHEROCON® and CIDETRAK® are registered Trademarks of TRECE Incorporated,  
Adair, OK USA ©2011 TRECE, Adair, OK USA