

51934-16

4/7/2014

1/5

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division (7511C)
1200 Pennsylvania Avenue NW
Washington, DC 20460

EPA Reg. Number:

51934-16

Date of Issuance:

APR 07 2014

Term of Issuance:

Unconditional

Name of Pesticide Product:

Cidetrak® CMDA 75/45

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Trece, Inc.
P.O. Box 129
Adair, OK 74330

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This registration does not eliminate the need for continual reassessment of the pesticide. If the EPA determines at any time that additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under section 3(c)(2)(B) of FIFRA.

This product is unconditionally registered in accordance with FIFRA Sec. 3(c)(5) and is subject to the following terms:

1. Submit and/or cite all data required for registration of your product under FIFRA section 3(c)(5) and section 4 when the Agency requires all registrants of similar products to submit such data.
2. Revise the EPA Registration Number to read, "EPA Reg. No. 51934-16."
3. Submit three (3) copies of the revised final printed labeling before you release the product for shipment.

A stamped copy of the label and an A-79 Enclosure are enclosed for your records.

Signature of Approving Official:

Robert McNally, Director
Biopesticides and Pollution Prevention Division (7511P)

Date:

4/7/14

EPA Form 8570-6

CONCURRENCES

SYMBOL	7511P	7511P	7511P				
SURNAME	Walsh	Reilly	LEAHY				
DATE	4/2/14	4/2/14	4/7/14				

2/5

Draft Label Initial Regn
November 18, 2013
51934.xxxxx.20131118.V1

CIDETRAK® CMDA 75/45

CODLING MOTH PHEROMONE MATING DISRUPTANT
A Mating Disruption Formulation for Codling Moth, *Cydia pomonella*, and
Hickory Shuckworm (*Cydia caryana*)

ACTIVE INGREDIENTS:	Percent by Wt.
8,10-Dodecadien-1-ol, (8E, 10E)	1.67%
2,4-decadienoic acid, ethyl ester, (E, Z)	0.97%
Other ingredients:	<u>97.36%</u>
TOTAL:	100.00%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID STATEMENT	
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.
HOT LINE NUMBER:	<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment.</p> <p>For emergency information concerning this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378 seven days a week, 6:30 a.m. to 4:30 p.m. pacific time or your poison control center at 1-800-222-1222. For additional information, you may also contact Trece Inc. at 1-866-785-1313.</p>

EPA Registration Number: 51934-X

EPA Establishment Number: 51934-OK-1

Net Contents: See last page

ACCEPTED
APR 07 2014

Manufactured by:
TRÉCÉ INCORPORATED
7569 Hwy 28 W. Adair, Oklahoma 74330

Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for
the pesticide registered under
EPA Reg. No. **51934-16**

**Precautionary Statements
Hazards to Humans and Domestic Animals**

Caution. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USING

CIDETRAK® CMDA 75/45 disrupts the mating communication between adult male and female moths, reduces fertile egg laying, suppresses subsequent larval infestation, and reduces the need for applying insecticides.

For maximum effectiveness, remove and destroy infested fruit from trees and the ground. Maintain accurate records of CM adult population monitoring and larval damage within their orchards. Consult your local extension specialist, certified crop advisor, or Trece representative for assistance in designing the best CIDETRAK® CMDA 75/45 program for your orchard.

Crop	Apple, Pear, Walnut, Pecan, Quince, and other pome fruits
Targeted Pest	Codling Moth (<i>Cydia pomonella</i>), Hickory Shuckworm (<i>Cydia caryana</i>).
MESO Rate – for Walnuts	<u>CIDETRAK CMDA 75/45</u> : Minimum of 15 dispensers per acre (38 dispensers per hectare) or 11.25 gm CM a.i. and 6.75 gm DA a.i. per acre per application. Maximum of 32 dispensers per acre (80 dispensers per hectare) or 24 gm a.i. and 14.4 gm DA a.i. per acre per application. Apply 20 dispensers per acre (50 dispensers per hectare) for moderate populations. Apply the maximum dispenser rate to all orchard borders, to orchards that are heavily infested with CM, or adjacent to an untreated orchard. Do not exceed 150 gm combined a.i. per acre per year.
MESO Rate – for Apples, Pears, Quince & Other Pome Fruit	<u>CIDETRAK CMDA 75/45</u> : Minimum of 20 dispensers per acre (50 dispensers per hectare) or 15 gm CM a.i. and 9 gm DA a.i. per acre per application. Maximum of 40 dispensers per acre (100 dispensers per hectare) or 30 gm a.i. and 18 gm DA a.i. per acre per application. Apply 32 dispensers per acre (80 dispensers per hectare) for moderate populations. Apply the maximum dispenser rate to all orchard borders, to orchards that are heavily infested with CM, or adjacent to an untreated orchard. Do not exceed 150 gm combined a.i. per acre per year.

4/5

<p>Puzzle Piece Rate – for Apples, Pears, Quince & Other Pome Fruit</p>	<p><u>CIDETRAK CMDA 75/45</u>: Minimum of 200 dispensers per acre (500 dispensers per hectare) or 15 gm CM a.i. and 9 gm DA a.i. per acre per application. Maximum of 400 dispensers per acre (1,000 dispensers per hectare) or 30 gm a.i. and 18 gm DA a.i. per acre per application. Apply 320 dispensers per acre (800 dispensers per hectare) for moderate populations. Apply the maximum dispenser rate to all orchard borders, to orchards that are heavily infested with CM, or adjacent to an untreated orchard. Do not exceed 150 gm combined a.i. per acre per year.</p>
<p>Application</p>	<p>Attach dispensers securely to lateral branches in upper one-third of tree canopy. Attach the dispensers from the ground using a pole applicator or from a moving trailer.</p>
<p>Timing</p>	<p>Apply prior to moth emergence in early spring. Monitor moth activity using PHEROCON® IIB or PHEROCON VI traps and lures. Begin monitoring in early spring and continue throughout the season to assess treatment effectiveness. Depending on temperature, CIDETRAK® CMDA 75/45 dispensers will release pheromone for 120-150 days. In areas with a long field season (i.e. more than 120 days), a second application may be necessary prior to subsequent CM flights. Note - CIDETRAK® CMDA 75/45 <u>will not prevent crop damage</u> from immigration of mated female moths into treated orchards. Nearby (500 yards) untreated Codling Moth hosts, such as apple, walnut, pear, quince, crabapple, plum and others, can be a source of these mated females. Treat with pheromone only when all host crops within or near treated blocks have been treated with CIDETRAK® CMDA 75/45.</p>
<p>Treatment Tips</p>	<p>CIDETRAK® CMDA 75/45 suppresses mating of Codling Moth. Immigration of mated female moths from adjacent, infested orchards can reduce the level of control. Area-wide treatment of the entire host plant block is the most effective strategy. To supplement CIDETRAK® CMDA 75/45, use insecticides to control high populations. Monitor all pest populations to determine timely use of insecticides. To manage immigration and high population pressures, consider:</p> <ol style="list-style-type: none"> 1. Treatment of external sources of infestation with CIDETRAK® CMDA 75/45 2. Treatment of external sources of infestation with an insecticide 3. Treatment of pheromone treated orchard with insecticide <p>Consult your local extension specialist, certified crop advisor, or Trece representative for local field condition management strategies.</p>

5/5

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage or disposal of unused or used dispensers.
PESTICIDE STORAGE: Store unopened original package in a dry location at temperature below 40° C. To avoid contamination of food or feed items, only unopened product packages may be stored in cold storage facilities that are used for food storage.
PESTICIDE DISPOSAL: Product wastes resulting from use of this product may be disposed of on use site or at an approved waste disposal facility.
CONTAINER HANDLING: Offer for recycling, if available: Dispose of empty dispensers and foil envelopes in the trash.

WARRANTY AND LIMITATION OF DAMAGES

All statements concerning the use of this product apply only when used as directed as stated on this product label. To the extent consistent with applicable law, Trece Inc. warrants that the product conforms to this label and under normal conditions of use according to this label, is reasonably fit for the stated label purpose. To the extent consistent with applicable law, the manufacturer makes no express or implied warranties of merchantability or fitness for a purpose concerning this product, or its use, extending beyond the label. Under no circumstance will Trece Inc. be liable for damage (special, consequential or incidental) that result from the handling, storage, or use of this product which is not in compliance with the label. Read all label directions carefully.

Buyer's exclusive remedy, should this product be defective, is replacement of the product, or if this is impracticable, a purchase price refund.

TRÉCÉ INCORPORATED

Mailing Address: P.O. Box 129 · Adair, Oklahoma 74330
Shipping Address: 7569 Hwy 28 W · Adair, Oklahoma 74330
Phone: (918) 785-3061 · Fax: (918) 785-3063

PHEROCON® and CIDETRAK® are registered Trademarks of TRECE Incorporated,
Adair, OK USA ©2011 TRECE, Adair, OK USA

Lot Number/Batch Code: _____

Net Contents:

CIDETRAK CMDA 75/45 MESO FOR WALNUTS:

Dispensers per package : 9
One dispenser contains : 1200 mg 8,10-Dodecadien-1-ol, (8E,10E)
720 mg 2,4-decadienoic acid, ethyl ester, (E,Z)

CIDETRAK CMDA 75/45 MESO FOR APPLES, PEARS, QUINCE & OTHER POME FRUITS

Dispensers per package : 40 dispensers
One dispenser contains : 750 mg 8,10-Dodecadien-1-ol, (8E,10E)
450 mg 2,4-decadienoic acid, ethyl ester, (E,Z)

CIDETRAK CMDA 75/45 PUZZLE PIECE FOR APPLES, PEARS, QUINCE & OTHER POME FRUITS

Dispensers per package : 400 dispensers
One dispenser contains : 75 mg 8,10-Dodecadien-1-ol, (8E,10E)
45 mg 2,4-decadienoic acid, ethyl ester, (E,Z)