



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

December 04, 2025

SENT BY EMAIL

Michael Niedbalski
mike.niedbalski@syntechresearch.com
TRECE, INC.

Subject: Labeling Notification per Pesticide Registration Notice (PRN) 98-10 - Revision of the label to add an additional alternate brand name "CIDETRAK MNB MESO"
Product Name: CIDETRAK OFM
Admin Number: 51934-20
EPA Receipt Date: 11/11/2025
Action Case Number: 00675902

Dear Michael Niedbalski:

The U.S. Environmental Protection Agency is in receipt of your application for notification under Pesticide Registration Notice 98-10 for the above referenced product. The EPA has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The labeling submitted with this application has been stamped "Notification" and will be placed in our records.

The alternate brand name: CIDETRAK MNB MESO has been added to the registration. Our records have been updated accordingly.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains statements or claims substantially differing from statements or claims made in connection with obtaining a FIFRA section 3 registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

If you have questions, please contact Nina Naimy via email at naimy.nina@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "James Parker". The script is elegant and cursive, with the first letters of "James" and "Parker" being capitalized and prominent.

James Parker, Biologist
BPB, BPPD
Office of Pesticide Programs

CIDETRAK® OFM

[ABN:] [CIDETRAK® OFM-L MESO]
[CIDETRAK® MNB MESO]
[CIDETRAK® OFM MESO]
[CIDETRAK® OFM-L2]

NOTIFICATION

51934-20

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

12/04/2025

A MATING DISRUPTANT FORMULATION FOR ORIENTAL FRUIT MOTH (*Grapholita molesta*),
MACADAMIA NUT BORER (*Cryptophlebia ambrdelta*), KOA SEEDWORM (*Cryptophlebia illepida*)

ACTIVE INGREDIENTS:

Z-8-Dodecen-1-yl Acetate	4.52%
E-8-Dodecen-1-yl Acetate	0.41%
Z-8-Dodecen-1-ol	0.07%

OTHER INGREDIENTS:	95.00%
--------------------	--------

TOTAL:	100.00%
--------	---------

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID STATEMENT	
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">Take off contaminated clothing.Rinse skin immediately with plenty of water for 15-20 minutes.Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none">Move person to fresh air.If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.Call a poison control center or doctor for further treatment advice.
IF IN EYES:	<ul style="list-style-type: none">Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none">Call a poison control center or doctor immediately for treatment advice.Have person sip a glass of water if able to swallow.Do not induce vomiting unless told to by a poison control center or doctor.Do not give anything to an unconscious person.
HOTLINE NUMBER Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378 Monday-Friday, 8:00 a.m. to 12:00 p.m. pacific time or your poison control center at 1-800222-1222 . For additional information, you may also contact Trece Inc. at 1-866-785-1313 .	

EPA Registration Number: 51934-20

EPA Establishment Number: 51934-OK-2

Net Contents: See Back Panel

Manufactured by:

TRÉCÉ INCORPORATED
7569 Hwy 28 W · Adair, Oklahoma 74330

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Caution. Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye and skin irritation. Avoid breathing vapor. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Environmental Hazards

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USING.

CIDETRAK® OFM disrupts the mating communication between adult male and female moths, reduces fertile egg laying, suppresses subsequent larval infestation, and may reduce the need for applying insecticides.

For maximum effectiveness, remove and destroy infested fruit and nuts from trees and the ground. Maintain accurate records of OFM adult populations monitoring and larval damage within their orchards. Consult your local extension specialist, certified crop advisor, or Trece representative for assistance in designing the best **CIDETRAK® OFM** program for your orchard.

Crop	Peaches, Nectarines, Apricots, Plums, Cherries, and other stone fruits; Apples, Pears, Quince and other pome fruits; Almonds, Macadamia, and other nut crops.
Targeted Pest	Oriental Fruit Moth (<i>Grapholita molesta</i>), Macadamia nut borer (<i>Cryptophlebia ambrodelta</i>), Koa seedworm (<i>Cryptophlebia illepidia</i>).
Meso Rate For Almonds, Macadamia, and other nut crops	CIDETRAK® OFM: Depending on the population abundance, use a minimum of 18 dispensers per acre (45 dispensers per hectare) to a maximum of 35 dispensers per acre (88 dispensers per hectare). For example, apply 30 dispensers per acre (75 dispensers per hectare) for moderate populations. Apply the maximum dispenser rate to all orchard borders including orchards that are heavily infested with OFM, adjacent to an untreated orchard, or otherwise at risk. Do not exceed 150 gm a.i. per acre per year.
Meso Rate For Peaches, Nectarines, Apricots, Plums, Cherries and other stone fruits; Apples, Pears, Quince, and other pome fruits	CIDETRAK® OFM: Depending on the population abundance, use a minimum of 18 dispensers per acre (45 dispensers per hectare) to a maximum of 35 dispensers per acre (88 dispensers per hectare). For example, apply 30 dispensers per acre (75 dispensers per hectare) for moderate populations. Apply the maximum dispenser rate to all orchard borders including orchards that are heavily infested with OFM, adjacent to an untreated orchard, or otherwise at risk. Do not exceed 150 gm a.i. per acre per year.
Puzzle Piece Rate For Peaches, Nectarines, Apricots, Plums, Cherries and other stone fruits; Apples, Pears, Quince, and other pome fruits	CIDETRAK® OFM: Depending on the population abundance, use a minimum of 100 dispensers per acre (250 dispensers per hectare) to a maximum of 200 dispensers per acre (500 dispensers per hectare). For example, apply 170 dispensers per acre (425 dispensers per hectare) for moderate populations. Apply the maximum dispenser rate to all orchard borders including orchards that are heavily infested with OFM, adjacent to an untreated orchard, or otherwise at risk. Do not exceed 150 gm a.i. per acre per year.

Application	<p>Place the dispenser on the rotating hook, place the hook into the applicator tip, and hook the dispenser on the tree from the ground using a pole applicator, a moving trailer, a hydraulic man-lift or other safe means. Distribute dispensers in a grid pattern within the orchard except on borders.</p> <p>Meso: Almonds, Macadamia, and other nut crops - Attach dispensers securely to lateral branches at 20% of the distance between the trunk and branch terminal at ½ the tree height in mature trees.</p> <p>Meso: Stone fruit and Pome fruit - Attach dispensers securely to lateral branches at 10-20% of the distance between the trunk and branch terminal in the upper 1/5th of the canopy.</p> <p>Puzzle Piece: Attach dispensers securely to lateral branches at 5-10% of the distance between the trunk and branch terminal in the upper 1/5th of the canopy.</p>
Timing	<p>Apply prior to moth emergence in the spring, but no later than 2-3 days after trap capture of first male moth. Monitor moth activity using PHEROCON® 1C traps and lures. Begin monitoring in early spring and continue throughout the season to assess treatment effectiveness. Depending on temperature, CIDETRAK® OFM dispensers will release pheromone for up to 180 days. In late maturing varieties with long field seasons (i.e. more than 120 days), a second application should be made prior to subsequent OFM flights.</p> <p>Note - CIDETRAK® OFM will not prevent crop damage from immigration of mated female moths into treated orchards. In late season treat OFM host crops, such as pears, with pheromone only when the crops are within or near blocks that have been treated with CIDETRAK® OFM.</p>
Treatment Tips	<p>CIDETRAK® OFM suppresses mating of OFM. Immigration of mated female moths from adjacent, infested orchards can reduce the level of control. Area-wide treatment of the entire host plant block is the most effective strategy. To supplement CIDETRAK® OFM, use insecticides to control high populations of OFM. Monitor all pest populations to determine timely use of insecticides. To manage immigration and high population pressures, consider:</p> <ol style="list-style-type: none"> 1. Treatment of external sources of infestation with CIDETRAK® OFM 2. Treatment of external sources of infestation with an insecticide 3. Treatment of pheromone treated orchard with insecticide <p>Consult your local extension specialist, certified crop advisor, or Trece representative for local field condition management strategies.</p>

STORAGE AND DISPOSAL	
Do not contaminate water, food, or feed by storage and disposal	
Pesticide Storage:	Store unopened original package in a dry location at a temperature below 40° F. To avoid contamination of food or feed items, only unopened product packages may be stored in cold storage facilities that are used for food storage.
Pesticide Disposal:	Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.
Container Disposal:	Dispose of empty container and foil envelopes in trash.

WARRANTY AND LIMITATION OF DAMAGES

All statements concerning the use of this product apply only when used as directed as stated on this product label. To the extent consistent with applicable law, Trece Inc. warrants that the product conforms to this label and under normal conditions of use according to this label, is reasonably fit for the stated label purpose. To the extent consistent with applicable law, the manufacturer makes no express or implied warranties of merchantability or fitness for a purpose concerning this product, or its use, extending beyond the label. Under no circumstance will Trece Inc. be liable for damage (special, consequential or incidental) that result from the handling, storage, or use of this product which is not in compliance with the label. Read all label directions carefully.

Buyer's exclusive remedy, should this product be defective, is replacement of the product, or if this is impracticable, a purchase price refund.

TRÉCÉ INCORPORATED

Mailing Address: P.O. Box 129 · Adair, Oklahoma 74330
Shipping Address: 7569 Hwy 28 W · Adair, Oklahoma 74330
Phone: (918) 785-3061 · Fax: (918) 785-3063

PHEROCON® and CIDETRAK® are registered Trademarks of TRECE Incorporated, Adair, OK, USA
©2017 TRECE, Adair, OK, USA

CIDETRAK® OFM MESO: Almonds, Macadamia and other nut crops

Dispensers per package: 40 dispensers

One dispenser contains:

1280.5 mg Z-8-Dodecen-1-yl Acetate

116.2 mg E-8-Dodecen-1-yl Acetate

19.8 mg Z-8-Dodecen-1-ol

CIDETRAK® OFM MESO: Apples, Peaches, and other stone and pome fruit

Dispensers per package: 40 dispensers

One dispenser contains:

1280.5 mg Z-8-Dodecen-1-yl Acetate

116.2 mg E-8-Dodecen-1-yl Acetate

19.8 mg Z-8-Dodecen-1-ol

CIDETRAK® OFM PUZZLE PIECE: Apples, Peaches, and other stone and pome fruit

Dispensers per package: 400 dispensers

One dispenser contains:

226.0 mg Z-8-Dodecen-1-yl Acetate

20.5 mg E-8-Dodecen-1-yl Acetate

3.5 mg Z-8-Dodecen-1-ol