

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

December 9, 2021

Ms. Annette Marine Agent Trécé, Inc. c/o Wagner Regulatory Associates, Inc. P.O. Box 640 Hockessin, DE 19707

Subject: Non-PRIA (Pesticide Registration Improvement Act) Labeling Amendment – Updating

Environmental Hazards section

Product Name: CIDETRAK® NOW MECTM

EPA Registration Number: 51934-24

Application Date: 11/12/2021 OPP Submission Number: 1078401 OPP Case Number: 00336504

Dear Ms. Marine:

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

This approval does not affect any terms or conditions that were previously imposed on this registration. You continue to be subject to existing terms or conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release this product for shipment with the new labeling. In accordance with 40 CFR § 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR § 152.3.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the U.S. Environmental Protection Agency (EPA). If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims

Page 2 of 2 EPA Reg. No. 51934-24 OPP Submission No. 1078401 OPP Case No. 00336504

made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Nina Naimy via email at naimy.nina@epa.gov.

Sincerely,

James Parker, Team Leader Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511P) Office of Pesticide Programs

Enclosure

[Master Label: Commercial Use]

CIDETRAK® NOW MEC™

A Mating Disruption Formulation for navel orangeworm, Amyelois transitella.

ACCEPTED

Dec 09, 2021

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 51934-24

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

FIRST AID		
IF INHALED:	Move person to fresh air.	
	If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably	
	mouth to mouth if possible.	
	Call a poison control center or doctor for treatment advice.	
IF ON SKIN OR	Take off contaminated clothing.	
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.	
	Call poison control center or doctor for treatment advice.	
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
	Call poison control center or doctor for treatment advice.	
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice.	
	Have person sip a glass of water if able to swallow.	
	Do not induce vomiting unless told to by a poison control center or doctor.	
	Do not give anything to an unconscious person.	
HOTLINE NUMBERS		

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information concerning this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378 seven days a week, 8:00 a.m. to 12:00 p.m. pacific time or your poison control center at 1-800-222-1222. For additional information, you may also contact Trécé Inc. at 1-866-785-1313.

EPA Reg. No.: 51934-24 EPA Est. N	o.:
-----------------------------------	-----

Manufactured By:

TRÉCÉ® INCORPORATED 7569 Hwy 28 W Adair, Oklahoma 74330

Net Contents:	[Fl. Oz./mL/Gals.]
net contents:	ifi. Oz./mL/Gais.i

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear the appropriate PPE. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves made of any waterproof material such as nitrile rubber, butyl rubber, neoprene rubber, barrier laminate, polyethylene, polyvinyl chloride (PVC), or Viton.
- Shoes plus socks
- Protective eyewear

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets underneath clothing. Then, shower cleaning skin thoroughly with soap
 and water and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves with soap and water before removing.
- Remove and wash contaminated clothing before reuse. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Do not contaminate water by cleaning of equipment or disposing of equipment wash waters or rinsates.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USING

SHAKE WELL BEFORE USING

DO NOT FREEZE

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 0 hours.

CIDETRAK® NOW MEC™ is a suspension concentrate that disrupts the mating communication between adult male and female moths, reduces fertile egg laying, suppresses subsequent larval infestation and reduces the need for applying insecticides.

Per 40 CFR 180.1153 DO NOT EXCEED the rate of 150 g A.I. per acre per year.

Crop	Almonds, Walnuts, Pistachios, Figs, and other crops where navel orangeworm is a pest.
Targeted Pests	Navel orangeworm (Amyelois transitella)
Use Rate	Mix CIDETRAK® NOW MEC™ with prescribed and/or lower label rates of a suitable insecticide, fungicide, kairomone, oil and/or adjuvant. Also, may be applied to an orchard under current NOW pheromone based mating disruption products. A spreader sticker may be used for enhanced adhesion. Use CIDETRAK® NOW MEC™ at a rate 2.36-6.76 fl. oz/acre (70 to 200 mL/acre) (7.0-20.0 g A.I./acre) or 5.91-16.9 fl. oz/ha (175-500 mL/ha) (17.5-50.0 g A.I./ha). Apply CIDETRAK® NOW MEC™ usually at a rate of 2.36 fl. oz (70 mL) (7.0 g A.I.) per acre or 5.91 fl. oz (175 mL) (17.5 g A.I/ha) alone or in a mixture only with a suitable registered insecticide, fungicide, oil, and/or adjuvants
Ground/Aerial Application	Apply foregoing mixtures alone or in a mixture in a full coverage spray, according to directions for use of the insecticide, fungicide, kairomone, oil, and/or adjuvant. Coverage should be complete but do not allow "run-

	off."
Spray/Sprayer	Shake CIDETRAK® NOW MEC™ vigorously before measuring for spray solution.
Preparation	Fill sprayer half full of water.
	Start physical or by-pass agitation on spray application equipment.
	Carefully measure and pour or place insecticide, fungicide, kariomone, oil, and/or adjuvant into the spray
	tank.
	Carefully measure and pour the required amount of CIDETRAK® NOW MEC™ into the spray tank.
	Fill spray tank to the required level and initiate application.
Chemical	Check physical compatibility of CIDETRAK® NOW MEC™ + insecticide, fungicide, kairomone, oil, and/or
Compatibility	adjuvant before mixing in spray tanks.
	No plant phytotoxicity has been observed with mixtures of CIDETRAK® NOW MEC™. But if in doubt, one may
	check plant phytotoxic response to mixtures of CIDETRAK® NOW MEC™ + insecticide, fungicide, kairomone,
	oil, and/or adjuvant by treating 4-5 plants or small area of foliar surface of plantings with chosen mixtures.
	Observe the effect over 2 days.
Monitoring/Timing	Apply CIDETRAK® NOW MEC™ prior to moth emergence or in between any generation. Retreatment may be
	necessary if there is an excessive amount of rain. Monitor moth activity by using PHEROCON® monitoring
	systems and lures for NOW. Begin monitoring before first emergence or when possible and continue
	throughout the season to assess population, phenology and abundance.
	Apply CIDETRAK® NOW MEC in mixtures according to the directions for timing of the manufacturer of the
	insecticide. Repeat applications of CIDETRAK® NOW MEC™ in mixtures according to directions for the
	insecticide.
Treatment Tips	Supplement CIDETRAK® NOW MEC™ using timely applications of insecticides to control high populations.
	Monitor all insect populations to determine timely use of insecticides.
	To manage immigration and high population pressures, consider:
	1. Treatment of external sources of infestation with CIDETRAK® NOW MEC™
	2. Treatment of external sources of infestation with an insecticide.
	3. Treatment of pheromone treated orchard with insecticide.
	Consult your local extension specialist, certified crop consultant, or Trécé® representative for local field
	condition management strategies.

STORAGE AND DISPOSAL

Nonrefillable container. Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store unopened original package in a dry location at a temperature below 40° F. Store in a cool, dry place, out of direct sunlight, and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in the original container and out of the reach of children, preferably in a locked storage area.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Nonrefillable container (equal to or less than 5 gallons): Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling, if available or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Nonrefillable container [Greater Than 5 Gallons]: Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling, if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill or by incineration.

CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

WARRANTY AND LIMITATION OF DAMAGES

To the extent consistent with applicable law, all statements concerning the use of this product apply only when used as directed as stated on this product label. Trécé®, Inc. warrants that the product conforms to this label and under normal conditions of use according to this label, is reasonably fit for the stated label purpose. The manufacturer makes no express or implied warranties of merchantability or fitness for a purpose concerning this product, or its use, extending beyond the label. Under no circumstance will Trécé®, Inc. be liable for damage (special, consequential or incidental) that result from the handling, storage, or use of this product which is not in compliance with the label. Read all label directions carefully.

Buyer's exclusive remedy, should this product be defective, is replacement of the product, or if this is impractical, a purchase price refund.

Phone: (918) 785-3061 · Fax: (918) 785-3063

TRÉCÉ®, STORGARD®, PHEROCON® and CIDETRAK® are registered Trademarks and MEC™ is a Trademark of TRÉCÉ® Incorporated, Adair, OK USA ©2005 TRÉCÉ®, Adair, OK USA

[[Optional Marketing Claims] Disrupts mating of infestations of Navel Orangeworm Starts working immediately Fast acting formula starts working immediately Stops moths Prevents moths from breeding [reproducing] The proven way to protect your crop from pests Fast acting pheromone technology Lasts season long Works all season long Lasts all season Disrupts mating of listed insects [stored products pests] Makes control of [listed pest] easy and simple to do Reduces the need for [to use] insecticides Stops pests' life cycle Guaranteed to Work [or Your Money Back] America's 1st Name in Pheromone Based Products [Since 1983]]