



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division (7511P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

51934-26

Date of Issuance:

01/28/202

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

CIDETRAK LR MESO

Name and Address of Registrant (include ZIP Code):

Trece, Inc
7569 Highway 28 W
Adair, OK 74330

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA Registration Number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA or the Act).

Registration is in no way to be construed as an endorsement or recommendation of this product by the U.S. Environmental Protection Agency (EPA). In order to protect health and the environment, the Administrator, on his or her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under the Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration or registration review of your product when the EPA requires all registrants of similar products to submit such data.

Signature of Approving Official:

Date:

02/04/2021

Gina Burnett, Senior Regulatory Advisor Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511P) Office of Pesticide Programs	
---	--

EPA Form 8570-6

2. Make the following labeling change before you release this product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 51934-26.”
3. Submit one (1) copy of the final printed labeling for the record before you release this product for shipment.

Should you wish to add/retain a reference to your company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6. A stamped copy of the labeling is enclosed for your records. Please also note that the record for this product currently contains the following acceptable Confidential Statement of Formula (CSF):

- Basic CSF dated 07/31/2020

Any CSFs other than those listed above are superseded.

If you have any questions, please contact Susannah Powell of my team via email at powell.susannah@epa.gov.

Sincerely,




Page 3 of 3
EPA Reg. No. 51934-26
OPP Submission No. 1055502

Gina Burnett, Senior Regulatory Advisor
Biochemical Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511P)
Office of Pesticide Programs

Enclosure

[Master Label]

CIDETRAK® LR MESO

LEAFROLLER PHEROMONE MATING DISRUPTANT

A Mating Disruption Formulation for Pandemis Leafroller (*Pandemis pyrusana*) and Obliquebanded Leafroller (*Choristoneura rosaceana*),

ACTIVE INGREDIENT:	WT. BY %
11-Tetradecenyl Acetate	4.93%
OTHER INGREDIENTS:	<u>95.07%</u>
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN**CAUTION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand this label, find someone to explain it to you in detail.)

FIRST AID STATEMENT	
IF INHALED:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. • Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information concerning this product, call the National Pesticides Information Center (NPIC) at 1-800-858-7378 Monday through Friday, 8:00 a.m. to 12:00 p.m. pacific time or your poison control center at 1-800-222-1222. For additional information, you may also contact Trécé Inc. at 1-866-785-1313.</p>	

EPA Reg. No.: 51934-XX**EPA Est. No.:****Batch Code:****Manufactured by:**

TRÉCÉ, INCORPORATED
7569 Hwy 28 W. Adair,
Oklahoma 74330

Net Contents:

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if inhaled or absorbed through the skin. Causes moderate eye and skin irritation. Avoid breathing vapor. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL BEFORE USING

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 0 hours.

CIDETRAK® LR MESO is a dispenser system that contains behavior modifying pheromones in a polymeric matrix. It disrupts the mating communication between adult male and female leafrollers, reduces fertile egg laying, suppresses subsequent larval infestation, and reduces the need for applying insecticides.

For maximum effectiveness, remove and destroy infested fruit from trees and the ground. Maintain accurate records of LR adult population monitoring and larval damage within treated orchards. Consult your local extension specialist, certified crop advisor, or Trécé representative for assistance in designing the best **CIDETRAK® LR MESO** program for your orchard.

Crop	Apple, Pear, Quince, Pomegranate, Peaches, Nectarines, Plums, and Other Pome and Stone Fruit
Targeted Pest	Pandemis Leafroller (<i>Pandemis pyrusana</i>) and Obliquebanded Leafroller (<i>Choristoneura rosaceana</i>)

Use Rate	CIDETRAK® LR MESO: Depending on the population abundance, use a minimum of 18 dispensers per acre (45 dispensers per hectare) to a maximum of 36 dispensers per acre (90 dispensers per hectare). For example, apply 32 dispensers per acre (80 dispensers per hectare) for moderate populations. Apply the maximum dispenser rate to all orchard borders including orchards that are adjacent to an untreated or otherwise at risk orchard heavily infested with LR. Do not exceed 150 gm combined a.i. per acre per year.
Application	Place the dispenser on the rotating hook, place the hook into an applicator tip, and hook the dispenser on the tree from the ground using a pole applicator, a moving trailer, a hydraulic man-lift or other safe means. Distribute dispensers in a grid pattern within the orchard except on borders. Attach the dispenser securely to lateral branches at 10-20% of the distance between the trunk and branch terminal in the upper 1/5 th of the canopy.
Monitoring/Timing	Apply prior to leafroller emergence. Monitor leafroller activity using PHEROCON® 1C/IIC or PHEROCON® VI traps and lures. Begin monitoring in early spring and continue throughout the season to assess treatment effectiveness. Depending on temperature, CIDETRAK® LR MESO dispensers will release pheromone for 150-180 days. In areas with a long field season, (i.e. more than 180 days), a second application may be necessary prior to subsequent LR flights. Note - CIDETRAK® LR MESO <u>will not prevent crop damage</u> from immigration of mated female leafrollers into treated orchards. Nearby (within 500 yards) untreated leafroller hosts, such as apple, pear, quince, pomegranate, peaches, nectarines, plums and other pome and stone fruit can be a source of these mated females. Treat with CIDETRAK® LR MESO only when all host crops within or near treated blocks have been adequately treated for these pests.
Treatment Tips	CIDETRAK® LR MESO suppresses mating of leafroller in targeted orchards. Immigration of mated female leafrollers from adjacent, infested orchards can reduce the level of control. Area-wide treatment of the entire host plant block is the most effective strategy. Use insecticides to supplement CIDETRAK® LR MESO to control high populations. Monitor all pest populations to determine timely use of insecticides. Consider the following to manage immigration and high population pressures: <ol style="list-style-type: none"> 1. Treatment of external sources of infestation with CIDETRAK® LR MESO 2. Treatment of external sources of infestation with an insecticide 3. Treatment of pheromone treated external orchards with an insecticide Consult your local extension specialist, certified crop advisor, or Trécé representative for local field condition management strategies.

STORAGE AND DISPOSAL

Do not contaminate food or feed by storage or disposal of unused or used dispensers.

PESTICIDE STORAGE: Store unopened original package in a dry location at a temperature below 40°F. Store in a cool, dry place, out of direct sunlight, and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in the original container and out of the reach of children, preferably in a locked storage area.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container: Do not reuse or refill this container. Dispose of empty containers and foil envelopes in trash.

WARRANTY AND LIMITATION OF DAMAGES

To the extent consistent with applicable law, all statements concerning the use of this product apply only when used as directed as stated on this product label. Trécé®, Inc. warrants that the product conforms to this label and under normal conditions of use according to this label, is reasonably fit for the stated label purpose. The manufacturer makes no express or implied warranties of merchantability or fitness for a purpose concerning this product, or its use, extending beyond the label. Under no circumstance will Trécé®, Inc. be liable for damage (special, consequential or incidental) that result from the handling, storage, or use of this product which is not in compliance with the label. Read all label directions carefully.

Buyer's exclusive remedy, should this product be defective, is replacement of the product, or if this is impractical, a purchase price refund.

TRÉCÉ® INCORPORATED

Mailing Address: P.O. Box 129 · Adair, Oklahoma 74330

Shipping Address: 7569 Hwy 28 W · Adair, Oklahoma 74330

Phone: (918) 785-3061 · Fax: (918) 785-3063

TRÉCÉ®, STORGARD®, PHEROCON® and CIDETRAK® are registered Trademarks and MEC™ is a Trademark of TRÉCÉ® Incorporated, Adair, OK USA ©20XX TRÉCÉ®, Adair, OK USA

[[Optional Marketing Claims]

Disrupts mating of infestations of leafrollers

Starts working immediately

Fast acting formula starts working immediately

Stops [leafrollers listed on this label]

Prevents [leafrollers listed on this label] from breeding [reproducing]

Fast acting pheromone technology

Lasts season long

Works all season long

Lasts all season

Disrupts mating of leafrollers

Makes control of leafrollers easy and simple to do

Reduces the need for [to use] insecticides

Can eliminate need for [insecticide] sprays

Guaranteed to Work [or Your Money Back]