CSI-105

371.778 . Le Ma Deterli

Till : 1

Af	`T !	VE	IN	GR	FΩ	IEN	T٠
~	• • •		117	•		1514	

Poly(exyethylene (dimethyliminio) ethylene-

This product contains $\underline{1.29}$ lb. of active ingredient per gallon and weighs <u>8.58</u> **lb. per gellon.**

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing,

FIRST AID: If swallowed, drink promptly a large quantity of male egg whites, gelatin solution, or, if these are not available, drink large quantities of water Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this posticide into lakes, streams, ponds, or public water. To ignicial co, contact the regional office of the Environmental Protection Agency

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with
its labeling. CSI-105 is used to control along hactoria
CSI-105 is used to control algae, bacteria,
and fungi in recirculating commercial and industrial water cooling towers. Prior
to its use, systems must be cleaned to remove algal growth, microbiological
elimo and other demails. As initial the setting of 100 00000000000000000000000000000000
slime, and other deposits. An initial slug addition of4.0 to10.0
fluid ounces ofCSI-105 per 1000 gallons of water to provide a concentration of32 to80 parts per million of
of water to provide a concentration of 32 to 80 parts per million of
CSI-105 , based on the total weight of water
in the system, is recommended. Repeat initial dosage until control is evident.
Subsequent slug additions of 1.0 to 10.0 fluid ounces of
CSI-105 per 1000 gallons of water (8 to
CSI-105 per 1000 gallons of water (<u>8</u> to 80 parts per million of <u>CSI-105</u> should be
employed every 2 to 5 days, or as needed. The frequency of addition depends
upon the relative amount of bleedoff and the severity of the microbiological prob-
lem. Slug additions should be made in the sump of water cooling towers.
is used to control bacteria in incustrigi
air-washing systems that maintain effective mist eliminating components. Prior
to its use, systems should be cleaned to remove bacterial slime and other
deposits. An initial slug dose of14.8 to24.7 fluid ounces of CSI-105
por 1000 galloris of Water is 100011-
mended. Repeat initial dosage until control is evident. Subsequent slug addi-
tions of 10.1 to 24.7 fluid ounces of CSI-105
per 1000 gallons of water should be employed each 1 to 5 days, or as needed. The
frequency of addition depends upon the relative amount of bleedoff and severity
of the bacterial problem. Slug additions may be made to the sump or to the water
collection trays of the airwash system.
concentration and an analysis apatern.

STORAGE AND DISPOSAL

Do not contaminate water food or field by storage or disposal

STORAGE. Do not stack more than four drums high. Leaking or damaged drums should be placed in overpack drains for disposal. Spills should be at sorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use

PESTICIDE DISPOSAL. Wastes reculting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

PLASTIC Triple raise for equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sabitary kindfill, by in-ineration, or if allowed by state and local authorities, by burning. If burned, stay our of

METAL. Tuple onse for equivalenti. Then offer for recycling or reconditioning, or puncture and dispose of in a sandary landfill or by other procedures approved by state and local authorities.

	Manu	ifactured by:	
	CSI Associates		
	2603 Readbourne	e Lane	
	Gambrills, MD	21054	
EPA REG. NO.		EPA EST. NO.	
	NET CONTENTS	· 	

والمستوية						
U.S. ENVIRONMENTAL PROTECTION AGENCY	EPA REGISTRATION NO.	"MAY"23"1984				
пр. , 11 Атыры 100 новы АН 517 н иди пр. 1 пр. новы 41	TERM OF ISSUANCE					
NOTICE OF PESTICIDE: THE DISTRATION	NAME OF PESTICIDE PRODUCT					
Under the Federal Insecticide. Funercide and Rodenticide Act., arrended.						
NAME AND ADDRESS OF REGISTRANT (In tude ZIP code)						
[٦					
<u> </u>						
<u> </u>	٦					
NCTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.						
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named posticide is hereby F	Registered/Reregistered under				
A copy of the labeling accepted in connection with this Re	gistration/Reregistration is return	ed herewith.				
Registration is in no way to be construed as an indersement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.						
}						
ļ						
5						
İ						
SIGNATURE OF APPROVING OFFICIAL		DATE				
ESIWANIANE OF METHOVING OFFICIAL		LAUTE				