

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (WH-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.

52200-6

DATE OF ISSUANCE

May 22 1980

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

┌

└

165
/

BEST AVAILABLE COPY

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

ATTACHMENT IS APPLICABLE :

SIGNATURE OF APPROVING OFFICIAL

DATE

5/22/80

Richards

- b. Provide the upper and lower Certified Limits of the individually added inerts.
- c. Correct the upper limit of N-P-K Fertilizer, it cannot be 16.17%.
- d. Provide a statement of composition - a complete description of the manufacturing/formulation process. Describe equipment used, mixing time, temperature, etc.
- e. Discussion of formation of [unintentional] ingredients - a brief description of impurities formed during the manufacturing/formulation process, in packaging, or during storage. If you do not expect any impurities during these stages, please so state.
- f. Oxidizing or reducing - note these characteristics if any.
- g. A one year storage stability study must be conducted. The formulated product must be analyzed for its active ingredient at time zero and through a year of storage. The storage should be in warehouse conditions of temperature and humidity and stored in similar containers you will be using in the trade. Note: For the Storage Stability study you cannot reference the concentrate you are using to formulate your product.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager 15
Insecticide-Rodenticide Branch
Registration Division (H7505C)

GREENSWARD
PREMIUM FERTILIZER
PLUS DIAZINON
22-2-6

Controls such insects in turf as European Chafer, Japanese Beetle Grub,
Sod Webworm, Chinch Bug and many other insects listed below.

This package treats up to 13,333 Sq. Ft.

This product must not be used on golf courses and sod farms.

ACTIVE INGREDIENT:

Diazinon [O,O-Diethyl O-2(2-isopropyl-6-methyl-4-pyrimidinyl)
phosphorothioate] 3.33%

INERT INGREDIENTS: 96.67%
TOTAL 100.00%

GUARANTEED ANALYSIS:

Total Nitrogen (N) 22%
 .8% Ammoniacal Nitrogen
 16.8% Urea Nitrogen
 4.4% Coated Slow Release Urea Nitrogen
Available Phosphoric Acid (P₂O₅) 2%
Soluble Potash (K₂O) 6%

Plant Nutrients Derived From: Urea, Sulfur Coated Urea, Ammoniated Phosphates,
and Muriate of Potash.

Chlorine (Cl) Maximum 6%

KEEP OUT OF REACH OF CHILDREN
CAUTION

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing dust and contact with eyes, skin and
clothing. May cause contact sensitization following repeated contact with
skin in susceptible individuals. Avoid repeated contact with skin. If
sensitization reactions result consult a physician. Do not allow children
or pets on treated area until granules have been watered into soil and
grass has dried. Wash thoroughly after handling and before smoking or
eating. May be absorbed through skin.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or poison control center immediately. Drink
one or two glasses of water and induce vomiting by touching
back of throat with a finger. DO NOT induce vomiting or give
anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: If signs of cholinesterase inhibition are
present, atropine is antidotal. 2-PAM is also antidotal and
may be administered in conjunction with atropine.

REGISTERED
EPA COMPLIANT
EPA DATE
MAY 2 1990
Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered under the name of GREENSWARD 22-2-6

- IF INHALED:** If breathing difficulty occurs, move individual to fresh air and get medical attention.
- IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water.
- IF IN EYES:** Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Call a physician.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish and wildlife. Birds feeding in treated areas may be killed. Do not apply directly to water or wetlands (swamps, bogs, marshes, and pot-holes). Runoff maybe hazardous to aquatic organisms in neighboring areas. Collect or incorporate granules that are spilled during loading or are visible on soil surface in turn areas. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CONTROLS THESE INSECTS

Ants	Crickets	Springtails
Armyworms	Cutworms	Sod webworms
Bermuda mites	Digger wasps	Sowbugs
Billbugs	Earwigs	White grubs of:
Chiggers	Lawn moths	Japanese beetle
Chinch bugs	Leafhoppers	European chafer
Clover mites	Millipedes	Southern chafer

How to Apply:

For most insects, apply at a rate of 3 lbs. per 1000 sq. ft (20' x 50').

For heavy laws, such as St. Augustinegrass, the rate should be increased to 4 lbs. per 1000 sq. ft.

For Billbug and white grub control, the rate is 3.6 lbs. per 1000 sq. ft.

For best results, the lawn should be dry before application. To control surface feeding insects, armyworms and sod webworms (lawn moths), water lawn lightly after application. To control ants, billbugs, chinch bugs, cutworms, and white grubs, water lawn thoroughly after application.

When to Apply:

Apply when insects are present.

BEST AVAILABLE COPY

To control ants, armyworms, Bermudagrass mites, chinch bugs, cutworms, leafhoppers, and sod webworms (lawn moths), apply at 4-6 weeks intervals.

To control white grubs, apply any time between July and early October. To control billbugs, apply when activity is first observed, or when chewed or brown grass indicates damage from these insects. Repeat as necessary.

To control Hyperodes weevils (New York only):

Apply 3 lbs. per 1000 sq. ft. of grass. Treat problem areas in mid-April and again in mid-May.

Note: Because of the migratory habits of certain waterfowl, do not apply in Nassau County, New York between November 1 and May 20. Do not exceed maximum permitted rates, since rates

above those recommended significantly increase potential hazards to birds. Avoid overlapping. If waterfowl, i.e. ducks, geese can be expected to enter the treated area after treatment (except spot treatments), water lawn with at least $\frac{1}{2}$ " of water immediately after application, however, stop watering before puddling occurs.

STORAGE AND DISPOSAL

STORAGE: Store in original container and place in a cool, dry, well-ventilated location. Keep any bags containing unused product in a storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs. To prevent cross-contamination do not store near other fertilizers or near herbicides, insecticides, fungicides or seeds.

PRODUCT DISPOSAL: To dispose of bags which contain unused product, securely wrap bag in several layers of newspapers and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty bag. Fold empty bag and discard in trash.

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, AND NO AGENT OF SELLER IS AUTHORIZED TO DO SO EXCEPT IN WRITING WITH SPECIFIC REFERENCE TO THIS WARRANTY. In No event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

EPA REG. NO. 52200-

NET WEIGHT 40 POUNDS

EPA EST. NO. 52200-1L-01

Manufactured By
TYLER ENTERPRISES, INC.
Elwood, IL 60421