

RESTRICTED USE PESTICIDE

The use of this product may be hazardous to your health. This product contains lindane, which has been determined to cause tumors in laboratory animals. Risks can be reduced by closely following the use directions and precautions, and by

wearing the protective clothing specified on the label. For retail sale to and use only by Certified Applicators under direct supervision, and only for those uses covered by the label.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

WARNING

Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. May be fatal if swallowed or absorbed through skin. Do not breathe vapor or spray mist. Use waterproof gloves, face shield or goggles, and protective clothing when handling. See also the specific uses for additional directions for protective clothing. Wash hands, arms and face thoroughly with soap after handling and before eating or smoking. Do not use on humans or household pets. Keep children and animals away from treated areas until spray has dried. Do not apply to food or forage nor to crops to be fed to dairy animals. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, birds, and other wildlife. Do not apply directly to water or wetlands. Drift and runoff from treated areas may be hazardous to fish in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

This pesticide is highly toxic to bees exposed to direct application. Applications should be timed to coincide with periods of minimum bee activity, usually between late evening and early morning.

OR-CAL LINDANE 400

ACTIVE INGREDIENT:

Lindane (Gammal Isomer of Benzene Hexachloride) 40%

INERT INGREDIENTS 60%

TOTAL 100%

Contains aromatic petroleum distillate

KEEP OUT OF REACH OF CHILDREN WARNING AVISO

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya si lo explicada ampliamente.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove a victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

EPA Est. No.
52251-OR-001

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Reg. No.
52251-6

ACCEPTED

NOV - 2 1987

sewhere on this label.

Applicators or persons under their direct
by the Certified Applicator's certification.

DIRECTIONS FOR USE

Use only according to attached label booklet in-

OR-CAL Chemicals, Inc.

30301 Riverview Dr. • Junction City, OR 97130

NET CONTENTS - GALLON

RE-ENTRY STATEMENT

Do not enter treated areas without protective clothing until 24 hours after application.

Protective clothing means, at least, a hat or other suitable head covering, a long-sleeved shirt and long-legged trousers or a coverall type garment (all of closely woven fabric covering the body, including arms and legs), socks, and shoes.

Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product.

Oral warnings must include the following information: "Warning. This area has been treated with Lindane. Do not enter without appropriate protective clothing. If accidentally exposed, remove contaminated clothing and wash the affected areas."

When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is a reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: "WARNING. Area treated with Lindane on (date of application). Do not enter without appropriate protective clothing until 24 hours after application. If accidentally exposed, remove contaminated clothing and wash the affected areas."

Under the Federal Insecticide,
Fungicide, and Rodenticide
Act, amended, for the pesticide
registered under
EPA Reg. No. 2-88449-800

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal

Store in a cool, dry place. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Where a dosage range is recommended, use the higher dosage when the weather is conducive to rapid insect growth (warm, humid weather) and when the plants are in full foliage.

Either use the entire container at one time or mix thoroughly before use.

Apply in sufficient volume of water to provide good coverage with available equipment in either dilute sprays or in concentrate ground sprays. Aerial application of Lindane is prohibited. All the recommendations below are based on 400 gallons of spray per acre in dilute application except as noted.

IMPORTANT NOTICE TO PURCHASER AND USER OF THIS PRODUCT

This product is manufactured, labeled, and sold in accordance with state and federal laws. Adequate directions for use, necessary warnings and cautions, and other essential information on the safe handling and use of this product are set forth on this label. However, the use and handling of this product is always attended with risk of personal injury or property damage if the user or handler departs to any degree from the instructions on this label. The manufacturer makes no warranties, either express or implied, and assumes no responsibility whatsoever for the effectiveness or safety of this product except to the extent that the product is used and handled in strict accordance with information and directions set forth on this label. The foregoing limitation of responsibility may not be altered in any way except by written agreement signed by officers of the manufacturer. Unless the intended purchaser agrees to be bound by the terms and limitations expressed herein and on this label, the manufacturer refuses to consummate the sale of this product to him and the product must be returned to the manufacturer.

RE-ENTRY STATEMENT

Do not enter treated areas without protective clothing until 24 hours after application. Protective clothing means, at least, a hat or other suitable head covering, a long-sleeved shirt and long-legged trousers or a coverall type garment (all of closely woven fabric covering the body, including arms and legs), socks, and shoes.

Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Oral warnings must include the following information: "Warning. This area has been treated with Lindane. Do not enter without appropriate protective clothing. If accidentally exposed, remove contaminated clothing and wash the affected areas." When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is a reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: "WARNING. Area treated with Lindane on (date of application). Do not enter without appropriate protective clothing until 24 hours after application. If accidentally exposed, remove contaminated clothing and wash the affected areas."

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Where a dosage range is recommended, use the higher dosage when the weather is conducive to rapid insect growth (warm, humid weather) and when the plants are in full foliage.

Either use the entire container at one time or mix thoroughly before use.

Apply in sufficient volume of water to provide good coverage with available equipment in either dilute sprays or in concentrate ground sprays. Aerial application of Lindane is prohibited. All the recommendations below are based on 400 gallons of spray per acre in dilute application except as noted.

PLANT USES

ROSES, ORNAMENTALS: Aphids, armyworms, flea beetle larvae, grasshoppers, lacebugs, leaf miners, leaf rollers, psylla, tarnish bugs, thrips. Use 1/4 pint per 100 gallons of water. Repeat applications as

sleeved shirt, long pants, waterproof gloves, full foot covering, and a head covering.

Lindane may cause off-flavor and odor to certain edible crops. Do not apply to any crop not listed on the label.

APPLES: Aphids. Use 1/2 pint in 100 gallons of water. It may be used as late as petal fall for control of rosy aphid. Do not apply more than 5 pints per acre per application. Do not use within 60 days of harvest.

CHERRIES: Aphids. Use 1/4 pint in 100 gallons of water. Do not apply to foliage or fruit after fruit starts to form.

GRAPES: Grape phylloxera (leaf form only). Use 1 quart per acre. Do not use later than one month after bloom.

PEARS: Aphids. Use 1/2 pint in 100 gallons of water. Do not use within 60 days of harvest.

PRUNES AND PLUMS: Aphids. Use 1/2 pint in 100 gallons of water. Do not use within 60 days of harvest.

DEER CATTLE: Ticks, hornflies, screwworms, spines ear ticks. Use 7 1/2 ounces per 100 gallons for dip. Used dip solutions must be disposed of in accordance with the Resource Conservation and Recovery Act (RCRA). If the applicator generates more than 1000 kg (2200 lbs) of used dip solution per month, or more than 1000 kg (2200 lbs) of used dip solution in combination with other hazardous waste, the material must be treated as a hazardous waste subject to subpart C of RCRA. Any user who wishes to treat, store or dispose of hazardous waste must obtain a permit to serve as a hazardous waste facility pursuant to RCRA. Do not apply to dairy cattle. Do not dip these animals within 60 days of slaughter, do not apply to these animals within 30 days of giving birth to young, nor for at least 3 weeks thereafter. Do not treat nursing animals. Do not apply to calves less than 3 months old. Do not treat animals in cold, stormy weather. Do not treat overheated or sick animals. Make sure animals are well watered prior to being dipped to prevent them from drinking the treated dip. Thoroughly stir dipping vat before using. If any separation of emulsion occurs, do not use the dip.

Do not apply to feed or forage to be fed to or grazed by livestock or poultry; do not contaminate feed or food crops. Do not use on poultry or in poultry houses. Do not use in dairy barns or milking rooms.

BARN: Flies. Use 1 quart in 100 gallons of water. For surface application, spray for coverage but not to run off. For crawling insects, apply thoroughly to cracks, crevices, baseboards, and other hiding places. Do not contaminate feed or drinking water. Remove animals before spraying. Applicators working in enclosed areas such as crawl spaces must wear a pesticide respirator jointly approved by the Mine Safety and Health Administration and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

IMPORTANT NOTICE TO PURCHASER AND USER OF THIS PRODUCT.

This product is manufactured, labeled, and sold in accordance with state and federal laws. Adequate directions for use, necessary warnings and cautions, and other essential information on the safe handling and use of this product are set forth on this label. However, the use and handling of this product is always attended with risk of personal injury or property damage if the user or handler departs to any degree from the instructions on this label. The manufacturer makes no warranties, either express or implied, and assumes no responsibility whatsoever for the effectiveness or safety of this product except to the extent that the product is used and handled in strict accordance with information and directions set forth on this label. The foregoing limitation of responsibility may not be altered in any way except by written agreement signed by officers of the manufacturer. Unless the intended purchaser agrees to be bound by the terms and limitations expressed herein and on this label, the manufacturer refuses to consummate the sale of this product to him and the product must be returned to the manufacturer.