



United States  
**Environmental Protection Agency**  
 Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number

**Application for Pesticide - Section I**

1. Company/Product Number 52287-13	2. EPA Product Manager JOANNE I. MILLER	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) WEED-FREE ONE ELEVEN	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) HARRELL'S, INC. P. O. BOX 807 LAKELAND, FL 33802 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <u>N/A</u> Product Name <u>N/A</u>	

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**NOTIFICATION**

JUN 06 2003

**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION OF LABEL CHANGE RELATIVE TO PR NOTICE 2001-6. THIS NOTIFICATION IS CONSISTENT WITH THE GUIDANCE OF PR NOTICE 2001-6 AND THE REQUIREMENTS OF EPA REGULATIONS AT 40 CFR 156.10 AND 40 CFR 152.46, AND NO OTHER CHANGES HAVE BEEN MADE TO THE LABELING OR THE CONFIDENTIAL STATEMENT OF FORMULA OF THIS PRODUCT. I UNDERSTAND THAT IT IS A VIOLATION OF 18 U.S.C. SEC.1001 TO WILLFULLY MAKE ANY FALSE STATEMENT TO EPA. I FURTHER UNDERSTAND THAT IF THIS NOTIFICATION IS NOT CONSISTENT WITH THE GUIDANCE OF PR NOTICE 2001-6 AND THE REQUIREMENTS OF 40 CFR 156.10 AND 40 CFR 152.46, THIS PRODUCT MAY BE IN VIOLATION OF FIFRA AND I MAY BE SUBJECT TO ENFORCEMENT ACTION AND PENALTIES UNDER SECTIONS 12 AND 14 OF FIFRA.

**Section - III**


1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Metal Plastic Glass Paper Other (Specify) _____		
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph Paper glued Stenciled			<input type="checkbox"/> Other _____		

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name ROBERT F. BISCHOFF	Title AGENT, TOTALTURF CONSULTING LLC	Telephone No. (Include Area Code) (317) 873-0222
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title AGENT, TOTALTURF CONSULTING LLC	
4. Typed Name ROBERT F. BISCHOFF	5. Date MAY 30, 2003	

Section II (Explanation Continued)

NON-NOTIFICATION LABEL CHANGES CONSISTENT WITH PR NOTICE 98-10 (IV-D) INVOLVE NEW REGISTRANT NAME, ADDRESS, REGISTRATION NUMBER, AND ESTABLISHMENT NUMBER AS A RESULT OF THE TRANSFER OF REGISTRATION FROM WILBRO TO HARRELL'S.



3112

# WEED-FREE ONE ELEVEN

WEED-FREE ONE ELEVEN IS A NEWLY DESIGNED "TIME TESTED" SELECTIVE PREEMERGENCE HERBICIDE FOR CONTROL AND KILL OF ANNUAL GERMINATING SEEDS OF THE LISTED BROADLEAF AND GRASS WEEDS. FOR NURSERIES, LANDSCAPE ORNAMENTALS, GROUND COVERS, CHRISTMAS TREE PLANTATIONS, NON-BEARING FRUIT & NUT TREES, CONTAINER AND FIELD GROWN ORNAMENTALS, NON-BEARING VINEYARDS, NON-CROPLAND.

**ACTIVE INGREDIENT:**

Trifluralin: a,a,a, trifluoro-2, 6-dinitro-N, N-dipropyl-p-toluidine.....0.20%  
Isoxaben: N-[3-(1-ethyl-1-methylpropyl)-5-isoxazolyl]-2, 6-dimethoxybenzamide and isomers.....0.05%

**OTHER INGREDIENTS:**.....99.75%  
Total.....100.00%

Contains 0.125 pound active ingredient per 50-pound bag. U.S. Patents 4,836,243 and 5,086,184

EPA Reg. No. 55615-10,

EPA Est. No. 55615-SC-1,

Inserted: 52287-13  
Inserted: 52287-FL-1

**GUARANTEED FERTILIZER ANALYSIS**

Total Nitrogen (N)..... Variable X%  
Ammoniacal Nitrogen..... X%  
Water Soluble Nitrogen and/or Urea Nitrogen..... X%  
Water Insoluble Nitrogen..... X%  
Available Phosphoric Acid (P<sub>2</sub>O<sub>5</sub>)..... Variable X%  
Soluble Potash (K<sub>2</sub>O)..... Variable X%  
Derived from Ammonium Sulfate, Ureaform,  
Muriate of Potash

KEEP OUT OF REACH OF CHILDREN

## CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

**FIRST AID**

**IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation develops. **IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water to induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting. **IF ON SKIN:** wash with plenty of soap and water. Get medical attention if irritation develops. **IF INHALED:** Remove individual to fresh air. If not breathing, provide cardiopulmonary resuscitation assistance (mouth-to-mouth) and get medical attention immediately.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMAN AND DOMESTIC ANIMALS**

**CAUTION:** Causes moderate eye irritation. Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing dust and contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Applicators and other handlers must wear long-sleeved shirt and long pants; chemical-resistant gloves made of any waterproof material; shoes plus socks; protective eyewear. Follow manufacturers instructions for cleaning/maintaining PPE. If no such instructions for washables use detergent and hot water. Keep & wash PPE separately from other laundry. Some materials that are chemical resistant to this product are listed below. If you want more options, follow the instructions for category "A" on an EPA chemical resistance category selection chart.

**USER SAFETY RECOMMENDATIONS**

**Users should:** Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing as soon as possible if pesticide gets inside. Users should remove PPE immediately after handling this product. Wash the outside of the gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**NOTIFICATION**  
JUN 06 2003



**ENGINEERING CONTROLS**

When handlers use closed systems or enclosed cabs, in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(4-6)), the handler PPE requirements may be reduced or modified as specified in the WPS.

**ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply in a manner, which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when disposing of equipment washwater.

**NOTICE:** Read the entire label. Use only according to label directions. Before buying or using this product, read "Warranty Disclaimer". In case of a health or environment endangering emergency involving this product, call 1-800-992-5994. Do not ship or store with food, feeds, drugs or clothing.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read all directions for use carefully before applying. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements of this label about personal protective equipment (PPE), and restricted entry interval. The requirements in the box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls and chemical resistant gloves made of any waterproof material, shoes plus socks and protective eyewear.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**Storage:** Store in original container only. In case of spill, contain material and dispose as waste.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, in accordance with applicable regulations, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**GENERAL INFORMATION**

**WEED-FREE One Eleven** is a preemergence herbicide product for control of certain broadleaf weeds and annual grasses in established (container and landscape) ornamentals, nursery stock, Christmas trees, ground covers, non-bearing fruit and nut trees, non-bearing vineyards and non-cropland areas. Apply anytime prior to germination of target weeds, or immediately after cultivation. Length of weed control will vary with seasonal rate applied and weed population, potting media or soil conditions, temperature, watering regime, and other factors. Following application, user should monitor and observe level of weed control over time to determine if additional applications may be needed. Repeat applications at 1500 lbs. per acre and higher should not be made sooner than 60 days after a previous application. Do not apply over 6,000 lbs. per acre total of WEED-FREE 111 within a 12 month period.

**GENERAL USE PRECAUTIONS**

**WEED-FREE One Eleven** controls weeds growing from seed. It does not control established weeds, or weeds growing from stolens, rhizomes, or root pieces. Existing weeds should be controlled by cultivation or with suitable post emergence herbicides. Weed residues, prunings and trash should be removed or thoroughly mixed into soil prior to treatment. Soil should be in good condition and free of clods at the time of application. A single rainfall or sprinkler irrigation of 0.5 inches or more, or flood irrigation is required to activate this product. Optimum weed control is obtained when WEED-FREE One Eleven is activated within 3 days of application. If rainfall or irrigation does not occur within 3 days of application and tillage is possible, it may be activated using cultivation equipment capable of uniformly mixing the herbicide into the upper 1-2 inches of soil. Failure to activate WEED-FREE One Eleven within 3 days of application may result in erratic control of annual grasses. Do not apply when wind conditions favor drift of product from the target area. Do not aerially apply. This product may stain concrete areas. Sweep or wash off as soon as possible.

**FOR PLANT SPECIES NOT LISTED ON THIS LABEL**

As a test, treat around 1 or 2 of such plants at a recommended rate prior to treatment of larger areas. Observe closely for any sign of herbicidal injury during the next 30 to 60 days of normal growing conditions to determine if the treatment is safe to those non-listed species. The user assumes responsibility for any plant damage or other liability resulting from use of WEED-FREE 111 on plant species not recommended and listed on this label.

**APPLICATION DIRECTIONS**

Apply WEED-FREE 111 using a drop or rotary type spreader designed to apply granular herbicides or insecticides. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or crop injury may occur. For evenly spaced plantings more uniform application may be achieved by spreading half of the required amount of product over the area and then apply the remaining half in swaths at right angles.

**APPLICATION TECHNIQUES**

When using a drop-type spreader, a splashboard mounted under the hopper may provide more even granule distribution. A chain fastened to the side of the spreader and allowed to drag on the soil surface can be used to mark the edge of the treated swath and help prevent skips or overlaps. For treating smaller area or rows of nursery stock or ornamental beds, a hand held or push-type rotary applicator such as a whirlybird or cyclone unit is recommended. For hand held units, walk and turn the crank at a constant rate of speed. A shaker-type applicator made from a small container with holes punched in the bottom is suggested for small, hard-to-treat areas. For best results carefully measure & apply the correct pounds of product for each area.

**Inserted: PRODUCT DISPOSAL:**  
**If Empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

**WEEDFREE 111****WEEDS CONTROLLED****Weeds Controlled at 1000 lbs/acre**

<u>Common Name</u>	<u>Scientific Name</u>
aster, slender	Aster exilis
barnyardgrass	Echinochloa crus-galli
bluegrass, annual	Poa annua
bursage, annual	Ambrosia acanthicarpa
celery, wild	Apium, leptoilylium
chickweed, common	Stellaria media

**Weeds Controlled at 1000 lbs/acre**

List continued

<u>Common Name</u>	<u>Scientific Name</u>
clover white	Trifolium repens
crabgrass	Digitaria spp.
cutweed, purple	Gnaphallium purpureum
cupgrass, southwestern	Eriochloa gracilis
fiddleneck, coast	Amsinckia intermedia
filaree, redstern	Erodium cicutarium
fleabane, blackleaved	Conyza bonariensis
fleabane, dwarf	Conyza ramosissima
foxtail, yellow	Setaria glauca
groundcherry, lanceleaf	Physalis lanceifolia
henbit	Lamium amplexicaule
horsetweed	Conyza Canadensis
jungerice	Echinochloa colonum
knotweed, prostrate	Polygonum aviculare
lambquarters, common	Chenopodium album
mallow, little	Malva parviflora
mustard, Indian	Brassica juncea
mustard, vaid	Sinapis arvensis
nightshade, black	Solanum nigrum
oat, wild	Avena fatua
panicum, fall	Panicum dichotomillorum
pepperweed, Virginia	Lepidum virginicum
pigweed	Amaranthus spp.
pineappleweed	Maffcaria maffcaroides
plantain, slender	Plantago elongata
purslane, common	Portulaca oleracea
radish, wild	raphanistrum
ragweed, common	Ambrosia artemisifolia
rocket, London	Sisymbrium irio
rockpurslane, desert	Calandrinia ciliata
shepherdspurse	Capselia bursa-pastoris
sibara	Sibara virginica
smartweed, Pennsylvania	Polygonum pennsylvanicum
sawthistle, annual	Sanctus oleraceus
speedwell, purslane	Veronica peregrina
sprangletop, Mexican	leptochloa univervia
telegraphplant	Heterotheca grandiflora
thistle, russoian	Salsola iberica
witchgrass	Panicum capillare

**Weeds Controlled at 1,500 lbs/acre**

<u>Common Name</u>	<u>Scientific Name</u>
Aster, heath	Aster ericoides
Bittercress	Cardamine oligospenna
Bittercress, hairy	Cardamine hirsute
Brassbuttons, southern	Colula australis
Carrot, wild	Daucus carota
Chamberbitter	Phyllanthus urinaria
Chickweed, mouseear	Cerastium vulgatum
Dandelion	Taraxacum officinate
Eclipta	Eclipta prostrata
Foxtail, giant	Setaria faberi
Galinsoga, hairy	Galinsoga ciliata
Geranium, Carolina	Geranium carolinianum
Groundsel, common	Senecio vulgaris
Ladysthumb	Polygonum persicaria
Lettuce, prickly	Lactuca scariola
Lovegrass	Eragrostis spp.
Mallow, dwarf	Malva rotundifolia

**Weeds Controlled at 1,500 lbs/acre**

List continued

<u>Common Name</u>	<u>Scientific Name</u>
Sorrell, red	Rumex acetosella
Speedwell, thymeleaf	Veronica serpyllifolia
Spurge, hyssop	Euphorbia hyssopifolia
Spurge, spotted	Euphorbia maculata
Sweetclover, yellow	Mellilotus officinalis
Tansymustard, green	Descurainia pinnata
Velvetleaf	abutilon theophrasti
Woodsorrel, yellow	Oxalis strictas

**WEEDS CONTROLLED****Weeds Controlled at 2000 lbs/acre**

<u>Common Name</u>	<u>Scientific Name</u>
barley, hare	Hordeum leponnum
bromegrass	Bromus spp.
burclover, California	Medicago polymorpha
cheat	Bromus secalinus
datura	Datura spp.
dogfennel	Eupatorium capillifolium
eveningprimrose	Oenothera spp.
fescue, rattail	vulpia myuros
filaree, whitestem	Erodium moschatum
goosefoot, nettleleaf	Chenopodium murale
goosegrass	Eleusine indica
Jimsonweed	Datura stramonium
knotweed, silversheath	Polygonum argyrocoleon
kochia	Kochia scoparia
medic, black	Medicago lupulina
mullein, turkey	Eremocarpus setigerus
nettle, burning	Urtica urens
nettle, stinging	Urtica dioica
oxlongue, bristly	Picris echioides
pimpernel, scarlet	Anagallis arvensis
sandbur, field	Cenchrus incertus
signalgrass	Bracharia spp.
sawthistle, spiny	Sonchus asper
spurge, prostrate	Euphorbia humistrata
stinkgrass	Eragrostis cilianensis
sunflower	Helianthus spp.
swinecress	Coronopus didymus
thistle, musk	Carduus nutans
willoweed, panicle	Epiobium paniculatum
woodsorrel, creeping	Oxalis comiculata


**Weeds Partially Controlled or Suppressed at 2000 lbs/acre**

<u>Common Name</u>	<u>Scientific Name</u>
bindweed, field	Convolvulus arvensis
carpetweed	Mollugo verticillata
dock, curly	Rumex crispus
johnsongrass (seedling)	Sorghum halepense
mallow, Venice	Hibiscus trionum
milkweed, honeyvine	Ampelamus albidus
morningglory, tall	Ipomoea purpurea
panicum, Texas	Panicum texanum
pusley, Florida	Richardia scabra
shattercane	Sorghum bicolor

**Approved and Non-approved uses For Ornamental Plantings**

Weed-Free 111 is recommended as a pre-emergence treatment for control of certain broadleaf weeds and annual grasses as listed on this label in Established (container and field grown)

20030530.Final Label



6/12

Marestail  
 Mayweed  
 Momingglory, ivyleaf  
 Mustard, black  
 Pennywort  
 Phyllanthus, long-stalk  
 Plantain, bracted  
 Plantain, broadleaf  
 Plantain, buckhorn  
 Pokeweed, common  
 Rockpurslane, redmaids  
 Ryegrass, annual  
 Sida, prickly

Hippuris vulgaris  
 Anthemis cotula  
 Ipomoea hederacea  
 Brassica nigra  
 Hydrocotyle spp.  
 Phyllanthus tenellus  
 Plantago aristata  
 Plantago major  
 Plantago lanceolata  
 Pnytolacca Americana  
 Calandrinia ciliate var. menziesii  
 Lolium multiflorum  
 sida spinosa

ornamentals, landscape ornamentals, ground covers/perennials,  
 Christmas trees, non-bearing fruit and nut crops and non-bearing  
 vineyards. Apply **Weed-Free 111** anytime prior to germination of  
 target weeds, or immediately after cultivation. Refer to the  
 "General Information" section of this label for General Use  
 Precautions, relating to applications, rates, product activation, and  
 weeds controlled.

20030530.Final Label



7/12

**Special Use Precautions**

Treat only around established plants. To avoid possible injury, do not apply to seedlings, cuttings or transplant beds or to the following 7 areas:

1. nursery, forest, or Christmas tree, seedling beds, cutting beds or transplant beds
  2. nursery seedbeds or forest or Christmas tree seedling transplant beds.
  3. unrooted liners or cuttings that have been planted in pots for the first time.
  4. pots less than four inches wide.
  5. bedding plants or areas where bedding plants will be planted or transplanted within one year following application.
  6. ground covers until they are established and well rooted.
  7. Do not apply to newly transplanted ornamentals, nursery stock, Christmas trees, ground covers, non-bearing fruit and nut trees and non-bearing vineyards until soil or potting media has been settled by packing and irrigation or rainfall and no cracks are present or injury may occur. Repeat applications at 1500 pounds per acre and higher should not be made sooner than 60 days after a previous application. Do not apply over 6,000lbs. per acre total of Weed-Free 111 within a 12 month period. Where loss of stand has occurred in field grown ornamentals, use untreated soil as fill around roots when replacing plants or injury may occur.
- Important. Do not use on the following plant species since injury has been observed following application. Do not use Weed-Free One Eleven on them!
- Ajuga spp. (bugle) – Brassica spp. (mustard)  
 Eustoma alatum 'compacta' (dwarf burning bush)  
 Euphorbia spp. (spurge) – Hydrangea spp. (hydrangea)  
 Ilex spp. (candytuft)  
 Juniperus horizontalis 'Prince of Wales' (prince of Wales juniper)  
 Malaleuca quinquenervia (cajeput tree)  
 Rhododendron carolinianum (Carolina rhododendron)  
 Rhododendron catawbiense 'Roseum elegans' (Roseum elegans rhododendron)  
 Sedum spp. (stonecrop)  
 Yucca recurvifolia (green yucca)


**Weed-Free One Eleven is approved for use on the following lists of established nursery plant species being grown in containers or in the field. Treat only \*Field Grown species if followed by an Asterisk\*.**

<u>Scientific Name</u>	<u>Common Name</u>
Abies balsamea	Fir, balsam
Abies concolor	Fir, white*
Abutilon hybridum	Albus-flowering maple
	Leteus-flowering maple
	Roseus-flowering maple
	Tangerine-flowering maple
	Vesuvius red-flowering maple*
Acer ginnala	Flame Maple*
Acer rubrum	Red maple* Red sunset maple*
Acer saccharinum	Silver maple*
Arecastrum romanoffianum	Queen palm*
Betula nigra	Birch, river
Betula papyrifera	Paper birch
Brachychiton populneus	Bottle tree
Bucida buceras	Black olive
Ceratonia siliqua	Carob*
Cercis Canadensis	Redbud
Chamaecyparis obtuse	Filicoides-femspray cypress*
Chamaecyparis obtuse	Gracilis-slender hinoki cypress*
Chamaecyparis pisifera	Sawara-faise cypress*
	Squarrosa-moss cypress*
Chamaedorea cataractarum	Cat Palm*
Chamaedorea costaficana	Palm
Chamaedorea elegans	Parlor palm
Cornus florida	Cloud nine dogwood
	Dogwood, flowering
Crataegus vitidis	Green hawthorn*
Cryptomena japonica	Cryptomeria, Japanese
Cupaniopsis anacardioides	Carrot wood*
Cupressus glabra	Arizona cypress*
Eleagnus angustifolia	Russian olive
Eucalyptus camaldulensis	Red gum eucalyptus*
Eucalyptus cinerea	Eucalyptus, mealy*
	Silver dollar eucalyptus*
	Coolibah tree

Eucalyptus microtheca  
 20030530.Final Label

List Continued

<u>Scientific Name</u>	<u>Common Name</u>
Eucalyptus sideroxylon	Eucalyptus, red ironbark*
Ficus benjamina	Ficus
	Mini ficus
Fraxinus udhei	Shamel ash
Ginkgo biloba	Ginkgo (Maidenhair tree)*
Gleditsia triacanthos	Honeylocust*
	Shademaster honey locust*
	Toyon*
Heteromeles arbutiflora	Florida anise-tree
Illicium floridanum	Redcedar, Eastern
Juniperous Virginiana	Sweetgum, American*
Liquidamber styraciflua	Magnolia, Southern
Magnolia grandiflora	White mulberry*
Morus alba	Banana
Musa aluminata	Sourwood
Oxydendrum arboreum	Pendula-weeping Norway spruce
Picea abies	Repens-spreading Norway spruce
	Spruce, Norway
	Conica-dwarf Alberta spruce
Picea glauca	Dwarf Alberta spruce*
Picea glauca conica	Dwarf globe blue spruce*
Picea pungens	Glauc-Colorado blue spruce
	Hoopsii-Hoop's blue spruce
	Koster-Koster blue spruce*
	Pristelcone Pine*
Pinus aristata	Canary Island Pine*
Pinus canariensis	Shore Pine, Beach Pine
Pinus contorta	Eldericia Pine
Pinus edlarica	Bosnian Pine
Pinus leucodernis	Pumilio-Shrubby Swiss mountain pine
Pinus mugo	Austrian Black Pine
Pinus nigra	Monterey Pine
Pinus radiata	Eastern White Pine
Pinus strobes	White Pine
Pinus strobes	Columnar Scotch Pine
Pinus sylvestris	Scotch Pine
	Japanese Black Pine
Pinus thunbergiana	American Sycamore
Platanus occidentalis	California Sycamore
Platanus racemosa	Podocarpus
Podocarpus spp.	Cottonwood
Populus deltoids	Chilean Mesquite
Prosopis chilensis	Yoshino flowering cherry*
Prunus yedoensis	Bear Oak*
Quercus ilicifolia	Pin Oak*
Quercus palustris	Willow Oak
Quercus phellos	Red Oak
Quercus rubra	Live Oak
Quercus virginiana	Babylon weeping willow*
Salix babylonica	Corkscrew willow*
	Giant sequoia*
Sequoiadendron giganteum	Mahogany*
Swietenia mahogany	Yellow tab*
Tabebuia caraiba	Eastern hemlock
Tsuga Canadensis	Chinese elm*
Ulmus parvifolia	Mexican fan palm*
Washingtonia robusta	
	<b>Shrubs</b>
	<u>Scientific Name</u>
	<u>Common Name</u>
Abelia grandiflora	Edward Goucher abelia
	Glossy abelia
Acacia abyssinica	Abyssinica acacia
Acacia redolens	Acacia, prostrate
Acacia stenophylla	Shoestring acacia
Acalypha wilkesiana	Copper leaf
Acer ginnala	Amur maple
Acer palmatum	Coral bark Japanese maple
	Dwarf Japanese maple
	Century plant*
Agave Americana	false spiraea
Astible arendsii	Astibelfaise spirea
Astible chinensis	Japanese painted fern
Athyium nipponicum	coyotebush*
Baccharis pilularis	William Penn barberry
Berberis gladdens	Mentor barberry
Berberis mentorensis	



8/12

**Shrubs**  
List Continued

Scientific Name	Common Name
<i>Berberis thunbergii</i>	Aurea-golden Japanese barberry* Crimson pygmy barberry Rose glow barberry Atropurea-redleaf Japanese barberry*
<i>Bougainvillea</i> spp.	Barbara Karst California gold Pink pixie/C.F Scarlet O'Hara Temple fire Texas dawn
<i>Buxus microphylla japonica</i>	Boxwood, Japanese
<i>Buxus microphylla Koreana</i>	Korean boxwood*
<i>Buxus sempervirens</i>	Boxwood, common
<i>Callistemon, citrius</i>	Bottlebrush, lemon*
<i>Callistemon viminalis</i>	Weeping bottlebrush
<i>Calluna vulgaris</i>	spring torch scotch heather
<i>Camelia japonica</i>	Camellia
<i>Cassia artemisioides</i>	Cassia, feathery
<i>Ceanothus</i> spp	Wild lilac/F
<i>Cephalotaxus drupacea</i>	Plum yew
<i>Cerastium tomentosum</i>	Snow-in-summer
<i>Chamaecyparis obtusa</i>	Kosteri cypress Nana-dwarf Hinoki cypress Torulosa cypress baileyi-dogwood* Flaviramea-dogwood* Squamosa Minima cypress
<i>Chamaecyparis pisifera</i>	Filtera-thread cypress Areca palm*
<i>Chamaecyparis pisifera</i> spp.	Summersweet
<i>Chrysalidocarpus lutescens</i>	Sibirica-Siberian dogwood
<i>Clethra alnifolia</i>	Bbaileyi-red-osier dogwood*
<i>Cleyera japonica</i>	Flaviramea-yellowtwig dogwood*
<i>Comua alba</i>	Royal purple smoke tree
<i>Comus stolonifera</i>	Coral beauty smoke tree Eichhoiz smoke tree Praecox-early cotoneaster Cotoneaster, cranberry Cotoneaster, Pyrenees Cotoneaster, bearberry Himalayan Cotoneaster Cotoneaster, Rock Sago Palm
<i>Cotinus coggygria</i>	Hollandia-warminster broom
<i>Cotinus dammeri</i>	Lena-Scotch broom*
<i>Cotoneaster adpressus</i>	Fragrant daphne
<i>Cotoneaster apiculatus</i>	Nakiana-dwarf deutzia
<i>Cotoneaster congestus</i>	Slender gracilis Hopseed bush*
<i>Cotoneaster dammeri</i>	Fruitland silver berry
<i>Cotoneaster Himalayan</i>	Purple bell heather
<i>Cotoneaster horizontalis</i>	Comish heather
<i>Cycas revoluta</i>	Mediterranean pink heather
<i>Cytisus praecox</i>	Canada gold euonymus
<i>Cytisus scoparius</i>	Emerald n gold euonymus*
<i>Daphne odora</i>	Sunspot euonymus
<i>Deutzia crenata</i>	Silver king euonymus*
<i>Deutzia Gracilis</i>	Variiegated evergreen euonymus
<i>Dodonea viscosa</i>	Spreading euonymus
<i>Elaeagnus pungens</i>	Forsythia, border
<i>Erica cinerea</i>	August beauty gardenia
<i>Erica vagans</i>	Gardenia
<i>Erica x darleyensa</i>	Radican gardenia
<i>Euonymus fortunei</i>	Salal / lemon leaf Carolina jessamine Woadwaxen
<i>Euonymus japonica</i>	Rose of Sharon, Red Bird Rose of Sharon, Red Heart* Rose of Sharon, Woodbridge Balkans holly* Gold coast holly* San Jose holly
<i>Euonymus kiatschovica</i>	
<i>Forsythia intermedia</i>	
<i>Gardenia jasminoides</i>	
<i>Gaultheria shallon</i>	
<i>Gelsemium sempervirens</i>	
<i>Gentista pilosa</i>	
<i>Hibiscus rosa-sinensis</i>	
<i>Hibiscus syriacus</i>	
<i>Ilex aquifolium</i>	
<i>Ilex aquiperyi</i>	

20030530.Final Label

**Shrubs**  
List Continued

Scientific Name	Common Name
<i>Ilex attenuata</i>	Savannah holly
<i>Ilex cornuta</i>	Buford holly dwarf Buford holly needle point holly
<i>Ilex crenata</i>	Compacta-dwarf Japanese holly Convexa holly Dwarf Chinese holly Green luster holly Helleri-Heffers Japanese holly Hetzii's Japanese holly Stokesii Japanese holly
<i>Ilex crenata</i>	compacta-compact inkberry holly Nordica-inkberry holly Blue boy holly Blue girl holly Ebony magic holly*
<i>Ilex glabra</i>	Nana-dwarf yaupon holly Pendula-weeping yaupon holly yaupon holly
<i>Ilex meserveae</i>	Mystery gardenia
<i>Ilex vomitoria</i>	Henry Garnet hollyleaf sweetspire Lxora
<i>Illicium annisatum</i>	Hollywood juniper Media-old juniper pfitzer juniper Pfitzerana glauca-blue juniper Pfitzerana-pfitzer juniper Sea green juniper*
<i>Itea ilicifolia</i>	Torulosa-hollywood juniper
<i>Lxora collinea</i>	Emerald sea shore juniper Shore juniper
<i>Juniperus chinensis</i>	Andorra juniper Bar Harbor juniper Blue rug juniper Creeping juniper Dwarf Andorra juniper Huntington blue juniper Plumosa-Andorra juniper Wilfontii-blue carpet juniper
<i>Juniperus conferta</i>	Nana-dwarf Japanese garden juniper
<i>Juniperus horizontalis</i>	Prostrata juniper Broadmoor juniper Foemina-Hicks juniper Savin juniper Tamariscifolia-Tam juniper
<i>Juniperus procumbens</i>	Emerald green juniper*
<i>Juniperus prostrata</i>	Blue juniper
<i>Juniperus Sabina</i>	Blue star juniper Parsonii juniper Laurel mountain Crep myrtle Lantana
<i>Juniperus scopulorum</i>	Leucothoe, coast Leucothoe, drooping
<i>Juniperus squamata</i>	Privet, japenese wax ligustrum yellow tip ligustrum
<i>Kalmia latifolia</i>	Privet, glossy California privet*
<i>Lagerstroemia indicas</i>	Howardi privet wax leaf privet
<i>Lantana</i> spp.	Privet, golden*, Vicary golden privet*
<i>Leucothoe axillaries</i>	Lodense privet
<i>Leucothoe fontanesiana</i>	Chinese fountain palm*
<i>Ligustrum Japonicum</i>	Winter honeysuckle Flowering woodbine Serotina woodbine Trumpet honeysuckle Leather leaf mahonia Creeping mahonia Wax myrtle
<i>Ligustrum lucidum</i>	Compacta-dwarf heavenly bamboo Harbour dwarf-heavenly bamboo Heavenly bamboo (Nandina)
<i>Ligustrum ovalifolium</i>	
<i>Ligustrum texanum</i>	
<i>Ligustrum vicaryi</i>	
<i>Ligustrum vulgare</i>	
<i>Livistona chinensis</i>	
<i>Lonicera fragrantissima</i>	
<i>Lonicera periclymenum</i>	
<i>Lonicera sempervirens</i>	
<i>Mahonia bealei</i>	
<i>Mahonia repens</i>	
<i>Myrica cerifera</i>	
<i>Nandina domestica</i>	



9/12

**Shrubs**  
List Continued

**Scientific Name**  
Nerium oleander  
  
Osmanthus fortunei  
Phoenix roetelenii  
Photinia fraseri  
Pieris japonica  
  
Pieris japonica x forestii  
Pinus mugo  
Pittosporum tobira  
  
Plumbago ariculata  
Plumbago capensis  
Podocarpus macrophyllus  
Polystichum polyblepharum  
Potentilla fragiformis  
Potential fruticosa  
  
Potentilla verna  
Prunus glandulosa  
Pyracantha fortuneana  
  
Raphiolepis indica  
  
Raphiolepis ovata  
Rhododendron calendulaceum  
  
Rhododendron campylocarpum  
Rhododendron carolinianum x dauricum  
Rhododendron catawbiense  
  
Rhododendron caucisium x ponticum  
Rhododendron exbury  
  
Rhododendron forrestii repens  
Rhododendron forrestii x  
Gnersonianum  
Rhododendron griffithianum  
Rhododendron hybrid spp.  
  
Rhododendron impeditum  
Rhododendron indica  
Rhododendron indica  
Rhododendron kaempferi  
Rhododendron kerume

**Common Name**  
Nana compacta-heavenly bamboo  
Woods dwarf-heavenly bamboo  
Hardy red oleander  
Oleander  
Ruby lace oleander  
Fortunes osmanthus  
Pigmy date palm  
Fraser's photinia  
lily-of-the-valley  
Mountain fire lily-of-the-valley  
Snowdrift lily-of-the-valley  
Temple bells lily-of-the-valley  
Valley rose lily-of-the-valley  
Valley valentine lily-of-the-valley  
Forest flame lily-of-the-valley  
Mugo-mugho pine  
Green pittosporum  
Wheeler's dwarf pittosporum  
Blue cape plumbago\*  
Plumbago  
Yewpine  
Tassel fern  
Cinquefoil\*  
Gold drop potentilla\*  
Goldfinger potentilla  
Red ace potentilla  
Sunset potentilla  
Tangerine potentilla  
Spring cinquefoil  
Dwarf pink flowering almond  
Lolendel Monrovia pyracantha  
Monon pyracantha\*  
Red elf hybrid pyracantha\*  
Rutger's hybrid pyracantha  
Santa Cruz pyracantha  
Victory pyracantha\*  
Charisma-Monruce raphiolepis  
Enchantress-Moness raphiolepis\*  
Raphiolepis (India hawthorn)  
Springtime-Monme raphiolepis\*  
Roundleaf raphiolepis  
Canon's double azalea  
Flame azalea\*  
Golden flare azalea  
Klondike azalea  
Butterfly rhododendron\*  
PJM rhododendron  
Catawba album rhododendron  
Catawba rhododendron  
Lord Roberts rhododendron  
Rocket rhododendron  
Cunningham White rhododendron  
Canon's double azalea  
Golden flare azalea  
Klondike azalea  
Gomer Waterer rhododendron  
Elizabeth rhododendron  
Jean Marie rhododendron  
America rhododendron  
English Roseum rhododendron\*  
Nova Zemia rhododendron  
Scintillation rhododendron  
Rhododendron  
Formosa azalea  
Waucabusa azalea  
Blue Danube azalea  
Coral bells azalea; Hino crimson  
azalea; Hino pink azalea; Mildred  
azalea; Snow azalea

**Shrubs**  
List Continued

**Scientific Name**  
Rhododendron mucronulatum  
Rhododendron obtusum  
Rhododendron ponticum  
Rhododendron ponticum  
Rhododendron racemosum  
  
Rhododendron sassthigiam x  
carolinianum  
Rhododendron satukii  
  
Rhododendron ssp. hybrids  
  
Rhus lancea  
Rosa rugosa  
Rosmarinus officinalis  
Skimmia japonica  
Skimmia revesiana  
Spiraea bumaida  
Spiraea japonica  
  
Spiraea vanhouttei  
Syringa rothomagensis  
Syringa vulgaris  
Taxus cuspidate  
Tecomaria capensis  
Ternstroemia gymnanthera  
Thuja occidentalis  
  
Thuja occidentalis  
Thuja orientalis  
  
Veitchia merrif  
Viburnum bodnantense  
Viburnum davidi  
Viburnumjaponicum  
Viburnum lantana  
Viburnum opulus sterile  
Viburnum plicatum tomentosum  
Viburnum setigerum  
Viburnum tinus compactum  
Viburnum trilobum  
Viburnum trilobum compactum  
Viburnum x pragensis  
Weigela florida  
  
Xylosma congestum  
Yucca filamentosa

**Common Name**  
Rhododendron  
Hino-crimson azalea  
Chionoides rhododendron  
Daphnoides rhododendron  
Dwarf scarlet wonder rhododendron  
Tribly rhododendron  
Unique rhododendron  
Vulcan rhododendron  
Ramapo rhododendron  
  
Gumpo pink azalea  
Higasa azalea  
Reijn azalea  
Carror azalea  
Fashion azalea  
Gerard Christina azalea\*  
Girard Roberta azalea  
Golden flare exbury azalea\*  
Heimut vogel azalea\*  
Hersey red azalea\*  
Hot shot azalea  
Hume azalea\*  
Inga azalea\*  
frens Koster azalea  
President Clay azalea  
Ftradition azalea  
Sumac, African  
Ramanas rose  
Rosemary  
Japanese skimmia  
Reeve's skimmia  
Anthony Waterer spiraea  
Dolchia Spiraea  
Japanese alpine spiraea  
Shirobana spiraea  
Bridal wreath  
Chinese lilac  
Lilac, common\*  
Yew, Japanese  
Cape honeysuckle  
Ternstroemia, Japanese  
Emerald arborvitae  
Globose-globe arborvitae  
Little giant-dwarf arborvitae  
Nigra-dark American arborvitae  
Pyramidalis arborvitae  
Rheingold arborvitae  
Techny arborvitae\*  
Woodwardii arborvitae  
Aureus nana-dwarf golden arborvitae  
Minima glauca-dwarf arborvitae  
Christmas palm\*  
Pink dawn viburnum  
David viburnum  
Viburnum\*  
Wayfaring tree\*  
Common snowball viburnum\*  
Doublefile viburnum  
Tea viburnum\*  
Spring bouquet viburnum\*  
Cranberry bush  
Dwarf cranberry bush  
Viburnum  
Bristol ruby weigela  
Java red weigela  
Minuet weigela  
Xylosma\*  
Yucca

**May Be Used on the Following: Established Tree, Shrub and Ground  
Cover Species grown in containers or in the field. Treat only Field  
Grown if species has Asterisk\***

**Scientific Name**  
Rhododendron maximum  
20030530.Final Label

**Common Name**  
Rhodie max (rosebay)

**Scientific Name**  
Ammophila brevigulata  
Arctotheca calendula  
Carex spp.  
Carpobrotus edulis

**Common Name**  
Beechgrass  
Cape weed\*  
Variegated carex  
Ice plant largeleaf\*



16/12

**Groundcovers / Perennials**

List Continued

<u>Scientific Name</u>	<u>Common Name</u>
Cortaderia selloana	Pampas grass
Delosperma alba	White iceplant*
Descampsia caespitosa	Descampsia
Drosanthemum floribundum	Trailing rosea iceplant*
Drosanthemum hispidum	Iceplant
Festuca ovina glauca	Blue fescue
Gazania spp.	Gazania
Hakonechloa macroaureola	Golden hakonechloa
Hedera canariensis	Ivy, Algerian*
Hedera helix	Ivy, English
Hemerocallis spp.	Daylily
Hosta lancifolia	Albo-marginata hosta
Hypericum spp.	St. Johnswort
Jasminum nitidum	Angewing jasmine
Lampranthus spectabilis	Trailing iceplant*
Liriope gigantea	White lily turf
Liriope muscari	Lilac beauty lily turf
	Majestic lily turf
	Monroe white lily turf
	Silvery sunproof lily turf
	Variiegated friope lily turf
	Big blue lily turf
Liriope spicata	green/creeping lily turf
Lonicera japonica	Honeysuckle, Japanese*
Miscanthus sinensis	Eulalia grass
Ophiopogon japonicus	Dwarf Mondo grass
	Mondo grass
	Japanese spurge
Pachysandra terminal	Fountain grass
Pennisetum alopecuroides	Ribbon grass
Phalaris arundinacea picta	Asian jasmine
Trachelopernum asiaticum	Periwinkle, bigleaf
Vinca major	Periwinkle, dwarf*
Vinca minor	Periwinkle*
Vinca spp.	

**Non-bearing Fruit and Nut Trees and Non-bearing Vineyards**

Common plant names – Treat only field grown plants

Almond*	grapefruit*
Apple*	kiwi*
Apricot*	lemon*
Avacado*	loganberry*
Blackberry	macadamia nut*
Blueberry	nectarine*
Boysenberry*	olive* orange*
Cherry*	peach*
Sour Cherry*	pear*
Sweet currant*	pecan*
Dewberry	pistachio*
Elderberry*	plum*
Fig*	pomegranate*
Filbert*	prune*
Gooseberry*	raspberry*
Grape, American*	walnut, black*
Grape, European*	walnut, English*

Non-bearing plants are defined as plants which will not bear fruit for at least one year after treatment. Ornamental bulbs. Do not use **Weed-Free 111** in bulb production fields. For use in landscape settings only. Controls susceptible annual weeds in ornamental bulbs, e.g., bulbous iris, daffodil(narcissus), Hyacinth and tulip. Apply **Weed-Free 111** to the soil surface 2 to 4 weeks after planting, but prior to the emergence of annual weeds. **Weed-Free 111** may also be applied following bulb emergence (but prior to flowering) and after flowering. For fall planted bulbs, apply **Weed-Free 111** again in late winter or early spring to weed-free soil surfaces.

Special Use Precautions

Do not apply to tulip plants that have emerged to a height greater than 3/4 of an inch. Do not apply to gladiolus prior to emergence or if corns are less than one inch in diameter. Do not apply to bulbs while they are flowering.

20030530.Final Label

**Shadehouse Areas**

**Weed-Free 111** may be applied in open shadehouse-type structures where the natural flow of air is unimpeded. Do not apply in enclosed greenhouses or in enclosed shadehouse-type structures. Do not apply within three weeks prior to enclosing greenhouse or poly-type structures.

**Non-cropland**

**Weed-Free 111** may be used for control of certain broadleaf weeds and annual grasses on non-cropland areas such as industrial sites, utility substations, highway guard rails, sign posts, delineator's, etc. Apply **Weed-Free 111** anytime prior to germination of target weeds. Areas to be treated should be free of established weeds, or existing weeds should be controlled with postemergence herbicides.

Refer to the "General Information" section of this label for General Use Precautions and information on Application, Application Rates and Weeds controlled.

**Warranty**

Wilbros, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. **Wilbros, Inc. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

**Inherent Risks of Use**

It is impossible to eliminate all risks associated with the use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc) abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes) presence of other materials, the manner of application, or other factors, all of which are beyond the control of Wilbros, Inc., or the seller. All such risks shall be assumed by the buyer.

**Limitation of Remedies**

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories) shall be limited to, at Wilbros, Inc., election of one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

Wilbros, Inc. shall not be liable for losses or damages resulting from handling or use of this product unless Wilbros, Inc. is promptly notified of such loss or damage in writing. In no case shall Wilbros, Inc. be liable for consequential or incidental damages or losses. The terms of the "Warranty Disclaimer" above and this "Limitation of Remedies" cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Wilbros, Inc. or the seller is authorized to vary or exceed the terms of the "Warranty Disclaimer" or this "Limitation of Remedies" in any manner.

Wilbros, Inc.  
P. O. Box 400,  
Norway, SC 29133

Net Weight 50 Pounds

Inserted: Harrell's

Inserted: Harrell's

Inserted: Harrell's

Inserted: Harrell's

Inserted: Harrell's

Inserted: Harrell's

Inserted: Harrell's

Inserted: Harrell's

Inserted: Harrell's

Inserted: 807

Inserted: Lakeland, FL 33802

11/12



October 18, 2002

Dr. Raymond B. Cooper  
Total Turf Consulting LLC  
P.O.Box 7928  
Hilton Head Island, SC 29938

Dear Dr, Cooper,

You are hereby authorized to act on behalf of Harrell's, Inc. on matters regarding EPA registrations. As you have always done, please continue to copy me on all issues. Thanks for your attention to this.

Cordially,

HARRELL'S, INC.


Jack R. Harrell, Jr.  
President / CEO

P.O. Box 807  
Lakeland, FL  
33802-0807

(863)  
687-2774

Fax  
(863)  
688-8836

www.harrells.com



12/12

**TotalTurf Consulting LLC**  
**P. O. Box 7928**  
**Hilton Head Island, SC 29938**

**Direct: 843-785-4211**  
**Fax: 843-785-8292**

**E-Mail: rbcooper@juno.com**

May 30, 2003

Ms. Joanne I. Miller (PM-23)  
Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504C)  
U. S. Environmental Protection Agency  
Room 266A, Crystal Mall 2  
1921 Jefferson Davis Highway  
Arlington, VA 22202-4501

Dear Ms. Miller:

Subject: WEED-FREE ONE ELEVEN  
EPA Reg. No. 52287-13  
Label Changes by Notification/Non-Notification

This submission is being submitted on behalf of Harrell's, Inc., P. O. Box 807, Lakeland, FL 33802 by TotalTurf Consulting LLC, an authorized agent for Harrell's, Inc. The final label accompanying this submission has been changed per the current accepted label as follows:


1. Revise the Storage and Disposal Statement per PR Notice 2001-6.
2. Change the name, address, registration number, and establishment number consistent with the transfer of registration from Wilbro to Harrell's per PR Notice 98-10 (IV-D/Non-Notification).

The following documents are included in the subject submission:

- Cover Letter
- EPA Form 8570-1
- One Copy Of Highlighted Final Label Showing Changes (Coded as 20030530.Final Label)
- Two Copies of the Final Label (Coded as 20030530.Final Label)
- Copy of Authorization Letter for TotalTurf Consulting LLC

If there are any questions concerning this submission, do not hesitate to contact me at (317) 873-0222 or Raymond B. Cooper at (843) 785-4211.

Sincerely,



Robert F. Bischoff  
Agent  
TotalTurf Consulting LLC  
P.O. Box 7928  
Hilton Head, SC 29938

