



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

April 11, 2016

Sanford R. Simon
VP Corporate Compliance
Harrell's, LLC
P.O. Box 807
Lakeland, FL 33802

Subject: Notification per PRN 98-10 – Adding CA-specific Language Requested by CDPR
Product Name: Harrell's Granular Herbicide 75
EPA Registration Number: 52287-15
Application Date: 02/18/2016
Decision Number: 514336

Dear Mr. Simon:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you have any questions, please contact Terri Stowe at (703) 305-6117 or by email at stowe.terri@epa.gov.

Sincerely,

A handwritten signature in black ink that reads "Kathryn V. Montague".

Kathryn V. Montague
Product Manager 23
Herbicides Branch
Registration Division (7505P)
Office of Pesticide Programs

[(logo) Harrell's, LLC] / [Harrell's Granular Herbicide 75 Logo]

HARRELL'S GRANULAR HERBICIDE 75

[Batch Number] [SKU Number] [Bulk Density]

A selective preemergence herbicide for control of listed annual grasses and broadleaf weeds in:

- Container Grown Ornamentals
- Nursery Stock
- Landscape Ornamentals
- Intended For Use by Commercial Applicators Only
- Not for use in residential areas

NOTIFICATION

52287-15

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

04/11/2016

Active Ingredients:

Oxyfluorfen	2.0%
Trifluralin	3.0%
Other Ingredients	<u>95.0%</u>
Total	100.0%

Contains 2.5 pounds active ingredient per 50 pound bag

EPA Reg. No 52287-15

EPA Est. No. 52287-FL-01

KEEP OUT OF REACH OF CHILDREN

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

First Aid

If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice • Have person sip a glass of water if able to swallow • Do not induce vomiting unless told to do so by a poison control center or doctor • Do not give anything by mouth to an unconscious person
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye • Call a poison control center or doctor for treatment advice
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15-20 minutes • Call a poison control center or doctor for treatment advice
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible • Call a poison control center or doctor for further treatment advice
Have the product container or label with you when calling a poison control center or doctor, or going for treatment	

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Net Wt. 50 lb (22.7 kg)

Precautionary Statements

Hazards to Humans and domestic Animals

CAUTION

Causes moderate eye irritation. This product may cause skin sensitization reactions in some people. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE)

Mixers, loaders, applicators and other handlers must wear:

- Coveralls over long-sleeved shirt and long pants
- Chemical-resistant footwear plus socks
- Chemical-resistant gloves
- Chemical-resistant apron for mixers and loaders

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls

When handlers use closed systems, enclosed cabs or in a manner that meets with requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240 (d) (4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This product is extremely toxic to freshwater, marine, and estuarine fish and aquatic invertebrates including shrimp and oyster and is toxic to wildlife. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash water or rinsate. Use with care when applying in areas frequented by wildlife or adjacent to any body of water or wetland area. Do not apply when weather conditions favor drift or erosion from target areas. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. See Directions for Use for additional restrictions.

Notice: Read the entire label. Use only according to label directions. **Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at the end of the label. If terms are unacceptable, return at once unopened.**

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticide. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves made of any waterproof material
- Shoes plus socks

Non-Agricultural Use Requirements

The requirements of this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container only. In case of leak or spill, contain material and dispose as waste.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container, offer for recycling if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Product Information

Harrell's Granular Herbicide 75 is a preemergence herbicide for control of listed annual grasses and broadleaf weeds in container grown ornamentals, landscape ornamentals and nursery stock. Apply Harrell's Granular Herbicide 75 before or after planting but prior to germination of target weeds, or immediately after cultivation. Length of weed control will vary with weed population, potting media or soil conditions, temperature, watering regime, and other factors. Following application, user should monitor and observe level of weed control over time to determine when additional applications may be needed. Repeat applications should not be made sooner than 60 days after a previous application of Harrell's Granular Herbicide 75.

Use Precautions

- Harrell's Granular Herbicide 75 does not control established weeds. Existing weeds should be controlled by cultivation or with postemergence herbicides.
- Weed residues, prunings and trash should be removed or thoroughly mixed into soil prior to treatment. Soil should be in good condition and free of clods at the time of application.
- Repeat application should not be made sooner than 60 days after a previous application of Harrell's Granular Herbicide 75.
- Harrell's Granular Herbicide 75 should not be applied two (2) weeks prior to or two (2) weeks following leaf bud break or during periods of flush growth. Newly forming leaves are particularly sensitive to this product and spotting or leaf drop may result from such applications.
- Users who wish to use Harrell's Granular Herbicide 75 on plant species not listed on this label may determine suitability for such uses by making trial application of Harrell's Granular herbicide 75 at a recommended rate to a small number of plants. Prior to using Harrell's Granular Herbicide 75 on a larger number of plants, the treated plants should be observed for signs of herbicidal injury during 30 to 60 days of normal growing conditions to determine if the treatment is non-injurious to the target plant species.
- **The user assumes responsibility for any plant damage or other liability resulting from the use of Harrell's Granular Herbicide 75 on plant species not listed on this label.**

Use Restrictions

- Do not apply this product to any residential area including parks and common areas.
- For container-grown ornamentals, do not apply more than 2 lbs of Oxyfluorfen active ingredient per acre per application with a seasonal maximum of 6 lbs of Oxyfluorfen active ingredient per acre.
- For field-grown ornamentals, do not apply more than 1.5 lbs of Oxyfluorfen active ingredient per acre per application with a seasonal maximum of 4.5 lbs of Oxyfluorfen active ingredient per acre.
- Do not apply when wind conditions favor drift of Harrell's Granular Herbicide 75 granules from the target area.
- To avoid possible injury, do not apply Harrell's Granular Herbicide 75 to:
 - Nursery forest or Christmas tree seedling beds, cutting beds, or transplant beds.
 - Unrooted liners or cuttings that have been planted in pots for the first time
 - Pots less than four inches wide
- Do not apply Harrell's Granular Herbicide 75 to newly transplanted ornamentals and nursery stock until soil or potting media has been settled by packing and irrigation or rainfall and no cracks are present or injury may occur.
- Do not apply Harrell's Granular Herbicide 75 to wet or dew covered foliage. Should this happen, irrigate immediately to completely remove herbicide particles from leaf surfaces.
- Do not apply Harrell's Granular Herbicide 75 to whorl-leaved plants as their leaves may channel the herbicide granules to the leaf base and may result in foliage injury.
- Do not apply Harrell's Granular Herbicide 75 within two (2) weeks prior to shipping
- Do not apply Harrell's Granular Herbicide 75 in greenhouse or other enclosed structures. Do not apply within two (2) weeks prior to enclosure in greenhouse or other structures.

Weeds controlled or Suppressed by Harrell's Granular Herbicide 75

**For container-grown ornamentals when applied at 100 lb/A (2.3 lb/1000 sq ft)
and**

For field-grown ornamentals when applied at 75 lb /A (1.7 lb/1000 sq ft)

(In California – Weed suppression only)

Common Name	Scientific Name
AMARANTH, SPINY	<i>Amaranthus spinosus</i>
BARNYARDGRASS (WATERGRASS)	<i>Echinochloa crus-galli</i>
BEDSTRAW, CATCHWEED	<i>Galium aparine</i>
BITTERCRESS, LESSER	<i>Cardamine oligosperma</i>
BLUEGRASS, ANNUAL	<i>Poa annua</i>
BUCKWHEAT, WILD	<i>Polygonum convolvulus</i>
CARPETWEED	<i>Mollugo verticillata</i>
CHICKWEED, COMMON	<i>Stellaria media</i>
COCKLEBUR, COMMON	<i>Xanthium pensylvanicum</i>
CRABGRASS	<i>Digitaria spp.</i>
FILAREE, BROADLEAF	<i>Erodium botrys</i>
FILAREE, REDSTEM	<i>Erodium cicutarium</i>
FILAREE, WHITESTEM	<i>Erodium moschatum</i>
FIREWEED (FROM SEED)	<i>Epilobium angustifolium</i>
FLIXWEED	<i>Descurainia sophia</i>
FOXTAIL, GREEN	<i>Setaria viridis</i>
FOXTAIL, YELLOW	<i>Setaria lutescens</i>
GOOSEFOOT, NETTLELEAF	<i>Chenopodium murale</i>
GROUNDCHERRY, CUTLEAF	<i>Physalis angulata</i>
GROUNDCHERRY, WRIGHT	<i>Physalis wrightii</i>
GROUNDSEL, COMMON	<i>Senecio vulgaris</i>
HENBIT	<i>Lamium amplexicaule</i>
JIMSONWEED	<i>Datura stramonium</i>
JUNGLERICE	<i>Echinochloa colonum</i>
KNOTWEED, PROSTRATE	<i>Polygonum aviculare</i>
LADYSTHUMB (SMARTWEED)	<i>Polygonum persicaria</i>
LAMBSQUARTERS, COMMON	<i>Chenopodium album</i>
LETTUCE, PRICKLY (CHINA LETTUCE)	<i>Lactuca serriola</i>
MALLOW, LITTLE (MALVA)	<i>Malva parviflora</i>

Common Name	Scientific Name
MAYWEED (DOG FENNEL)	<i>Anthemis cotula</i>
MINERSLETTUCE	<i>Montia perfoliata</i>
MUSTARD, BLUE (PURPLE MUSTARD)	<i>Chorispora tenella</i>
MUSTARD, TUMBLE (JIM HILL MUSTARD)	<i>Sisymbrium altissimum</i>
MUSTARD, WILD	<i>Brassica kaber</i>
NETTLE, BURNING	<i>Urtica urens</i>
NIGHTSHADE, AMERICAN BLACK	<i>Solanum americanum</i>
	<i>Solanum nigrum</i>
NIGHTSHADE, HAIRY	<i>Solanum sarrachoides</i>
ORACH, RED	<i>Atriplex rosea</i>
PANICUM, FALL	<i>Panicum dichotomiflorum</i>
PANICUM, TEXAS	<i>Panicum texanum</i>
PEPPERWEED, YELLOWFLOWER	<i>Lepidium perfoliatum</i>
PIGWEEED, PROSTRATE	<i>Amaranthus blitoides</i>
PIGWEEED, REDROOT	<i>Amaranthus retroflexus</i>
PIMPERNEL, SCARLET	<i>Anagallis arvensis</i>
PURSLANE, COMMON	<i>Portulaca oleracea</i>
REDMAIDS	<i>Calandrinia caulescens</i>
ROCKET, LONDON	<i>Sisymbrium irio</i>
SANDSPURRY, RED	<i>Spergularia rubra</i>
SIDA, PRICKLY (TEAWEED)	<i>Sida spinosa</i>
SMARTWEED, PENNSYLVANIA	<i>Polygonum pensylvanicum</i>
SORREL, RED (FROM SEED)	<i>Rumex acetosella</i>
SOWTHISTLE, ANNUAL	<i>Sonchus oleraceus</i>
SPURRY, CORN	<i>Spergula arvensis</i>
TANSYMUSTARD	<i>Descurainia pinnata</i>
THISTLE, RUSSIAN	<i>Salsola kali</i>
VELVETLEAF	<i>Abutilon theophrasti</i>
WITCHGRASS	<i>Panicum capillare</i>

Application Directions

Apply Harrell's Granular Herbicide 75 using a drop or rotary-type spreader designed to apply granular herbicides or insecticides. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or plant injury may occur. More uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right

[Bracketed information is optional] Text separated by / denotes and/or options

angles to the first. Optimum weed control will be obtained when followed by ½ to 1 inch overhead irrigation or rainfall within 3 to 4 days after surface application.

Application Techniques for Applying Harrell's Granular Herbicide 75

When using a drop-type spreader, a splash board mounted under the hopper will provide more even granule distribution.

A chain fastened to the side of the spreader and allowed to drag on the soil surface can be used to mark the edge of the treated swath and help prevent skips or overlaps.

For treating smaller areas or rows of nursery stock or ornamentals beds, a hand held or push-type rotary applicator such as whirlybird or cyclone unit is recommended. For hand held units, walk and turn the crank at a constant rate of speed.

Uses

Container Grown Ornamentals, Landscape ornamentals and Nursery Stock

Harrell's Granular Herbicide 75 may be used as a preemergence treatment for control of listed annual grasses and broadleaf weeds in container grown ornamentals, landscape ornamentals, and nursery stock. Apply Harrell's Granular Herbicide 75 before or after planting but prior to germination of target weeds, or immediately after cultivation.

Refer to the "General Information" section of this label for general use precautions and information on application, application rates and weeds controlled.

Harrell's Granular Herbicide 75 May Be Used On The Following Established Plant Species When Container Grown or Field Grown:

Trees

Scientific Name	Common Name
<i>Abies balsamea</i>	Balsam fir
<i>Abies concolor</i>	White fir
<i>Abutilon hybridum</i>	Albus-flowering maple
	Luteus-flowering maple
	Roseus-flowering maple
	Tangerine-flowering maple
	Vesuvius red-flowering maple
<i>Acer ginnala</i>	flame maple
<i>Acer platanoides</i>	Norway maple
<i>Acer rubrum</i>	Red maple
	Red sunset maple
<i>Acer saccharinum</i>	Silver maple
<i>Acer saccharum</i>	Sugar maple
<i>Areacastrum romanzoffianum</i>	Queen palm
<i>Betula nigra</i>	River birch
<i>Betula papyrifera</i>	Paper birch
<i>Betula pendula</i>	European white birch
<i>Brachychiton populneus</i>	Bottle tree
<i>Bucida buceras</i>	Black olive
<i>Castanea mollissima</i>	Chinese chestnut
<i>Ceratonia siliqua</i>	Carob
<i>Cercis canadensis</i>	Redbud
<i>Chamaecyparis obtusa</i>	Filicoides-fernspray cypress
	Gracilis-slender Hinoki cypress
<i>Chamaecyparis pisifera</i>	Swara false cypress

	Squarrosa-moss cypress
<i>Chamaedorea cataractarum</i>	Palm
<i>Chamaedorea costaricana</i>	Palm
<i>Chamaedorea elegans</i>	Parlor palm
<i>Cornus florida</i>	Cloud nine dogwood
	Flowering dogwood
<i>Cornus kousa</i>	Dogwood, kousa
<i>Crataegus viridis</i>	Green hawthorn
<i>Cupaniopsis anacardioides</i>	Carrot wood
<i>Cupressus glabra</i>	Arizona cypress
<i>Elaeagnus angustifolia</i>	Russian olive
<i>Eucalyptus camaldulensis</i>	Redgum eucalyptus
<i>Eucalyptus cinerea</i>	Mealy eucalyptus
	Silver dollar eucalyptus
<i>Eucalyptus microtheca</i>	Coolibah tree
<i>Eucalyptus sideroxylon</i>	Red ironbark eucalyptus
<i>Ficus benamina</i>	Ficus
	Mini ficus
<i>Fraxinus americana</i>	White ash
<i>Fraxinus udhei</i>	Shamel ash
<i>Ginkgo biloba</i>	Ginkgo-maidenhair tree
<i>Gleditsia triacanthos</i>	Honey locust
	Shademaster honey locust
<i>Heteromeles arbutiflora</i>	Toyon
<i>Illicium floridanum</i>	Florida anise-tree
<i>Juniperus virginiana</i>	Eastern red cedar
<i>Larix kaempferi</i>	Japanese larch
<i>Liquidambar styraciflua</i>	American sweet gum
<i>Liriodendron tulipifera</i>	Tuliptree
<i>Magnolia spp.</i>	Magnolia
<i>Malus spp.</i>	Crabapple
<i>Morus alba</i>	White mulberry
<i>Musa aluminata</i>	Banana
<i>Nyssa sylvatica</i>	Blackgum
<i>Oxydendrum arboreum</i>	Sourwood
<i>Picea abies</i>	Norway spruce
	Pendula-weeping Norway spruce
	Repens-spreading Norway spruce
<i>Picea glauca conica</i>	Dwarf Alberta spruce
<i>Picea glauca</i>	White spruce
<i>Picea pungens</i>	Dwarf globe blue spruce
	Glauca-Colorado blue spruce
	Hoopsii-Hoop's blue spruce
	Koster-Koster blue spruce
<i>Pinus aristata</i>	Bristlecone pine
<i>Pinus canariensis</i>	Canary Island pine
<i>Pinus contorta</i>	Shore pine, beach pine
<i>Pinus eldarica</i>	Eldarica pine
<i>Pinus leucodermis</i>	Bosnian pine
<i>Pinus mugo</i>	Pumilio-shrubby Swiss mountain pine
<i>Pinus nigra</i>	Austrian black pine
<i>Pinus radiata</i>	Monterey pine
<i>Pinus resinosa</i>	Red pine
<i>Pinus taeda</i>	Loblolly pine
<i>Pinus strobus</i>	White pine
<i>Pinus sylvestris</i>	Columnar Scotch pine
	Scotch pine
<i>Pinus thunbergiana</i>	Japanese black pine

[Bracketed information is optional] Text separated by / denotes and/or options

<i>Platanus acerifolia</i>	London planetree
<i>Platanus occidentalis</i>	American sycamore
<i>Platanus racemosa</i>	Califorina sycamore
<i>Podocarpus spp.</i>	Podocarpus
<i>Populus deltoides</i>	Cottonwood
<i>Prosopis chilensis</i>	Chilean mesquite
<i>Prunus yedoensis</i>	Yoshino flowering cherry
<i>Pseudotsuga menziesii</i>	Douglasfir
<i>Quercus coccinea</i>	Scarlet oak
<i>Quercus ilicifolia</i>	Bear oak
<i>Quercus palustris</i>	Pin oak
<i>Quercus phellos</i>	Willow oak
<i>Quercus rubra</i>	Red oak
<i>Quercus virginiana</i>	Live oak
<i>Robinia pseudoacacia</i>	Black locust
<i>Salix spp.</i>	Willow
<i>Sequoiadendron giganteum</i>	Giant sequoia
<i>Swietenia mahogani</i>	Mahogany
<i>Tabebuia caraiba</i>	Yellow tab
<i>Taxodium distichum</i>	Baldcypress
<i>Tilia spp.</i>	Linden
<i>Tsuga canadensis</i>	Eastern hemlock
<i>Ulmus parvifolia</i>	Chinese elm
<i>Washingtonia robusta</i>	Mexican fan palm

Ornamental Shrubs

Scientific Name

Common Name

<i>Abelia grandiflora</i>	Edward Goucher abelia Glossy abelia
<i>Acacia abyssinica</i>	Abyssinica acacia
<i>Acacia redolens</i>	Prostrate acacia
<i>Acacia stenophylla</i>	Shoestring acacia
<i>Acalypha wilkesiana</i>	Copper leaf
<i>Acer ginnala</i>	Amur maple
<i>Acer palmatum</i>	Coral bark Japanese maple Dwarf Japanese maple
<i>Agave americana</i>	Century plant
<i>Astilbe chinensis</i>	False spiraea
<i>Athyrium nipponicum</i>	Japanese painted fern
<i>Baccharis pilularis</i>	Coyotebush
<i>Berberis gladwynensis</i>	William Penn barberry
<i>Berberis mentorensis</i>	Mentor barberry
<i>Berberis thunbergii</i>	Atropurea-redleaf Japanese barberry Aurea-golden Japanese barberry Crimson pygmy barberry
<i>Bougainvillea spp.</i>	Rose glow barberry Barbara Karst California gold Pink pixie Scarlet O'Hara Temple fire Texas dawn
<i>Buxus microphylla japonica</i>	Japanese boxwood
<i>Buxus microphylla Koreana</i>	Korean boxwood
<i>Buxus sempervirens</i>	Common boxwood

[Bracketed information is optional] Text separated by / denotes and/or options

<i>Callistemon citrinus</i>	Lemon bottlebrush
<i>Callistemon viminalis</i>	Weeping bottlebrush
<i>Calluna vulgaris</i>	Spring torch scotch heather
<i>Camellia sasanqua</i>	Sasanqua camellia
<i>Camellia japonica</i>	Japanese camellia
<i>Cassia artemisioides</i>	Feathery cassia
<i>Ceanothus spp.</i>	Wild lilac
<i>Cephalotaxus drupacae</i>	Plum yew
<i>Cerastium tomentosum</i>	Snow-in-summer
<i>Chamaecyparis obtusa spp.</i>	Kosteri cypress
	Nana-dwarf Hinoki cypress
	Torulosa cypress
<i>Chamaecyparis pisifera</i>	Filifera-thread cypress
<i>Chrysalidocarpus lutescens</i>	Areca palm
<i>Clethra alnifolia</i>	Summersweet
<i>Cleyera japonica</i>	Japanese cleyera
<i>Cornus alba</i>	Sibirica-Siberian dogwood
<i>Cornus stolonifera</i>	Baileyi red osier dogwood
	Flaviramea-yellowtwig dogwood
<i>Cotinus coggygria</i>	Royal purple smoke tree
<i>Cotinus dammeri</i>	Coral beauty smoke tree
	Eichholz smoke tree
<i>Cotoneaster adpressus</i>	Praecox-early cotoneaster
<i>Cotoneaster apiculatus</i>	Cranberry cotoneaster
<i>Cotoneaster congestus</i>	Pyrenees cotoneaster
<i>Cotoneaster dammeri</i>	Bearberry cotoneaster
<i>Cotoneaster himalayan</i>	Himalayan cotoneaster
<i>Cotoneaster horizontalis</i>	Rock cotoneaster
<i>Cotoneaster zabelii</i>	Zabel cotoneaster
<i>Cycas revoluta</i>	Sago palm
<i>Cytisus praecox</i>	Hollandia-warminster broom
<i>Cytisus scoparius</i>	Lena-Scotch broom
<i>Daphne odora</i>	Fragrant daphne
<i>Deutzia spp.</i>	Deutzia
<i>Dodonea viscosa</i>	Hopseed bush
<i>Elaeagnus pungens</i>	Fruitland silver berry
<i>Erica cinerea</i>	Purple bell heather
<i>Erica vagans</i>	Cornish heather
<i>Euonymus fortunei</i>	Canadale gold euonymus
	Emerald'n gold euonymus
	Sunspot euonymus
	Wintercreeper euonymus
<i>Euonymus japonica</i>	Silver king-euonymus
	Variogated evergreen euonymus
<i>Euonymus kiautschovica</i>	Spreading euonymus
<i>Feijoa sellowiana</i>	Pineapple guava
<i>Forsythia spp.</i>	Forsythia
<i>Gardenia jasminoides</i>	August beauty gardenia
	Gardenia
	Radican gardenia
<i>Gaultheria shallon</i>	Salal/lemon leaf
<i>Gelsemium sempervirens</i>	Carolina jessamine
<i>Genista pilosa</i>	Woadwaxen
<i>Hibiscus rosa-sinensis</i>	Ross Estey-hibiscus
<i>Hibiscus syriacus</i>	Rose of Sharon-heart
	Rose of Sharon-red bird
	Rose of Sharon-woodbridge
<i>Ilex spp.</i>	Holly

[Bracketed information is optional] Text separated by / denotes and/or options

<i>Illicium annisatum</i>	Mystery gardenia
<i>Itea ilicifolia</i>	Henry Garnet holly leaf sweetspire
<i>Ixora collinea</i>	Ixora
<i>Juniperus spp.</i>	Juniper
<i>Kalmia latifolia</i>	Mountain laurel
<i>Lagerstroemia indica</i>	Crape myrtle
<i>Lantana spp.</i>	Lantana
<i>Leucothoe axillaris</i>	Coast leucothoe
<i>Leucothoe fontanesiana</i>	Drooping leucothoe
<i>Ligustrum spp.</i>	Privet
<i>Livistona chinensis</i>	Chinese fountain palm
<i>Lonicera periclymenum</i>	Flowering woodbine
	Serotina woodbine
<i>Lonicera sempervirens</i>	Trumpet honeysuckle
<i>Mahonia bealei</i>	Leather leaf mahonia
<i>Mahonia repens</i>	Creeping mahonia
<i>Myrica cerifera</i>	Wax myrtle
<i>Nandina domestica</i>	Compacta-dwarf heavenly bamboo
	Harbour dwarf-heavenly bamboo
	Heavenly bamboo
	Nana compacta-heavenly bamboo
	Nana purpurea-heavenly bamboo
	Woods dwarf heavenly bamboo
<i>Nerium oleander</i>	Hardy red oleander
	Oleander
	Ruby lace oleander
<i>Osmanthus fortunei</i>	Fortunes osmanthus
<i>Philadelphus spp.</i>	Mockorange
<i>Phoenix roeloenii</i>	Pigmy date palm
<i>Photinia fraseri</i>	Fraser's photinia
<i>Pieris japonica</i>	Japanese andromeda
	Mountain fire lily-of-the-valley
	Snowdrift lily-of-the-valley
	Templebells lily- of-the-valley
	Valley rose lily-of- the-valley
	Valley valentine lily-of-the-valley
<i>Pieris japonica x forestii</i>	Forest flame lily-of-the-valley
<i>Pinus mugo</i>	Mugo-mugho pine
<i>Pittosporum tobira</i>	Green pittosporum
	Japanese pittosporum
	Wheeler's dwarf pittosporum
<i>Plumbago ariculata</i>	Blue cape plumbago
<i>Plumbago capensis</i>	Plumbago
<i>Podocarpus macrophyllus</i>	Yewpine
<i>Polystichum polyblepharum</i>	Tassel fern
<i>Potentilla spp.</i>	Cinquefoil
<i>Prunus caroliniana</i>	Carolina laurel cherry
<i>Prunus glandulosa</i>	Dwarf pink flowering almond
<i>Pyracantha spp.</i>	Pyracantha
<i>Rhaphiolepis indica</i>	Charisma-Monruce rhaphiolepis
	Enchantress-Moness rhaphiolepis
	India hawthorn
	Springtime-Monme rhaphiolepis
<i>Rhaphiolepis ovata</i>	Roundleaf rhaphiolepis
<i>Rhododendron spp.</i>	Azalea/rhododendron
<i>Rhus lancea</i>	Africa sumac
<i>Rosa rugosa</i>	Ramanas rose
<i>Rosmarinus officinalis</i>	Rosemary

Bold italicized text is for the reader and is not a part of the label.

[Bracketed information is optional] Text separated by / denotes and/or options

<i>Skimmia japonica</i>	Japanese skimmia
<i>Skimmia revesiana</i>	Reeve's skimmia
<i>Spiraea bumalda</i>	Anthony Waterer spiraea
<i>Spiraea japonica</i>	Dolchia spiraea
	Japanese alpine spiraea
	Shirobana spiraea
<i>Spiraea vanhouttii</i>	Bridal wreath
<i>Syringa rothomagensis</i>	Chinese lilac
<i>Syringa vulgaris</i>	Common lilac
<i>Taxus cuspidata</i>	Upright Japanese yew
<i>Taxus media</i>	Anglojap yew
<i>Tecomaria capensis</i>	Cape honeysuckle
<i>Ternstroemia gymnanthera</i>	
<i>Thuja occidentalis</i>	American arborvitae
	Emerald arborvitae
	Globosa-globe arborvitae
	Little giant-dwarf arborvitae
	Nigra-dark American arborvitae
	Pyramidalis-pyramid arborvitae
	Rheingold arborvitae
	Techny arborvitae
<i>Thuja orientalis</i>	Aureus nana-dwarf golden arborvitae
	Minima glauca-dwarf arborvitae
<i>Veitchia merrilli</i>	Christmas palm
<i>Viburnum spp.</i>	Viburnum
<i>Weigela spp.</i>	Weigela
<i>Xylosma congestum</i>	Xylosma
<i>Yucca filamentosa</i>	Yucca

Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, to the extent consistent with applicable law, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies.

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. To the extent permitted by law, SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. To the extent permitted by law, all such risks shall be assumed by buyer.

Limitation of Remedies

To the extent permitted by law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used

To the extent permitted by law, seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. To the extent permitted by law, in no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer and Inherent Risks of Use above and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

Manufactured By/Manufactured For/Sold By/ [and Guaranteed By]

Harrell's, LLC
P. O. Box 807
Lakeland, FL 33802

Optional Marketing Claims and Logo's

(Note: The following logos and/or claims may or may not be used on the FPL)

(Harrell's Granular Herbicide 75 logo)



(Harrell's Corporate Logo)



Growing a Better World® is a registered trademark of Harrell's, LLC

The Harrell's logo and "Growing a Better World" are registered trademarks of Harrell's, LLC

Note to PM:

Bold italicized text is for the reader and is not a part of the label.

[Bracketed information is optional] Text separated by / denotes and/or options

EPA Reg. No. 52287-15_NOTIF_Highlighted

(Harrell's "H" Logo)



Contact us/ For more information

[call] 800.282.8007

[or] [visit us at] www.harrells.com

[or] use the QR code to visit Harrell's website

Insert QR Code Image (***Note to PM: QR code link will be to company website***)

Harrell's Granular Herbicide 75 is a part of the Harrell's PROFertilizer line/family of products