	NAME OF PESTICIDE PRODUCT		
NOTICE OF PESTICIDE: REGISTRATION		4.0	
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	West/Treat 882		3.
IAME AND ADDRESS OF REGISTRANT (Include ZIP code)			
<i>;</i>	٦		
Western Wellchems, Inc.		•	
600 17th Street, Suite 505 S.		٠.	
Denver, CO 80202		•	
L	L		ني
		•	
NOTE: Changes in labeling formula differing in substance for submitted to and accepted by the Registration Division prioproduct always refer to the above U.S. EPA registration num	r to use of the label in commerce. In		- 1
On the basis of information furnished by the registrant, the	·	sistered/Reregistered under	
the Federal Insecticide, Fungicide, and Rodenticide Act.	nintentian Managintustian In actuared	hannuigh '	- i-
A copy of the labeling accepted in connection with this Re			ı.
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motio- loide in accordance with the Act. The acceptance of any na Act is not to be construed as giving the registrant a right to by others.	in, may at any time suspend or cancel ame in connection with the registration	the registration of a pest- n of a product under this	
			ĺ.
This product is conditionally reg section 3(c)(7)(A) provided that you:	istered in accordance wi	th Fifra	
1. Submit/cite all data required	for registration/reregi	stration	12.
of your product under FIFRA section 3(	• •		
registrants of similar products to sub		~ ~ · · · · · · · · · · · · · · · · · ·	
<ol><li>Add the phrase "EPA Registrat you release the product for shipment.</li></ol>	ion No. 52423-1" to your	label before	
3. Submit five (5) copies of you	r final printed labeling	perore you	ŀ
release the product for shipment. Ref description of final printed labeling.		for a further	
If these conditions are not compl		on will be	
subject to cancellation in accordance			
for shipment of the product constitute	_	nditions.	
. A stamped copy of the label is en	closed for your records.		
• 1		•	
( )	Of A S	* *** ***	<u>L-</u>
A Commence of the Commence of	ohn H. Lee		· ·
	coduct Manager (31)		
	sinfectants Branch	T. 11.53	
Re	egistration Division (TS-	767C) .	
	EST AVAILABLE COPY		
Enclosures	ESI WANIFWATE CALL		
ATTACHMENT IS APPLICABLE	and a constant		
IGNATURE OF APPROVING OFFICIAL	/87:NeeCee::vo:ek:	DATE	
PROPERTY OF THE CONTRACTOR OF FIGURE	. "	31	
	· · · .	•	

Comment of the second second second second

ACCEPTED
with COMMENTS
in EPA Letter Dated:

WEST/TREAT 882

JUN 1 7 1987

INDUSTRIAL MICROBICIDE amended, for the public

ACTIVE INGREDIENTS:

Methylene bis(thiocyanate)

2-IThiocyanomethylthio(benzothiazole.....

INERT INGREDIENTS ....

(2403-/ 2.5%

95.0%

This product weighs 7.99 pounds per gallon.

## KEEP OUT OF REACH OF CHILDREN DANGER

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, causes irreversible eye damage and causes skin damage. Harmful or fatal if swallowed or absorbed through the skin. This product is a potential skin sensitizer.

Workmen handling this product or treated material should wear impervious gloves, goggles or

Workmen handling this product or treated material should wear impervious gloves, goggles or face shield, and protective clothing. All protective clothing, work shoes or boots, and equipment must be left at the work site at the end of the day. Eating, drinking, or smoking during use of this product is prohibited.

FIRST AID: In case of skin contact, wash promptly and thoroughly with soap and water and linally with glycerin. If product gets in the eyes, flush immediately with copious amounts of clean, cool water for 15 to 30 minutes. Get medical attention immediately. If product is swallowed, call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply directly to water or wetlands. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

tal Protection Agency. PHYSICAL AND CHEMICAL HAZARDS: Do not expose to extreme temperatures.

## STORAGE & DISPOSAL

Do not contaminate vister, food, or feed by storage or disposal.

STORAGE: Do not expose to extreme temperatures. Do not stack more than five drums high. Drums should be opened in well-ventilated areas. Leaking or damaged drums should be placed in overpack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Xeep congainer closed when not in use.

PESTICIDE DISPOSAL: Resticité wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at your EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple fine (or Equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or, if allowed by state and local authorities, by burning, if burned, stay out of smoke.

DIRECTIONS F

It is a violation of Federal law to use this product in COOLING TOWERS: WEST/TREAT\_882

Wood against soft or surface tot and internal or day tot. I

containing 2.0 to 2.8% <u>WEST/TREAT 882</u>
faces. The amount applied should provide 2.4 to 3.2 to
1000 lt<sup>2</sup> of wood surface. Soft or surface rot can a

WEST/TREAT 882 to the recircular well. The dosage should provide 5.0 fb of WEST/T water and the bleedoff should be stopped for 4 to 6 hr a

repeated every four months.

COOLING WATER: <u>WEST/TREAT\_882</u>
and fungl in industrial recirculating cooling water system should the cleaned thoroughly to remove old algal growth, system should then be drained, flushed, refilled with water

If or <u>WEST/TREAT 882</u> per 1000 of 0.8 to 4.8 fl or per 1000 get should be made every 1 to severity of microbiological fouling.

severity of microbiological fouling.

DRILLING FLUIDS: To inhibit bacteries and funges of drilling of wells, <u>WEST/TREAT\_882</u>
centrations of 0.2 to 1.0% based on the total wat welch

drilling of wells, WEST/TREAL occurrence of 0.2 to 1.0% based on the total wet weigh PETROLEUM SECONDARY RECOVERY: WES control sulfate-reducing bacteria, silma-forming bamicellar floods, water-disposal systems, and other oil-field floz of WEST/TREAT 882 per made continuously or intermittently by means of a metric

after injection pumps and injection well headers. Continu

fouled, add 15.6 to 52.0 II oz <u>WEST/TREAT 88</u> tinuously, until desired degree of control is achieved. WEST/TREAT 882 per 1000 gal-control, intermittent or slug Method: When system to 15.6 to 52.0 ft oz <u>WEST/TREAT 882</u> and 1 to 4 times per week, or as needed to maintain con CRUDE AND REFINED OILS: <u>WEST/TREAT</u>

valive for the control of bacteria and funglithat cause to during storage. It should be added to the oil as it is being storage tank at the rate of 2.4 to 24.0 ft oz <u>WEST/TRE</u> Addition should be made batchwise where mixing occutantier pump.

BEST AVAILABLE C

Manufactured WESTERN WELLCHEMS, 600 17TH ST., BUI

NET CONTENTS