

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS**

**DANGER:** Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

**PHYSICAL AND CHEMICAL HAZARDS:**

**STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with grasses, such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

**H. KREIT & CO. INC.**

P.O. Box 9433, New Haven, CT 06534-0433

Call 772-3350, or Toll Free

In CT., 1-800-922-6626

Out of State, 1-800-243-6929

EPA REG. NO. 52483-1 EPA EST. NO. 1-843 CT-001

NET CONTENTS 1 GALLON

# Hypochlorite Solution

|                     |       |
|---------------------|-------|
| Active Ingredient   | 12.5% |
| Sodium Hypochlorite |       |
| Inert Ingredients   | 87.5% |
| Total               | 100%  |

## KEEP OUT OF REACH OF CHILDREN DANGER

**FIRST AID:** If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel.

## DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

### DIRECTIONS FOR POOL USE To Establish a Chlorine Residual

Add 1/2 gallon for each 10,000 gallons of water. Repeat dosage until a chlorine residual of 0.6 to 1.0 ppm is obtained.

The pool water should be maintained at PH 7.2 to 7.6 as determined by test kit.

### Daily Chlorination

Add 32 oz. for each 10,000 gallons of pool water daily or as needed to maintain 0.6 to 1.0 ppm chlorine residual at all times in unstabilized pools. In pools that have been stabilized with cyanuric acid, a chlorine residual of 1.0 ppm should be maintained at all times.

The quantity of daily addition will vary with temperature, sunlight, bathing and other factors. Test pool water frequently with a chlorine test kit to maintain the desired chlorine residual. Bathers should not be allowed in the pool when the residual chlorine is above 2.0 ppm.

### Super Chlorination

**Purposes:** For effective algae control, a regular program of superchlorination at least once a week, preferably at night while pool is not in use should be maintained.

**Directions:** Add 1 gallon for each 20,000 gallons of pool water directly to pool water.

**NOTE:** This product degrades with age. Use a chlorine test kit and in dosage, as necessary, to obtain the required level of available chlorine.

**STORAGE AND DISPOSAL:** Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinsate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

# Chlorite tion

12.5%  
87.5%  
Total 100%

## CH OF CHILDREN SER

of soap and water. If in eyes, flush  
medical attention. If swallowed, drink  
n or, if these are not available, drink  
egar or other acids. Do NOT induce

ons on side panel

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner not intended by the manufacturer with its labeling.

#### DIRECTIONS FOR POOL USE To Establish a Chlorine Residual

Add 1 1/2 gallon for each 10,000 gallons of water. Repeat dosage until a chlorine residual of 0.5 to 1.0 ppm is obtained.

The pool water should be maintained at pH 7.2 to 7.6 as determined by a test kit.

#### Daily Chlorination

Add 32 oz. for each 10,000 gallons of pool water daily or as needed to maintain 0.5 to 1.0 ppm chlorine residual at all times in un-stabilized pools. In pools that have been stabilized with cyanuric acid, a chlorine residual of 1.0 to 1.5 ppm should be maintained at all times.

The quantity of daily addition will vary with temperature, sunlight, bathing load and other factors. Test pool water frequently with a chlorine test kit to maintain the desired chlorine residual. Bathers should not be allowed in the pool when the residual chlorine is above 2.0 ppm.

#### Super Chlorination

**Purposes:** For effective algae control, a regular program of superchlorinating at least once a week, preferably at night while pool is not in use should be maintained.

**Directions:** Add 1 gallon for each 20,000 gallons of pool water directly to the pool water.

**NOTE:** This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

**STORAGE AND DISPOSAL:** Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved land fill. Product or residue that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

