

RK-403 has been formulated to aid in the reduction of cross-contamination in institutions, schools and hospitals.

RK-403 is a one-step disinfectant-cleaner that is effective against a broad spectrum of bacteria, is virucidal, fungicidal, and will prevent the growth of mold and mildew and their odors when used as directed. RK-403 is an effective one-step sanitizer-cleaner for use on non-food contact surfaces.

When used as directed, RK-403 will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mal odors.

Precautionary Statements

Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Corrosive. Causes eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPC 3AL

PESTICIDE, SPRAY MIXTURE OR RINSE WATER THAT CANNOT BE USED ACCORDING TO LABEL INSTRUCTIONS MUST BE DISPOSED OF ACCORDING TO FEDERAL OR APPROVED STATE PROCEDURES UNDER SUBTITLE C OF THE RESOURCE CONSERVATION AND RECOVERY ACT

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) THEN OFFER FOR RECYCLING OR RECONDITIONING, OR DISPOSE OF IN A SANITARY LANDFILL, OR BY INCINERATION IF ALLOWED BY STATE AND LOCAL AUTHORITIES

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES

RK-403

Disinfectant-Cleaner-Sanitizer-Fungicide-Mildewstat-Virucide*-Deodorizer with Organic Soil Tolerance for Hospitals, Institutional and Industrial Use

Active Ingredients

Octyl Decyl Dimethyl Ammonium Chloride	1.14%
Dioctyl Dimethyl Ammonium Chloride	0.57%
Didecyl Dimethyl Ammonium Chloride	0.57%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%)	
Dimethyl Benzyl Ammonium Chloride	1.52%

Inert Ingredients

98.20%
100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No.

EPA Establishment No. 52585-

Net Contents

MANUFACTURED BY:

RAMKO Chemical Mfg. 7th & Spring Coffeyville Ks.

For Sale For Use And Storage
By Maintenance Personnel Only

Directions for Use

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RK-403

is a powerful one-step cleaner-disinfectant-sanitizer-fungicide-mildewstat-virucide in the presence of moderate amounts of organic soil.

Apply RK-403 to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks and bedframes with a cloth, mop or mechanical spray device as to thoroughly wet surfaces. For heavily soiled areas a preliminary cleaning is required. Prepare a fresh solution daily or when use solution becomes visibly dirty.

Disinfection - To disinfect hard, non-porous surfaces treated surfaces must remain wet for 10 minutes.

For hospital and nursing homes, add 2 oz per gallon of water. The activity of RK-403 has been evaluated in the presence of 5% serum by the AOAC use dilution test and found to be effective against a broad spectrum of gram negative and gram positive organisms as represented by:

- Pseudomonas aeruginosa
- Staphylococcus aureus
- Salmonella choleraesuis
- Escherichia coli
- Styria mercesiae
- Klebsiella pneumoniae
- Enterobacter aerogenes
- Stenotrophomonas maltophilia
- Streptococcus faecalis
- Shigella dysenteriae
- Brevibacterium ammoniflavum

Trichinella, an medical and industrial use: All 1/2 oz per gallon of water.

RK-403 delivers excellent cleaning and germicidal effectiveness. It is effective against Staphylococcus aureus, Salmonella choleraesuis and Escherichia coli. The same AOAC tests used above to confirm suitable performance for hospital use were used.

RK-403 is effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, showers and bath areas, etc. See label for etc.

RK-403 will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat with mildew growth returns.

RK-403 will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat with mildew growth returns.

RK-403 is an effective sanitizer against Staphylococcus aureus and Klebsiella pneumoniae in the presence of 5% serum on porous and non-porous environmental surfaces. Treated surfaces must remain wet for 60 seconds.

ACCEPTED
with COMMENTS
in EPA Letter Dated

APR 19 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

52585-4

L

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 53064-1."
- b. Align the percentage declarations in the ingredient statement to the same margin, as indicated on the previous label submitted.
- c. It is preferred that the Net Contents Statement appear near the bottom of the label.
- d. Include the statement "Maximum Flow Rate: 1/3 gallon per minute" on the label, as previously requested.
- e. Include the EPA Est. No. on the label where it is referenced.



ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE