

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (7H-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	52674-1	20 MAR 1985
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	NAME OF PESTICIDE PRODUCT	
	Dynamic Bacteriostatic Water Filter, Counter Top Unit	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Chinook Filtration Company, Inc.
 105-1285 West Pender Street
 Vancouver, B.C. CN V6P 4B1

BEST AVAILABLE COPY

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product shipment:
 - a. Add the phrase "EPA Registration No. 52674-1."
 - b. Delete "N.B. It is a violation to use ...labeling" from the label, as previously requested.
 - c. Relocate the statement of misuse (i.e., It is a violation of Federal law to use this product ... labeling) from the bottom of the leaflet to the top of the leaflet immediately below the heading Installation & Maintenance Instructions. (Refer to item (a) of our last letter.)
 - d. Refer to the Front Panel Precautionary Labeling Requirements enclosure for guidance in meeting the type size requirements for CAUTION and KEEP OUT OF REACH OF CHILDREN. The heading DISPOSAL must also be set in the same type size as required for KEEP OUT OF REACH OF CHILDREN.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL: *James H. Banker*
 DATE: *For John H. ...*

- 2/5
- e. Based on the data submitted, change "every 12 months" to "every 6 months" in step 6(a) of the instructions.
 - f. The minimum acceptable type size for the label text is 6 points.

The retabulated silver release data are acceptable in fulfillment of our requirements in that regard. For your records, please note that the data have been filed under EPA Accession No. 257185.

It should be noted that a separate application is required for registration of the replacement ceramic cartridge that will be marketed separately for use in both the counter-top and under-counter units. The data filed under EPA Accession No. 257185 should be referenced for use in support of its registration.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

James H. Brunk
for

John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure

BEST AVAILABLE COPY

EPA

**THE DYNALON
BACTERIOSTATIC WATER FILTER
COUNTERTOP UNIT**

Active Ingredient: Silver (as Silver Oxide) 0.55%
Inert Ingredients: Activated Carbon 99.45%
Max. Flow: 25 Gallons. This unit has a capacity of up to 1,000 gallons. It is capable of treating 5 gallons of cold tap water daily for a period of 6 months.

**CAUTION
KEEP OUT OF REACH OF CHILDREN**

Filters suspended particles or particulate matter larger than one micron in size. Removes color. Removes turbidity. Removes odors. Removes unpleasant chlorine taste. Improves flavor of the water. Inhibits growth of bacteria within the filter unit.

**DISPOSAL -- WRAP USED FILTER CANDLE IN NEWS-
PAPER AND DISCARD WITH TRASH.**

Directions for use -- See enclosed leaflet

N.B. It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This Filter is only recommended for use with Municipally Treated Tap Water in the home.

Contents: One Bacteriostatic water filter

EPA Reg. No. EPA Est. No.

Packed by Chlorox Filtration Co. Inc.
105 - 1280 West Pender Street,
Vancouver, British Columbia,
Canada, V6E 4B1

**ACCEPTED
with COMMENTS
in EPA Letter #102**

MAR 26 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, this pesticide
registered under EPA Reg. No.

52674-1

BEST AVAILABLE COPY

DYNAMIC BACTERIOSTATIC WATER FILTER

COUNTER TOP UNIT

INSTALLATION & MAINTENANCE INSTRUCTIONS

1. GENERAL INFORMATION

IMPORTANT: (Prior to using your Dynamic Water Filter)

- a) Invert the Filter for 20 seconds after water has started flowing through it in order to release any air trapped inside Cylinders (4 & 5)
- b) Allow water to flow through the filter until clear before drinking.
(With a new carbon cartridge black dust will appear in the water.
This is harmless carbon particles that have settled during shipping.)
- c) Run *only cold water* through the faucet (3) when using the Water Filter.
- d) To shorten plastic tubing (if required):
 - i) Remove the plastic tubing (1) from the diverter valve (2).
 - ii) Cut tubing to desired length.
 - iii) Split webbing between tubes approximately 1" in length before attaching to the diverter valve (2).
Re-connect tubing to diverter valve (2) - **IMPORTANT** - with grooved tube attached to upper stem and smooth tube to lower stem.

2. REPLACEMENT OF CARTRIDGES

- a) To ensure maximum efficiency, install a new Dynamic Carbon Cartridge (4) every six months, and a new Dynamic Ceramic Cartridge (5) every 12 months. **6**
- b) Transfer cartridge retainer (6) from the old cartridge to the new cartridge.

3. CLEANING OF CERAMIC CARTRIDGE (5)

- a) Reduced flow rate indicates the Ceramic Cartridge (5) requires cleaning.
- b) If flow rate does not slow down in 30 days - inspect Ceramic Cartridge for possible cracks or breakage.
- c) **TO CLEAN** - Place the Unit in the Sink. Invert unit and remove Ceramic Cylinder (7). Brush Ceramic Cartridge under cool running water with open end pointing downward, until completely clean. **NOTE:** If cleaning of Ceramic Cartridge (5) should fail to restore adequate flow rate—install a new Ceramic Cartridge.
- d) The Carbon Cartridge (4) does not require cleaning.

4. RE-ASSEMBLE DYNAMIC WATER FILTER AS PER DRAWING

- a) Ensure Filter retainer (6) is firmly threaded onto the cartridge (4 & 5).
- b) Ensure rubber washer (8) is in place.
- c) Apply vaseline to O-Ring (9) for lubricating before replacing cylinders.
- d) Ensure the cylinder (7) is firmly threaded into the base (10).

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAR 26 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

FOR USE ONLY ON MUNICIPALLY TREATED WATER

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELLING.

58674-1

DYNAMIC BACTERIOSTATIC WATER FILTER

COUNTER TOP UNIT

Chinook Filtration Co. Inc.
 Suite 105 - 1285 West Pender Street
 Vancouver, B.C. V6E 4B1
 (604) 682-8631

- 1) Plastic Tube
- 2) Diverter Valve
- 3) Faucet
- 4) Dynamic Activated Carbon Cartridge
- 5) Dynamic Bacteriostatic Ceramic Cartridge
- 6) Filter Retainer - 2
- 7) Cylinder for Ceramic Cartridge
- 8) Sealing Washer - 2
- 9) O-Ring - 2
- 10) Base for Ceramic Cartridge
- 11) Base for Carbon Cartridge
- 12) Cylinder for Carbon Cartridge
- 13) Push Button for Diverter Valve

