

| | |
|--|--|
| U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDE REGISTRATION WASHINGTON, D.C. 20460 NOTICE OF PESTICIDE <i>Under the Federal Insecticide, Fungicide, and Rodenticide Act</i> | EPA REGISTRATION NO. 52740-7 PESTICIDE NAME: [illegible] TRADE NAME: [illegible] |
| | NAME OF REGISTRANT: [illegible] |

GENERAL STATEMENTS CONCERNING THE PESTICIDE

[illegible text]

NOTE: Changes in labeling format differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is attached hereto.

Registration is in no way to be construed as endorsement or approval of the product by the Agency. It is intended to protect health and the environment. The Administrator may, at any time, suspend or revoke the registration if the product is found to be in violation of the Act. The Administrator may also suspend or revoke the registration if the product is found to be in violation of the Act or if the Administrator determines that the product is otherwise in violation of the Act.

1. The following labeling changes are required for registration of this pesticide under FIFRA section 3(c)(5) when the registrant receives a copy of the printed products to submit for registration:
- a. Add the phrase "EPA Registration No. 52740-7."
 - b. At the next label printing, or within 6 months, please delete the "disposal of wastes" sentence under the Environmental Hazards section and replace it with:

Do not discharge or drain water when disposing of this pesticide into stormwater.

Submit a copy of your final printed label to the Registration Division, Office of Pesticide Registration, Washington, D.C. 20460. Refer to the A-79 enclosure for a copy of the label.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL: *[Signature]* DATE: 1-18-89

204

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamp of the label is enclosed for your records.

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

LAST

A COMBINATION OF INSECTICIDES OFFERING FLUSHING ACTION AND RESIDUAL KILL OF COCKROACHES FOR

This product breaks the life cycle of fleas. Kills adult fleas and pre-adult fleas on contact. Keeps killing pre-adult fleas for up to 42 days and adult fleas for up to 30 days. Reaches fleas hidden in carpets.

For Residual and Contact Control of Cockroaches (Waterbugs), Crickets, Silverfish (Firebrats), Clover Mites, Centipedes, Millipede, Earwigs, Sowbugs (Pillbugs), Spiders, Brown Dog Ticks, Lone Star Ticks, Ants, Fire Ants, Carpet Beetles, Fleas, including pre-adult fleas, Boxelder Bug, Solder Beetles, Bed Bugs, House Flies, Mosquitoes, Gnats, Flying Moths, Confused Flour Beetles, Sawtoothed Grain Beetles, Shiny Spider Bug, Grain Mites, Red Flour Beetles, Angoumois Grain Moths, Grain Weevils, Indian Meal Moths, Mediterranean Flour Moths, Lesser Grain Borer, Cigarette Beetles, Drug Store Beetles, Chocolate Moths, Clothes Moths.

CONTAINS DURSBAN + INSECTICIDE

ACTIVE INGREDIENTS:

| | |
|--|-------------|
| *Permethrin [5 (phenylmethyl)-5-(piperonyl)butyl] 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate | 0.10%w/w |
| *Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate] | 0.50% |
| INERT INGREDIENTS: | 99.40% |
| | 100.00% w/w |

REGISTERED
JAN - 9 1983
 Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended for the pesticide registered in Texas
 EPA Reg. No. 52940-7

*Cis/trans isomers ratio: max 30%(z)cis and min.70%(z)trans.
 *U.S. Patent Nos. 3,445,007 and 3,542,828.
 *Permethrin SBP-1382® brand of permethrin insecticide.
 *Permethrin Corp., 1050 Wall St. West, Lyndhurst, N.J. 07071
 *U.S. Patent No. 3,244,586 Dursban is a Trademark of Dow Chemical Co.
 *U.S. Patent No. 3,643,078

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles no use este producto hasta que le explique la haya sido explicada amplemente.
(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**

SEE SIDE PANEL FOR ADDITIONAL
 PRECAUTIONARY STATEMENTS AND
 STATEMENT OF PRACTICAL TREATMENT

In food handling establishments, can be used in non-food areas as a contact or residual spray. In food areas, application is limited to spot and/or crack and crevice treatment.

EPA Reg. No. _____ EPA Est. 52740 TX-001
 NET CONTENTS _____



P.O. Box 800664
 Houston, Texas 77280-0664
 (713) 462-3606

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water. In food handling areas application is limited to crack and crevice treatment. Do not apply directly to food or feed stuff. In commercial food handling facilities, do not apply to food processing equipment during application. Do not apply indoors in the home, on food processing surfaces and utensils. Treatments should be thoroughly washed before use. Do not allow children or pets on treated surfaces until they have dried. Remove pets and cover fish aquariums.

STATEMENT OF PRACTICAL TREATMENT

See label for use directions. If in eyes or on skin, flush with water for at least 15 minutes. For eyes, get medical attention. **NOTE:** CHLORPYRIFOS, Chlorpyrifos is a cholinesterase inhibitor. If inhaled, atropine only by injection is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife. Do not apply directly to water. Do not apply where runoff will occur. Conditions favor drift from areas treated. Do not use in areas where there is a possibility of drift from areas treated. Do not use in areas where there is a possibility of drift from areas treated.

PHYSICAL AND CHEMICAL HAZARDS

Do not apply to water-based product in conductive material because of possible shock hazard. Do not apply to electrical equipment because of possible shock hazard. Do not apply to electrical equipment because of possible shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the label directions.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Do not store this water-based formulation in metal containers. For containers one gallon and under: Store product in original container. **PRECAUTIONS DISPOSAL:** Wastes resulting from the use of this product should be disposed of in an approved waste disposal facility. **CONTAINER DISPOSAL:** For Containers One Gallon and Under: Do not reuse container and put in trash. For Containers Over One Gallon: Triple rinse (or equivalent) and then recycle, if possible, or puncture and dispose of in a sanitary landfill, or approved by State and Local authorities.

DIRECTION FOR USE (continued on reverse)

BEST AVAILABLE COPY

DIRECTIONS FOR USE (Continued)

EPA Reg. No.

FOR USE IN NON-FOOD AREAS INDOORS AND OUTSIDE OF PREMISES OF HOTELS, MOTELS, HOMES, PRESCHOOLS, APARTMENT BUILDINGS, COMMERCIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, RECREATIONAL BUILDINGS, ROADS, GOLF COURSE, AND HOSPITALS. IN HOSPITALS, REMOVE PATIENTS PRIOR TO TREATMENT. VENTILATE ROOMS FOR TWO HOURS BEFORE RETURNING PATIENTS.

THIS PRODUCT CAN BE USED IN NON-FOOD AREAS SUCH AS CORRIDORS, OFFICES, FOYERS, LAVATORIES, GARAGES, UTILITY ROOMS, STORAGE ROOMS AND BASEMENTS, OF PACKAGING AND PROCESSING PLANTS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, AND BAKERIES.

IN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, APPLICATION IS LIMITED TO SPOT AND/OR CRACK AND CREVICE TREATMENT.

ALSO FOR USE IN AND AROUND CAMPERS, MOBILE HOMES, BUSES AND AUTOMOBILES. THIS PRODUCT CAN BE USED IN CARGO PLANES, TRUCKS, BOXCARS AND SHIP CARGO HOLDS ONLY IF THE VEHICLES ARE NOT USED FOR TRANSPORT OF FOOD OR FOOD PRODUCTS AT ANY TIME.

ALSO FOR USE IN DOCK YARDS AND HORSE STABLES. DO NOT SPRAY ON HORSES AND DOGS. DO NOT SPRAY DOG AND HORSE FOOD OR FEED ITEMS.

NOTE TO PEST CONTROL OPERATORS: One gallon (3.78 L) of spray is sufficient to treat 1500 linear feet (457 m) with a 6 inch (15.2 cm) spray band.

For contact and residual sprays, use this product without diluting. For repeat applications, mix with equal parts of water.

CONTACT SPRAY - INHIBIT AND REMEDY INFESTATIONS: Cockroaches (waterbug), crickets, silverfish (firebrats), clover mites, centipedes, millipedes, earwigs, sowbugs (pillbugs), spiders, brown dog ticks, lone star ticks, ants, fire ants, carpet beetles, fleas, boxelder bugs, scorpions, spider beetles, bed bugs, variegated flour beetles, rhyacionid grain beetles, shiny spider beetles, grain mites, red flour beetles, sphinxmoths, grain moths, grain weevils, Indian meal moths, Mediterranean flour moths, lesser grain weevils, silver chalcids, dog chalcids, chocolate moths, tree-toad, treatment of horses. Mix spray directly on

pests to reduce infestations. Apply as a coarse spray or with a paint brush into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards and storage areas. Apply spray until area is wet, but not to the point of run-off. Repeat as necessary.

ANTS (including Fire Ants): To kill ants, spray trails, nests and points of entry within buildings and homes. Spray directly on ants where possible. Repeat as necessary.

FLEAS, BROWN DOG AND LONE STAR TICKS: Thoroughly apply as a spot treatment to infested areas such as pets' beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas. **DO NOT TREAT PETS WITH THIS PRODUCT.** Treat pets with a product registered for animal application such as S&P-1332[®] Biofethrin Aqueous Pressurized Spray, EPA Reg. No. 432-482, to control the source of Flea and Tick Infestation.

CARPET BEETLES AND CLOTHES MOTHS: Do not spray clothing with this product. Do not allow clothing to contact areas where this product has been used. Spray edges of carpeting and under carpeting, rugs, and closets. Make localized application to the floor and baseboards. Spray directly into cracks, crevices, closets, and infested areas of shelving and/or wherever these insects are seen or suspected. Repeat as necessary.

RESIDUAL SPRAY: AIDS IN THE CONTROL OF COCKROACHES (Waterbugs), CRICKETS, BOXELDER BUGS, SCORPIONS, SPIDER BEETLES, SILVERFISH (Firebrats), CENTIPEDES, MILLIPEDES, EARWIGS, SOWBUGS (Pillbugs) KILLS up to 4 weeks. Apply on baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, apply in hiding places, in cracks and crevices, lower walls and dark places. Spray surfaces until wet, but not to the point of run-off.

PESTS OUT-OF-DOORS

DO NOT TREAT OR ALLOW THE SPRAY TO CONTACT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, EVERGREENS, ETC.) BECAUSE OF POSSIBLE INJURY.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product to control ants, clover mites, crickets, earwigs, millipedes, and sowbugs (pillbugs), on outside surfaces of buildings. To help prevent infestation of buildings treat the building foundation to a height of 2 to 3 feet (0.5 to 1 m), where pests are active and may find entrance. Also, apply as a residual spray to outside surfaces of buildings, including porches, screens, window frames, eaves, patios, balconies, refuse dumps and other areas where these pests congregate or have been seen. Repeat treatment as needed to maintain effectiveness.

HOUSE FLIES, MOSQUITOES, GNATS, FLYING MOTHS OUTDOORS: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate. Repeat as necessary.

ANTS, BROWN DOG TICKS, CRICKETS, FLEAS, AND EARWIGS OUTDOORS: For treatment of localized infestations of these insects in outdoor areas where there are weeds or bushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat application as infestations warrant and as reinfestations occur.

TO CONTROL FIRE ANTS: Dilute 1.5 pints (0.71 L) of this product in 1 gallon (3.78 L) of water. Apply 1 gallon (3.78 L) of solution as a gentle rain to each fire ant mound using a sprinkler can. Thoroughly wet the mound and surrounding area to a 4 foot diameter (1.22 m). For best results, apply in cool weather, 65-80°F (18.5-27°C), or in early morning or late evening hours. Treat new mounds as they appear. Do not disturb the mound prior to treatment. If possible, treat all mounds in the vicinity, and treat all colonies which may not as yet have constructed a mound. Larger quantities of solution can be prepared for multiple mound treatments. Equipment to deliver the diluted product as a gentle rain at the rate of 1 gallon (3.78 L) per mound is still required. Do not use equipment that generates a pressurized spray as pressurized sprays may disturb fire ants and cause migration reducing product effectiveness.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

LAST

A COMBINATION OF INSECTICIDES OFFERING FLUSHING ACTION AND RESIDUAL KILL OF COCKROACHES FOR UP TO 4 WEEKS

This product breaks the life cycle of fleas. Kills adult fleas and pre-adult fleas on contact. Keeps killing pre-adult fleas for up to 42 days and adult fleas for up to 30 days. Reaches fleas hidden in carpets.

For Residual and Contact Control of Cockroaches (Waterbugs), Crickets, Silverfish (Firebrats), Clover Mites, Centipedes, Millipedes, Earwigs, Sowbugs (Pillbugs), Spiders, Brown Dog Ticks, Lone Star Ticks, Ants, Fire Ants, Carpet Beetles, Fleas, including pre-adult fleas, Boxelder Bugs, Scorpions, Spider Beetles, Bed Bugs, House Flies, Mosquitoes, Gnats, Flying Moths, Confused Flour Beetles, Sawtoothed Grain Beetles, Shiny Spider Beetles, Grain Mites, Red Flour Beetles, Angoumois Grain Moths, Grain Weevils, Indian Meal Moths, Mediterranean Flour Moths, Lesser Grain Borers, Cigarette Beetles, Drug Store Beetles, Chocolate Moths, Clothes Moths.

CONTAINS DURSBAN * INSECTICIDE

ACTIVE INGREDIENTS:

- * Resmethrin [5-(phenylmethoxy)-2-propenyl]-2,2-dimethyl-3-(2-methylcyclopropanecarboxylate)
- * Chlorpyrifos [0,0-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate]

INERT INGREDIENTS:

REGISTERED
 JAN - 3 1989
 EPA Reg. No. 52940-7

0.10% w/w

0.50%

99.40%

100.00% w/w

* Cis,trans isomers ratio: max 30% (s)cis and min 70% (s)trans

* U.S. Patent Nos. 3,485,007 and 3,542,928

* Penick's SBP 1382® brand of resmethrin insecticide

* Penick Corp., 1050 Wall St. West, Lyndhurst, N.J. 07071

* U.S. Patent No. 3,244,588. Dursban is a Trademark of Dow Chemical Co.

* U.S. Patent No. 3,683,078

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS AND
STATEMENT OF PRACTICAL TREATMENT

In food handling establishments, can be used in non-food areas as a contact or residual spray. In food areas, application is limited to spot and/or crack and crevice treatment.

EPA Reg. NO.

EPA Est. 52740 TX-001

NET CONTENTS



P.O. Box 807564
Houston, Texas 77280-0654
(713) 462-3606

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash hands after using. In food handling areas application is limited to crack and crevice and/or spot treatment. Do not apply directly to food or feed stuffs. In commercial food handling facilities, cover or remove any food or food processing equipment during application. Do not apply while food processing is underway. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

As followed. Get immediate medical attention if in eyes or skin. Flush with plenty of water for at least 15 minutes. For eyes get medical attention.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition appear, atropine only by injection is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Do not apply directly to water. Do not apply where run-off is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Do not apply this water based product in conduits, meter housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not store this water based formulation at temperatures below 32°F.

For containers one gallon and under. Store product in original container in a locked storage area.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: For Containers One Gallon and Under. Do not reuse empty container. Wrap container and put in trash.

For Containers Over One Gallon. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

DIRECTION FOR USE (continued on reverse side)

DIRECTIONS FOR USE (Continued)

EPA Reg. No.

FOR USE IN NON FOOD AREAS INDOORS AND OUTSIDE OF PREMISES OF HOTELS, MOTELS, HOMES, PRESCHOOLS, APARTMENT BUILDINGS, COMMERCIAL OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, RECREATIONAL BUILDINGS, BOATS, SHIP CABINS AND HOSPITALS IN HOSPITALS REMOVE PATIENTS PRIOR TO TREATMENT VENTILATE ROOMS FOR TWO HOURS BEFORE RETURNING PATIENTS

THIS PRODUCT CAN BE USED IN NON FOOD AREAS SUCH AS CORRIDORS, OFFICES, FOYERS, LAVATORIES, GARAGES, UTILITY ROOMS, STORAGE ROOMS AND BASEMENTS OF PACKAGING AND PROCESSING PLANTS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS AND BAKERIES

IN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS APPLICATION IS LIMITED TO SPOT AND/OR CRACK AND CREVICE TREATMENT

ALSO FOR USE IN AND AROUND CAMPERS, MOBILE HOMES, BUSES AND AUTOMOBILES THIS PRODUCT CAN BE USED IN CARGO PLANES, TRUCKS, BOYCARS AND SHIP CARGO HOLDS ONLY IF THE VEHICLES ARE NOT USED FOR TRANSPORT OF FOOD OR FOOD PRODUCTS AT ANY TIME

ALSO FOR USE IN DOG KENNELS AND HORSE STABLES DO NOT SPRAY ON HORSES AND DOGS DO NOT SPRAY DOG AND HORSE FOOD OR FEED ITEMS

NOTE TO PEST CONTROL OPERATORS: One gallon (3.78 L) of spray is sufficient to treat 1500 linear feet (457 m) with a 6 inch (15.2 cm) spray band

For contact and residual sprays use this product without diluting. For repeat applications, dilute with equal parts of water

CONTACT SPRAY KILLS AND REDUCES INFESTATIONS: Cock roaches, waterbugs, crickets, silverfish (Blattella), clover mites, centipedes, millipedes, earwigs, sowbugs (pillbugs), spiders, house spider, long star ticks, ants, fire ants, carpet beetles, fleas, boxelder bugs, scorpions, spider beetles, bed bugs, tick and flour beetles, earwigs, grain beetles, shiny spider beetles, grain mites, red flour beetles, programids, grain moths, grain weevils, Indian meal moths, Mediterranean flour moths, lesser grain weevils, cigarette beetles, drug store beetles, chocolate moths. Use as spot treatment. When possible spray directly on

pests to reduce infestations. Apply as a coarse spray or with a paint brush into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards and storage areas. Apply spray until area is wet, but not to the point of run-off. Repeat as necessary

ANTS (including Fire Ants): To kill ants, spray trails, nests and points of entry within buildings and homes. Spray directly on ants where possible. Repeat as necessary

FLEAS, BROWN DOG AND LONG STAR TICKS: Thoroughly spray as a spot treatment in infested areas such as pets, beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas. **DO NOT TREAT PETS WITH THIS PRODUCT.** Treat pets with a product registered for animal application such as BBP 13829 Blottemin Aqueous Pressurized Spray EPA Reg. No. 432-462, to control the source of flea and tick infestation.

CARPET BEETLES AND CLOTHES MOTHS: Do not spray clothing with this product. Do not allow clothing to contact areas where this product has been used. Spray edges of carpeting and under carpeting, rugs, and closets. Make localized application to the floor and baseboards. Spray directly into cracks, crevices, closets and infested areas of shelving and, or wherever these insects are seen or suspected. Repeat as necessary

RESIDUAL SPRAY AIDS IN THE CONTROL OF COCKROACHES (Waterbugs), CRICKETS, BOXELDER BUGS, SCORPIONS, SPIDER BEETLES, SILVERFISH (Firebrats), CENTIPEDES, MILLIPEDES, EARWIGS, SOWBUGS (Pillbugs): Kill up to 4 weeks. Apply on baseboards, cracks and crevices around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, apply in hiding places in cracks and crevices, lower walls and dark places. Spray surfaces until wet, but not to the point of run-off

PESTS OUT OF DOORS

DO NOT TREAT OR ALLOW THE SPRAY TO CONTACT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, EVERGREENS, ETC.) BECAUSE OF POSSIBLE HARM.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product to control ants, clover mites, crickets, earwigs, millipedes and sowbugs (pillbugs) on outside surfaces of buildings. To help prevent infestation of buildings treat the building foundation to a height of 2 to 3 feet (0.5 to 1 m) where pests are active and may find entrance. Also apply as a residual spray to outside surfaces of buildings, including porches, screens, window frames, eaves, patios, garages, refuse dumps, and other areas where these pests congregate or have been seen. Repeat treatment as needed to maintain effectiveness

HOUSEFLIES, MOSQUITOES, GNATS, FLYING MOTHS OUTDOORS: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects might congregate. Repeat as necessary

ANTS, BROWN DOG TICKS, CRICKETS, FLEAS, AND EARWIGS OUTDOORS: For treatment of localized infestations of these insects in outdoor areas where there are weeds or bushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and mounds. Repeat application as infestations warrant and as reinfestations occur

TO CONTROL FIRE ANTS: Dilute 1.5 pints (0.71 L) of this product in 1 gallon (3.78 L) of water. Apply 1 gallon (3.78 L) of solution as a gentle rain to each fire ant mound using a sprayer can. Thoroughly wet the mound and surrounding area to a 4 foot diameter (1.22 m). For best results, apply in cool weather 65-80°F (18.3-27°C) or in early morning or late evening hours. Treat new mounds as they appear. Do not disturb the mound prior to treatment. If possible, treat all mounds in the vicinity and treat all colonies which may not as yet have constructed a mound. Larger quantities of solution can be prepared for multiple mound treatments. Equipment to deliver the diluted product as a gentle rain at the rate of 1 gallon (3.78 L) per mound is still required. Do not use equipment that generates a pressurized spray, as pressurized sprays may disturb fire ants and cause migration, reducing product effectiveness

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being warranted by the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility including injury or damage resulting from its misuse, or such, or in combination with other materials