

52947-1 PM31 10/3

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-367) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 52947-1	DATE OF ISSUANCE JAN 08 1985
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREГИSTRATION (Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended)		
NAME OF PESTICIDE PRODUCT Sanitol-8		

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

B. A. T. Laboratories, Inc.
 P.O. Box 47
 Honey Grove, TX 75840

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

1. Change the registration number to 52947-1.
2. Change the registration number on the label to 52947-1.
3. Change the statement "DO NOT USE AND STOP USE BY THE INMATE PERSONNEL" to "Do Not Use" (same type size as the "EPA REG. NO. 52947-1" statement) (front panel).
4. Remove the word "Hazard" or "to read Hazard" (middle left panel).
5. Revise the statement:

"...Barnes Simplex Type 1 and 11, Virginia..."

 to read:

"...Barnes Simplex Type 1 and 11, Virginia..."

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL _____ DATE _____

f. Revise the statement:

Causes eye and skin irritation.

to read:


Causes eye damage and skin irritation.

g. Revise the words: CaCO_1 , to read: CaCO_3 (middle left panel):

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure

RD/DIS-JOB-90834:Lee:RD-34:cac:Kendrick:898-1270:12/27/84:Del.1/8/85

Sanitizing of Food Processing Equipment and Other Hard Surfaces in Food Contact Locations. For sanitizing food processing equipment, dairy equipment, food utensils, dishes, silverware, glasses, sink tops, countertops, refrigerated storage and display equipment and other hard non-porous surfaces **No Potable water rinse is required.**

Wash and rinse all articles thoroughly, then apply a solution of 1 oz. Sanitol-8 in 4 gallons of water (150ppm active). Surfaces should remain wet for at least one minute followed by adequate draining and air drying. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be reused for sanitizing applications.

Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush or mechanical spray device. **No Potable water rinse is required.**

Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in a 1 oz./4 gallon solution of Sanitol-8. **No Potable water rinse is required.**

At 1 oz./4 gallons BARDAC-205-7.5 fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinances 1978. Recommendations of the U.S. Public Health Services in waters up to 800 ppm of hardness calculated as CaCO₃ when evaluated by the AOAC Germicidal and Detergent Sanitizer Method against Escherichia coli and Staphylococcus aureus. The udders, flanks and teats of dairy cows can be sanitized by washing with a solution of 1 oz. Sanitol-8 in 4 gallons of warm water. **No Potable water rinse is required.** Use a fresh towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip used towel back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.

Precautionary Statements

Hazardous to Humans and Domestic Animals

DANGER

Keep Out of Reach of Children. Corrosive. Causes eye and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Do not breathe spray mist. Avoid contamination of food.

Storage and Disposal

Do not contaminate water, food, or feed by storage/disposal. Do not store on side.

Avoid creasing or impacting of side walls.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray, or mixture of insecticide is a violation of Federal law. If these wastes cannot be disposed of by use directions, contact your State Pesticide Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Do not reuse or refill container. Then offer for recycling or recouling. Do not burn, incinerate, or dispose of in a sanitary landfill, or in any way otherwise prohibited by state and local authorities by burn or incineration. Stay out of smoke.

Do not reuse or refill container. Then offer for recycling or recouling. Do not burn, incinerate, or dispose of in a sanitary landfill, or in any way otherwise prohibited by state and local authorities. Do not reuse or refill container. Use this container disposal statement.

Do not reuse or refill container. Then offer for recycling or recouling. Do not burn, incinerate, or dispose of in a sanitary landfill, or in any way otherwise prohibited by state and local authorities. Do not reuse or refill container. Use this container disposal statement.

SANITOL-8

Disinfectant-Sanitizer
Fungicide-Virucide*Deodorizer
with Organic Soil Tolerance
for Hospital, Institutional
Industrial, School, Dairy and Other Farm Use

Active Ingredients

Octyl decyl dimethyl ammonium chloride	2.250%
Didecyl dimethyl ammonium chloride	1.125%
Dioctyl dimethyl ammonium chloride	1.125%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride	3.000%

Inert Ingredients

92.500%
100.000%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Registration No.

52947-2

EPA Establishment No.

52947-TX-1

Net Contents

MANUFACTURED BY

W. L. G. Industries, Inc., P.O. Box 47
Dodge Drive, Tex. 79446

For Sale For Use And Storage By
Maintenance Personnel Only

It is a vi
product
labeling.

Apply San
device. Whe
must be spr
remain wet f
daily or whe
Disinfection
Care Institu
bathing area
pails and oth
Add 35 oz S
viously cle

aeruginosa
aesus in the
the AOAC U
Virucidal
Sanitol
and found to
simplex Type
on inanimate

Disinfection
of Sanit
Fungicidal F
level Sanit
Trichophyton
used on surf
shower and
Fungicidal T

Disinfection
as combs, b
immersing i

Disinfection
Kennels Po
and other an
be disinfected
of 2 oz. San
should be in
poultry, othe
the premise
other feeding
droppings fr
traversed by

After disinf
spaces. Do n
meat until p

All treated
must be wa

in l

J

Prin

Fund

as an

regio

regio

regio

regio