

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

August 31, 2016

Cinda L. Bell Agent (SciReg, Inc) IndusCo, Ltd. 2319 Joe Brown Drive Greensboro, NC 27405

Subject: Notification per PRN 98-10 – Change Primary Brand Name and modify PBN on

label

Product Name: Envirosystems Bioshield 7200

EPA Registration Number: 53053-25 Application Date: August 23, 2016

Decision Number: 520834

Dear Ms. Bell:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

The primary brand name "EnviroSystems Bioshield 7200" has replaced "Bioshield BSTI 1860" in the product record.

If you have any questions, you may contact Joe Daniels at (703) 347-8669 or via email at daniels.joseph@epa.gov.

Page 2 of 2 EPA Reg. No. 53053-25 Decision No. 520834

Sincerely,

Eric Miederhoff

Product Manager 31

Regulatory Management Branch I Antimicrobials Division (7510P)

Office of Pesticide Programs

NOTIFICATION

53053-25

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

08/31/2016

EPA Reg. No. 53053-25 08/17/2016 Page 1 of 6

BIOSHIELD® BSTI 1860 EnviroSystems® BioShield® 7200

A Silicone Quaternary Ammonium Salt For Manufacturing Use Only

KEEP OUT OF REACH OF CHILDREN

DANGER [Skull and Crossbones] POISON

(note: above statement will be in RED ink)

Active Ingredient: 3-(trimethoxysilyl) propyldimethyl octaded Other Ingredients:	
EPA Reg. No. 53053-25	EPA Est. No. xxxx-xx-xx
Net Contents: 1, 5, 30, 55, 275 gallons	
Lot No.	

<u>EnviroSystems® BioShield® 7200BIOSHIELD BSTI 1860</u> is a microbiostatic agent that inhibits the growth of odor causing bacteria and fungi (mold and mildew), bacteria and fungi (mold and mildew) which cause staining and discoloration, and algae. This product does not protect users or others against food-borne or disease causing bacteria or fungi.

FIRST AID

Have the product container or label with you when calling the poison control center or doctor, or going for treatment.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call poison control center or doctor for treatment advice.

IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call poison control center or doctor for treatment advice.

IF SWALLOWED:

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER! Corrosive: Methanol may cause blindness. Causes irreversible eye damage. Harmful if inhaled, swallowed, or absorbed through skin. Avoid breathing vapors or spray mist. Do not get in eyes or on clothing. Avoid contact with skin, eyes, and clothing. Wear protective eyewear (goggles, face shield or safety glasses) and protective clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame. De-activation of EnviroSystems@BioShield@7200BIOSHIELD-BSTI-1860 is achieved by the addition of anionic surfactant (such as soap, sulfonates, sulfates) in quantity equivalent to that of EnviroSystems@BioShield@7200BIOSHIELD-BSTI-1860.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original closed containers in a secure area inaccessible to children and away from food or feed.

Pesticide Disposal: Pesticide waste may be hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container, Triple rinse container (or equivalent) promptly after emptying

{Insert applicable triple rinse instructions for container size below}

{5 gal or less}

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

{More than 5 gal}

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ½ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Then offer for recycling if available, or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR MANUFACTURING USE ONLY

APPROVED USES

Before applying this product, visible mold growth must be removed and conditions favorable to mold growth must be identified and corrected.

<u>EnviroSystems® BioShield® 7200BIOSHIELD BSTI 1860</u> is registered for formulation into antimicrobial products or as a microbiostatic agent for material preservation. The final article may contain from 0.1% to 1.0% by weight active ingredient. Contact INDUSCO, LTD. to determine the specific rates within this range for individual finished products.

<u>EnviroSystems® BioShield® 7200BIOSHIELD BSTI 1860</u>-may be used for incorporation into and treatment of the following substrates to impart bacteriostatic/fungistatic activity:

- Air filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems;
- Air filters/materials;
- Aquarium filter material;
- Bedding including bed sheets, blankets, and bedspreads;
- Buffer pads (abrasive and polishing);
- Carpets and draperies;
- Concrete additive for sewer pipes, manholes and concrete sewer structures; (Not to be used in treatment of storm drains)
- Concrete additive for repair and renewal of sewer pipes and manholes and concrete sewer structures; (Not to be used in treatment of storm drains)
- Fiberfill for upholstery, sleeping bags, apparel, etc., where the fiber is cotton, natural down, nylon, polyester, rayon, or wool;
- Fiberglass ductboard;
- Fire hose fabric;
- Humidifier belts;
- Mattress pads and ticking;
- Household textiles: towels, drapes, tablecloths;
- Underwear and outerwear;

- Non-woven disposable diapers;
- Outerwear apparel;
- EnviroSystems® BioShield® 7200BIOSHIELD BSTI 1860-can be used in paints and coatings as an in can preservative for protection of paint film and coating film. DO NOT use in paints designed for applications on food-contact surfaces. Types of paints and coatings include: latex indoor/outdoor paints and stains, woodstains, architectural paints, lacquer and maintenance coatings, films, laminates and finishes including alkyd, urethane, enamel, epoxy, siloxaline, amino resins, textile coatings, extrusion coatings, architectural coatings and overlays, anti-corrosion coatings, fire-resistant coatings, aliphatic coatings, vinylester and polyester coatings, gel coatings, amino resins, resins used as additive mixes for cement, epoxy laminating resins, and blends and copolymers thereof;
- Polyurethane and cellulose foam for household, industrial, and institutional mops;
- Polyurethane and polyethylene foam, when covered;
- Polyurethane foam for packaging and cushioning in non-food contact applications;
- Polyurethane foam used as a growth medium for non-food crops and plants;
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties);
- Roofing materials defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats:
- Canvas, ducking used for sand bags, tents, tarpaulins, sails and ropes;
- Footwear including athletic and casual shoes;
- Shoe insoles:
- Shower curtains;
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene/nylon/Lycra, wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra;
- Throw rugs;
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers;
- Toilet tank and seat covers;
- Umbrellas;
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, and wool;
- Vacuum cleaner bags and filters;
- Vinyl paper-wallpaper for non-food contact surfaces;
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops, etc.; the wiping cloths do not impart pesticidal properties;
- Women's hosiery; and
- Women's intimate apparel;
- For use in formulating products used in residential kitchens and bathrooms on the following hard, non-porous surfaces to impart bacteriostatic/fungistatic activity;
 - o Tubs
 - o Glazed Tile
 - Vanity tops
 - o Shower curtains
 - o Shower stalls
 - o Sinks
 - Washable walls
 - o Floors
 - Window sills
 - o Cabinets
 - o Exterior of refrigerators
 - o Appliances
 - o Garbage cans

EnviroSystems® BioShield® 7200BIOSHIELD BSTI 1860

Imparts microbiostatic properties.

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria

Provides an invisible microbiostatic coating to inhibit the growth of bacteria which cause staining and discoloration.

Provides an invisible microbiostatic coating to inhibit the growth of fungi (mold and mildew)

Provides an invisible microbiostatic coating to inhibit the growth of algae.

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Prevents deterioration caused by bacteria and fungi (mold and mildew).

Inhibits deterioration caused by bacteria.

Resists development of microbial odors.

Resists development of stains and discoloration due to bacteria.

Resists development of stains due to fungi (mold and mildew).

Resists stains due to algae.

Resists development of microbial odors, stains and discoloration due to bacteria, fungi (mold and mildew), and algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria.

Provides/creates an invisible barrier to inhibit the growth of bacteria, which cause staining, and discoloration.

Provides/creates an invisible barrier to inhibit the growth of on fungi (mold and mildew).

Provides/creates an invisible barrier to inhibit the growth of algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria, which cause staining and discoloration, fungi (mold and mildew), and algae.

Provides bacteriostatic, fungistatic, (mold and mildew), and algaestatic activity.

Note: Any claims for paint use must be for the preservation of the paint in the can.

IMPORTANT: WARRANTY AND DISCLAIMER INFORMATION

INDUSCO, LTD. warrants that the product conforms to its chemical description and is reasonably fit for the purposes states in this label when used in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

INDUSCO, LTD. SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.

FOR MORE INFORMATION CONCERNING THIS PRODUCT, PLEASE CONSULT THE MATERIAL SAFETY DATA SHEET (MSDS). THE MSDS CAN BE OBTAINED BY WRITING INDUSCO, LTD. AT

IndusCo, Ltd. 2319 Joe Brown Drive Greensboro, NC 27405 (336) 375-7555