e. Supply the following that Matrix requirement:

Statement of Composition - a complete description of the formulation process. Describe equipment used, mixing time, temperature, etc.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

BEST AVAILABLE COPY

f. On the front panel of the label add the statement:

Only for Sale to, Use and Storage by Pest Control Operators.

g. Add to Statement of Practical Treatment:

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures

## Broad Range Insecticide

For residual and contact control of cockroaches (waterbugs), crickets, silverfish (tirebrats), clover mites, contipad sowbugs (pilibugs), spiders, brown dog ticks, ione star ticks, ants, carpet beeties, fleas, boxelder bugs, scorpi bed bugs, grasshoppers, confused flour beetles, sawtoothed grain beetles, shiny spider beetles, grain mites, red flour be grain weevils, Indian meal moths, Mediterranean flour moths, lesser grain borers, cigarette beetles, drug store be

## **ACTIVE INGREDIENTS:**

\*†\*Permethrin(3-Phenoxyphenyl)methyl(±) cls, trans-3-(2,2-

dichioroethenyi)-2,2-dimethyicyclopropanecarboxylate......11.8%w/w **INERT INGREDIENTS:** 

100.0%w/w

(Contains Methanol.

'Cle/trans isomers ratio: max. 30%(±)cle and min, 70%(±)trans.

1U.S. Patent No. 4,024,163.

Panick-Bio UCLAF'S Pramer® brand of permethrin insecticide.

"U.S. Patent No. 3,683,078.

Penick-Bio UCLAF Corp., 1050 Wall Street West, Lyndhurst, N.J. 07071

PRECAUCION AL CONSUMIDOR: SI usted no lee ingles, no use stiqueta le hays sido explicada ampliamenta.

ITO THE USER: If you cannot read English, do not use this prod explained to you.)

KEEP OUT OF REACH OF CHILDREN





DANCER: Methanol may cause blindness. Harmful or tatal if awallowed. Vapor harmful. Avoid breaking mist or vapors. Avoid contact with skin. In case of eye contact: Flush with plenty of water and get medical attention. See side panel for additional precautionary statements.

> ALTERNATION. CAN BE USED IN NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS WITH CONTERNS

EPA Reg. No

EPA EST. NO.

FEB 2 4 1987

LOT NO.

NET WEIGHT: Trader the !" Fangicide, and a 1995 as amendro, to 12 Smalestered Tally

Garden Care 60 AUSTIN BLVD., COMMARK N.Y. T172

RECAUTIONARY STA O RUMANS AND D

get it eyes, in kin of or childin. Wear roggies of sa move ter any handlan. Remove onto Ainsted clot Do not use in a libe product aleas y lood processing

ood is demonrously presented deprocessed. Do not u If food handling surfaces and STATEMENT OF PRACTICA

plowed Dim a glass or was miledisc medical attention. ink a glass of water and induce vomi

with plenty of well for a

ENVIRONMENTAL H. exic 🗽 lish. Do not contar

PHASICAL AND CHEMIC AMMABLE: Keep tway from fleat or open manners of notapple this product of condults, motor houst extract equipment because of possible shock has

DIRECTIONS FOR

diation of Federal law to use this product in

STORAGE & DI

Do not contaminate water, food or feed by storage STORAGE: This material may stratify upon standing mix before each use. Do not expose to tempera temperatures below 40°F (4.5°C), allow to stand un thoroughly mix before using, DO NOT USE OPEN PESTICIDE DISPOSAL: Pesticide wastes are toxispray mixture or rinsate is a violation of Federal law use according to label instructions, contact your Agency, or the Hazardous Waste representative guldance.

CONTAINER DISPOSAL: Triple rinse (or equivalent) or puncture and dispose of in a sanitary landfill, or b Local authorities.

DIRECTIONS FOR USE (Conf.

FOR USE IN NON-FOOD AREAS INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, PRESCHOOLS, NUPSERIES, DAY CAMPS, GREENHOUSES, LATHHOUSES, SEED HOUSES, FOOD HANDLING ESTABLISHMENTS. PACKAGING AND PROCESSING PLANTS. COMMERCIAL, INDUSTRIAL, OFFICE. INSTITUTIONAL AND STORAGE BUILDINGS, DAIRIES, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES. FLOUR AND FEED MILLS, BAKERIES, AND HOSPITALS. IN HOSPITALS, PATIENTS SHOULD BE REMOVED PRIOR TO TREATMENT, ALSO FOR USE IN CAMPERS, MOBILE HOMES, BUSES, AUTOMOBILES, TRUCKS, AND BOXCARS. ALSO FOR USE IN DOG KENNELS AND HORSE STABLES. IN HORSE STABLES, NOT FOR APPLICATION IF HORSES WILL BE USED FOR FOOD.

NOTE TO PEST CONTROL OPERATORS: One gallon of finished spray is sufficient to treat 1580 linear feet with a 6 inch spray.

For contact and residual sprays mix PRAMEX TEC with water in the following manner

FINISHED SPRAY	PRAMEX TEC	
	(fluid ounces)	WATER
0.25°r	2-2/3 (79 ml)	1 gallon (3.79 L)
0.25%	2/3 (20 ml)	1 quart (0.95 L)
0.50%	5-1/2 (163 ml)	1 gallon (3.79 L)
0.50%	1-1/3 (39 ml)	1 quart (0.95 L)

Kills and reduces infestations of cockroaches (waterbugs), crickets, silverfish (firebrats), clover mites, centipedes, millipedes, earwigs, sowbugs (pilibugs), spiders, brown dog ticks, ione star ticks, ants, carpel beetles, fleas, boxelder bugs, scorpions,

spider beetles, bed bugs, grasshoppers, confused flour beetles, sawtoothed grain beetles, shiny spider beetles, grain mites, red flour beetles, angoumois grain moths, grain weevils, indian meal moths, Mediterranean flour moths, lesser grain borers, cigarette beetles, drug store beetles, chocolate moths.

contact spray: Keep spray nozzle about 8-12 inches from surfaces to be treated. Adjust pressure and nozzle to deliver a coarse wet spray. When possible, spray directly on pests to reduce infestations. Spray thoroughly into hiding places such as cracks, cravices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards and storage areas. Apply spray until area is moist, but not to the point of run-off. Repeat as necessary.

FOR BEDBUGS: Apply as a spot treatment to cracks and crevices, around baseboards, floorboards, bedboards and walls. First thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor bedbugs, concentrating on tufts, folds and seams. Repeat as necessary. For persistent infestations, consult professional applicator.

GRAIN INSECTS: To control confused flour beetles, sawtoothed grain beetles, spider beetles, shiny spider beetles, grain mites, red flour beetles, angoumois grain moths, grain weevils, indian meal moths, Mediterranean flour moths, lesser grain borers, cigarette beetles, drug store beetles, chocolate moths, carpet beetles - remove infested grain, cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the areas by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain insects may be hiding. In homes, dispose of all infested products. The shelves and drawers should be cleaned and

thoroughly sprayed so as to contact all pests, and covered with shelf-paper after allowing shelves to dry. Any uters is that are contacted with spray should be wasted before using. Repeat as necessary.

SPIDERS: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

ANTS: Spray around doors, around window frames, trails, nests and points of entry within buildings and homes. Spray directly on ants where possible. Repeat as necessary.

ANIMAL PESTS-FLEA AND TICKS: Thoroughly spray animals' bedding and other resting areas until surface is slightly moist. Treat the floor areas, cracks and crevices in the floor and along baseboards at the rate of two seconds per linear foot. Spray at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Repeat as necessary. For outdoor treatment of pets' living quarters, remove animals before spraying. Thoroughly spray floor, cracks and crevices and bedding until slightly moist. Repeat as necessary.

RESIDUAL SPRAY-Kills up to 4 weeks: Spray baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, spray hiding places in cracks and crevices, lower walls and dark places. Apply as a coarse wet spray in a 6 inch band until area is thoroughly wet but not to the point of run-off. Treat on a monthly basis or as necessary.

## **WARRANTY STATEMENT**

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

