PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

SIGNATURE OF APPROVING OFFICIAL

EPA Form 8570-6 (Rev. 5-76)

Jan

AM 33 5 22 AM - A

Compra Lin

ACCEPTED
with COMMENTS
in EPA Letter Dated:

April 22,1991

Under the Federal Insecticide, Functicide, and Reconstante Act in aded, for the pesticide to ach under the terms.

DGM DGS

MOSS & ALGICIDE

FOR COMMERCIAL USE

NON-CORROSIVE TO SPRAY EQUIPMENT, METAL FLASHING, GUTTERS AND DOWNSPOUTS.

THIS PRODUCT EFFECTIVELY ELIMINATES MOSSES, ALGAE, LICHENS AND LIVERWORTS.

Made from naturally occurring fatty acids, DeMoss is easy to mix and apply, and is non-staining to most surfaces. It is ideal for use around homes and other buildings, as well as in parks and gardens. Use this product on roofs, decks, siding, walks and similar structural surfaces, greenhouses, growing containers, benches, trees, lawns and turf.

ACTIVE INGREDIENT

Potassium salts of fatty acids	40%
INERT INGREDIENTS	60%
TOTAL	100%

KEEP OUT OF REACH OF CHILDREN WARNING

See back panel for additional precautionary statements.

EPA Registration No. 53219-4 EPA Establishment No. 907-TN-01



Mycogen Corporation 5451 Oberlin Drive San Diego, California 92121 (800) 745-7476

BEST AVAILABLE COPY

DCNOSS & ALGICIDE

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

For best results, use soft water and mix fresh spray. DeMoss may foam in agitation sprayers; to prevent foaming, disconnect agitation device or add a defoaming agent. Spray may leave a temporary white residue on surfaces with a high lime or calcium content.

Structural Applications: Add one part concentrate to 20 parts water, or approximately 6 fl. oz. per gallon. Apply mixed spray at the rate of approximately one gallon per 100 sq. ft. of overgrown surface. For best results, moisten area to be treated with fresh water before applying product. Avoid spraying when precipitation is expected. Treated cryptogams (mosses, algae, lichens, liverwort) will dry and slough off naturally, making physical removal unnecessary. Repeat treatment annually, or at the outset of cryptogam recolonization.

Growing Containers and Trees: Add one part concentrate to 20 parts water, or approximately 6 ff. oz. per gallon. Spray cryptogam growth on or in containers and on tree trunks and branches to wet thoroughly. Avoid spray contact with plant foliage. Use on ornamental trees only. Not to be used on fruit trees.

Moss in Lawns and Turf: Add one part concentrate to 30 parts water, or approximately 4 fl. oz. per gallon. Moisten moss and surrounding grass before treatment, or spray soon after rain. Apply mixed spray so as to thoroughly wet moss, then withhold water for two days. Avoid spraying uninfested grass or adjacent vegetation. Moss discoloration, a sign of successful treatment, is temperature related and takes longer under cool conditions.

NOTE. Prevent overspray or runoff from contacting plant foliage. Treated surfaces may be temporarily slipperv. Do not apply to moss or algae in lawns or turf when the air temperature exceeds 85°F.

PRECAUTIONARY STATEMENTS

WARNING

Hazards to Humans and Domestic Animals: Causes substantial, but temporary eye irritation. Wear safety goggles when handling. In case of eye contact, flush with clean water. If irritation persists, get medical attention. Harmful if swallowed if swallowed, drink 1 to 2 glasses of milk and contact physician Environmental Hazards: Keep out of lakes, streams and ponds. Do not contaminate water when cleaning equipment or disposing of wastes.

Physical or Chemical Hazards: Do not use or store near heat or open flame

For emergency medical information, call toll free 1-800-228-5635.

STORAGE AND DISPOSAL

Do not contaminate water, feed or foodstuff by storage or disposal

Storage: Keep container tightly sealed when not in use.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse empty container. Triple rinse, then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, if allowed by state and local authorities. If burned, stay out of smoke

LIMIT OF WARRANTY AND LIABILITY

This product conforms to the description on this label and is reasonably fit for the purpose set forth on this label when used according to the label directions and under the specified 'abel conditions. THEMANUFACTURER DISCLAIMS ANY AND ALL OTHER EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE. Buyer and all users assume all risks and responsibility for loss or damage if this product is used, stored, handled or applied under any condition not reasonably foreseeable or beyond the manufacturer's control, or not as explicitly set forth in this label. THE LIMIT OF THE MANUFACTURER'S LIABILITY SHALL BE THE PURCHASE PRICE FOR THE QUANTITY INVOLVED. IN NO EVENT SHALL THE MANUFACTURER BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

BEST AVAILABLE COPY



Mycogen Corporation 5451 Oberlin Drive San Diego, California 92121 (800) 745-7476