

M-PEDETM Insecticide

DIRECTIONS FOR CONCENTRATE APPLICATIONS ON COTTON

Label must be in the hands of the user at time of pesticide application.

Read and follow all applicable restrictions, precautions, and directions for use on the EPA registered label.

Recommended Rates:

Cotton	Insects and Mites: For control of whiteflies, aphids, scales, leafhoppers, plant bugs, spider mites and thrips. Rate: In concentrate applications use up to 2 quarts M-Pede per acre alone or in tank mix. Use between 3 to 20 gallons of water per acre. Comments: Apply this product when insects or mites first appear, or when damage first occurs. Spray to wet all infested plant surfaces. Repeat at weekly to biweekly intervals. Rotate sprays or rinse foliage to avoid more than three consecutive sprays. Use up to day of harvest.
--------	--

EPA Registration No. 53213-6



MYCOGEN CORPORATION
5451 Oberlin Drive
San Diego, CA 92121
800-745-7476

1992 - 1992
53213-6



I N S E C T I C I D E

FOR COMMERCIAL USE

ACTIVE INGREDIENT

INERT INGREDIENTS

TOTAL


10

11

100

KEEP OUT OF REACH OF CHILDREN

CAUTION



SpeedeTM

I N S E C T I C I D E

DIRECTIONS FOR USE

Speede is a contact insecticide for the control of a wide range of household and commercial pests. It is effective against cockroaches, ants, flies, mosquitoes, and other insects. It is also effective against fleas and ticks on pets.

GENERAL INFORMATION

Speede is a contact insecticide. It kills insects by direct contact with the insect's body. It is not a stomach poison. It is not effective against insects that do not come in contact with the insecticide. It is not effective against insects that are hidden in cracks and crevices.

RECOMMENDED RATES

For general household use, apply Speede to cracks and crevices, baseboards, and other areas where insects are likely to hide. Apply a thin layer of Speede to the surface of the area to be treated.

For commercial use, apply Speede to cracks and crevices, baseboards, and other areas where insects are likely to hide. Apply a thin layer of Speede to the surface of the area to be treated.

For pet use, apply Speede to the pet's body. Apply a thin layer of Speede to the pet's body. Apply a thin layer of Speede to the pet's body.

For pet use, apply Speede to the pet's body. Apply a thin layer of Speede to the pet's body. Apply a thin layer of Speede to the pet's body.

For pet use, apply Speede to the pet's body. Apply a thin layer of Speede to the pet's body. Apply a thin layer of Speede to the pet's body.

For pet use, apply Speede to the pet's body. Apply a thin layer of Speede to the pet's body. Apply a thin layer of Speede to the pet's body.

PRECAUTIONARY STATEMENTS

CAUTION

Hazards to Humans and Domestic Animals

See Material Safety Data Sheet for additional information.

First Aid: In case of contact with skin, wash with plenty of water.

For more information, see Material Safety Data Sheet.

Environmental Hazards: See Material Safety Data Sheet for additional information.

Physical or Chemical Hazards: See Material Safety Data Sheet for additional information.

See Material Safety Data Sheet for additional information.

For emergency medical information, call toll free 1-800-228-5635

MIXING AND APPLICATION

Speede is a contact insecticide. It kills insects by direct contact with the insect's body. It is not a stomach poison. It is not effective against insects that do not come in contact with the insecticide. It is not effective against insects that are hidden in cracks and crevices.

When Combined with Other Pesticides:

Speede is a contact insecticide. It kills insects by direct contact with the insect's body. It is not a stomach poison. It is not effective against insects that do not come in contact with the insecticide. It is not effective against insects that are hidden in cracks and crevices.

Speede is a contact insecticide. It kills insects by direct contact with the insect's body. It is not a stomach poison. It is not effective against insects that do not come in contact with the insecticide. It is not effective against insects that are hidden in cracks and crevices.

Speede is a contact insecticide. It kills insects by direct contact with the insect's body. It is not a stomach poison. It is not effective against insects that do not come in contact with the insecticide. It is not effective against insects that are hidden in cracks and crevices.

Speede is a contact insecticide. It kills insects by direct contact with the insect's body. It is not a stomach poison. It is not effective against insects that do not come in contact with the insecticide. It is not effective against insects that are hidden in cracks and crevices.

Speede is a contact insecticide. It kills insects by direct contact with the insect's body. It is not a stomach poison. It is not effective against insects that do not come in contact with the insecticide. It is not effective against insects that are hidden in cracks and crevices.

Speede is a contact insecticide. It kills insects by direct contact with the insect's body. It is not a stomach poison. It is not effective against insects that do not come in contact with the insecticide. It is not effective against insects that are hidden in cracks and crevices.

Speede is a contact insecticide. It kills insects by direct contact with the insect's body. It is not a stomach poison. It is not effective against insects that do not come in contact with the insecticide. It is not effective against insects that are hidden in cracks and crevices.

OTHER CROPS

375

Cotton	Insects and Mites: For control of whiteflies, aphids, leafhoppers, plant bugs, spider mites and thrips. Rate: In concentrate applications use up to 2 quarts M-Pede per acre alone or in tank mix. Use between 3 to 20 gallons of water per acre. Comments: Apply this product when insects or mites first appear, or when damage first occurs. Spray to wet all infested plant surfaces. Repeat at weekly to biweekly intervals. Rotate sprays or rinse foliage to avoid more than three consecutive sprays. Use up to day of harvest.
Tobacco Hops Peanuts Wheat Coffee Alfalfa Canola Artichokes Watercress Bananas Pineapple	Insects and Mites: For control of whiteflies, aphids, scales, leafhoppers, plant bugs, spider mites and thrips on the crops listed at left. Rate: Mix 1 part product per 50 parts water or 2 1/2 oz. product per gallon water. Comments: Apply this product when insects or mites first appear, or when damage first occurs. Spray to wet all infested plant surfaces. Repeat at weekly to biweekly intervals. Rotate sprays or rinse foliage to avoid more than three consecutive sprays. Use up to day of harvest. Use includes crops grown in greenhouses and outdoors

ORNAMENTAL LANDSCAPE TREES AND SHRUBS

Insect	Rate	Comments
adelgids, psyllids, scales	1 part product per 50 parts water, or 2 1/2 oz. product per gallon of water.	Spray to wet bark surface
spider mites	1 part product per 50 parts water, or 2 1/2 oz. product per gallon of water.	Wet underside of leaves and needle sheaths
tent caterpillars	1 part product per 30 parts water, or 4 oz. product per gallon of water	Spray directly on young larvae when congregated on outside of tent
barium woolly aphid	1 part product per 30 parts water or 1 1/2 oz. product per gallon of water	Spray trees thoroughly when crawlers are abundant in early spring and/or fall. Make a second application after 10 days.
cedar woolly aphid	1 part product per 25 parts water, or 3 oz. product per gallon of water	Spray heavily in fall or spring when females begin egg laying
conifer and pine needle scale	1 part product per 40 parts water, or 3 oz. product per gallon of water	When insects first appear, spray to thoroughly wet foliage

NOTE: Do not apply to nurse chestnut, Japanese maple, or incense cedar. Do not apply to evergreens during drought or when tender new foliage is present.

BEST AVAILABLE COPY

475

FLOWERS, BEDDING AND INDOOR PLANTS

For control of adelgids, aphids, earwigs, lace bugs, leafhoppers, mealybugs, plant bugs, psyllids, scales, spider mites, thrips, and whiteflies on plants listed below

Crop	Rate	Comments
ornamentals grown outdoors or in greenhouses	1 part product per 50 parts water, or 2 1/2 oz. product per gallon of water.	Apply when insects first appear. Thoroughly wet all infested plant surfaces. Repeat weekly as needed. For earwigs, spray directly on insects after disturbing their hiding place.
indoor plants	1 part product per 50 parts water, or 2 1/2 oz. product per gallon of water.	Thoroughly wet all surfaces of infested foliage and branches. For aphids, examine plants after 2 days and spray again if needed. For other pests, spray weekly as needed. For blossom thrips on African violets, spray to contact thrips on blooms.

NOTE: Rotate sprays or rinse foliage to avoid more than 3 consecutive sprays. Do not use on bleeding heart, gardenia, jade plant, lantana or sweetpeas or Crown of Thorns. Test other euphorbia for phytotoxicity before full scale application. Test first on azaleas, begonias, camellias, fuchsias, impatiens, delicate ferns, ornamental ivies, palms or succulents. If wilting occurs within a few hours, rinse with clean water spray.

TURF

Turf	Insects: For control of mole crickets, chinch bugs, sod webworms, fleas, grubs. Rate: Mix 1 part product per 50 parts water or 2 1/2 oz. product per gallon water. Comments: Apply in a total water volume of 100 gpa. For best results, an irrigation equal to 600 gal. per 1000 sq. ft. should be applied immediately following treatment.
------	--

STORAGE AND DISPOSAL

Do not contaminate water, feed or foodstuff by storage or disposal.

Storage: Keep container tightly sealed when not in use.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse empty container. Triple rinse, then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

LIMIT OF WARRANTY AND LIABILITY

This product conforms to the description on this label and is reasonably fit for the purpose set forth on this label when used according to the label directions and under the specified label conditions. THE MANUFACTURER DISCLAIMS ANY AND ALL OTHER EXPRESS OR IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE. Buyer and all users assume all risks and responsibility for loss or damage if this product is used, stored, handled or applied under any condition not reasonably foreseeable or beyond the manufacturer's control or not as expressly set forth in this label. THE LIMIT OF THE MANUFACTURER'S LIABILITY SHALL BE THE PURCHASE PRICE FOR THE QUANTITY INVOLVED. IN NO EVENT SHALL THE MANUFACTURER BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

RELEASE COPY