

BEST AVAILABLE COPY

Red Block Outline

Same label for Powder and Granular forms.

# OXIDAN DCN

## Super-Granular

# DRY CHLORINATING COMPOUND

### For Industrial Use

For repacking or formulating as a disinfectant, sanitizer, bactericide, fungicide or algicide.

CAS No: 2893-78-9

Active Ingredient:

Sodium Dichloro-s-Triazinetrione.....96%

Inert Ingredients.....4%

Available Chlorine.....62%



ACCEPTED  
53254-2  
SEP 20 1980

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND ROENTICIDE ACT FOR ECONOMIC POISON REGISTRATION UNDER NO. .... SUBJECT TO ATTACHED COMMENTS.

Sodium dichloro-s-triazinetrione  
UN 2465

KEEP OUT OF REACH OF CHILDREN  
DANGER!

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND FIRST AID INFORMATION

EPA Est. 33642-IT-01

EPA Reg. No. 53254-2

## NET WT. 220 LBS. (100 kg.)

Distributed By  
J-V CHEMICAL CORPORATION  
Charlotte, North Carolina 28226

Black Block Outline

All words, etc., to be set in 6-point type or larger

**PRECAUTIONS**

**HAZARD TO MAN**  
DANGER:  
burns on contact  
Do not get  
face, hair  
and thro  
with and  
clothing

**ENVIRONMENTAL**  
This prod  
contains  
chlorine  
oxidizer  
previous  
guidance  
be kno.

**PHYSICAL AND CHEMICAL**  
Stable in  
solid form  
contains  
a violent  
oxidizer  
Hazardous  
to 410°F  
Conc'n  
may start  
of hazard  
in case o  
will react  
in case o

**FIRST AID**  
If on skin  
wash with  
water.  
If in eyes  
use water  
If possible  
remove of  
large eye  
damage get  
If inhaled

**DIRECTIONS FOR USE**  
It is a v  
name in  
For indus  
a dilute  
Repackag  
number co

**STORAGE AND DISPOSAL**  
Do not al  
Disposal  
or disposal  
of excess  
of Federal  
use accord  
or physical  
representa  
Container  
etc. and  
applicatio  
Identify a  
operation  
of in the

Red Block Outline

Use label for Powder and Granular forms.

# OXIDAN DCN

## Super-Granular DRY CHLORINATING COMPOUND

For Industrial Use

For repacking or formulating as a disinfectant, sanitizer, bactericide, fungicide or algicide.

CAS No: 2893-78-9

Active Ingredient:

Sodium Dichloro-s-Triazinetrione.....96%

Inert Ingredients.....4%

Available Chlorine.....62%

KEEP OUT OF REACH OF CHILDREN  
**DANGER!**


SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND FIRST AID INFORMATION

EPA Est. 33642-IT-01

EPA Reg. No. 53254-2

### NET WT. 220 LBS. (100 kg.)

Distributed By  
3V CHEMICAL CORPORATION  
Charlotte, North Carolina 28226



ACCEPTED  
53254-2  
SEP 20 1980  
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTRATION UNDER NO. .... SUBJECT TO ATTACHED COMMENTS.

Sodium dichloro-s-triazinetrione  
UN 2465

Black Block Outline

All words, etc., to be set in 6-point type or larger

#### PRECAUTIONARY STATEMENTS

##### HAZARD TO HUMANS AND DOMESTIC ANIMALS

Danger: Highly corrosive. Causes irreversible damage to skin. May be fatal if swallowed. Will evolution of chlorine and equally toxic gases. Do not get in eyes, on skin or on clothing. Wash face, throat and rubber gloves when handling. Irritate and throat. Avoid breathing dust or fumes. Wash with soap and water after handling. Remove and clothing before reuse.

##### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge containing this product into lakes, streams, ponds, oceans, or public waters unless this product is identified and addressed in an NPDES permit. Do not use containing this product to sewer systems previously receiving the sewer treatment plant. For guidance contact your State Water Board or Regional EPA.

##### PHYSICAL AND CHEMICAL HAZARDS

Strong Oxidizing agent. Mix only with water. Do not mix with any other product. Such a violent reaction leading to a fire or explosion will occur with the evolution of chlorine and oxygen gases. Contact with water slowly liberates irritating hazardous chlorine containing gases. Decomposes to HCl with liberation of harmful gases. Combustion with moisture, organic matter, or may start a chemical reaction with generation of hazardous gases, and possible generation of HCl. In Case of FIRE: If possible isolate container well ventilated area. Flood with large volume of water. In Case of Contamination or Decomposition, do not...

##### FIRST AID (PRACTICAL TREATMENT)

If on skin, immediately brush off excess chemical with cold water for at least 15 minutes. If in eyes, get medical attention. If in eyes, flush with cold water for at least 15 minutes. Get medical attention. If swallowed, promptly drink a large quantity of water, gelatin solution, or if these are not available, large quantities of water. Note to physician: Damage may contraindicate the use of gastric lavage. If inhaled, remove person to fresh air. Call a...

##### DIRECTION FOR USE

It is a violation of Federal law to use this product inconsistent with its labeling. For Industrial Use Only. For repacking or formulating as a disinfectant, sanitizer, bactericide, fungicide, algicide or formulators must obtain their own number to legally market this product for these uses.

##### STORAGE AND DISPOSAL

Storage: Keep container tightly closed. Store in a cool, dry place. Do not allow water to get into container. Disposal: Do not contaminate water, food, or feed with spray or dust. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of according to label instructions, contact your State or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office. Container Disposal: Completely empty liner by rinsing and bottom to loose clinging particles. Use application equipment. Then dispose of liner in a landfill or by incineration if allowed by State authorities. If drum is contaminated and cannot be reused in the same manner.

BEST AVAILABLE COPY