

OXIDAN DCN/W

Super-Granular

DRY CHLORINATING COMPOUND

For Industrial Use

For repacking or formulating as a disinfectant,
sanitizer, bactericide, fungicide or algicide.

CAS No: 2893-78-9

Active Ingredient:

Sodium Dichloro-s-Triazinetrione Dihydrate 99%

Inert Ingredients 1%

Available Chlorine 55%

KEEP OUT OF REACH OF CHILDREN
DANGER!
SEE PRECAUTIONARY STATEMENT AND
FIRST AID INFORMATION ON SIDE PANEL

EPA Est. 33642-IT-01

EPA Reg. No. 53254-3,

NET WT. 220 LBS. (100 kg.)

Distributed By
3-V CHEMICAL CORPORATION
Charlotte, North Carolina 28210

Manufacturer
SIGMA Italiana Prodotti Chimici S.p.A.
24100 Bergamo, Italy

ACCEPTED

JAN 13 1986

53254-3

UNDER THE FEDERAL DISPOSITION
NATIONWIDE AND FOREIGN IN ALL
FOR ECOSYSTEM FOR OR REGISTRATION
IN THE U.S.A.

PRECAUTIONARY STATEMENTS

Hazard To Humans and Domestic Animals. Danger: Highly Corrosive. Causes Irreversible Eye Damage and Burns to Skin. May Be Fatal If Swallowed. Will Burn With the Evolution of Chlorine and Equally Toxic Gases.

Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust or fumes. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the Regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS

Strong Oxidizing Agent: Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to a fire or explosion.

Will burn with the evolution of chlorine and equally toxic gases. Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at 460°F to 480°F with liberation of harmful gases.

Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion.

In Case of Fire, if possible isolate container in open air or well ventilated area. Flood with large volume of water.

In Case of Contamination or Decomposition, do not reseal container.

FIRST AID (PRACTICAL TREATMENT)

If on Skin, immediately brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in Eyes, flush with cold water for at least 15 minutes. Get medical attention.

If Swallowed, promptly drink a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage.

If Inhaled, remove person to fresh air. Call a physician.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Industrial Use Only. For repacking or formulating as a disinfectant, sanitizer, bactericide, fungicide or algicide. Repackagers or formulators must obtain their own EPA Registration Number to legally market this product for these uses.

STORAGE AND DISPOSAL

Storage: Keep container tightly closed. Store in a dry place. Do not allow water to get into container.

Disposal: Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If in doubt regarding disposal, contact the State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

Container Disposal: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. Rinse empty container with water, and dispose of in the same manner.