

OXIDAN DCN/W

Super-Granular

DRY CHLORINATING COMPOUND

Same label for
Powder and Granular
forms.

For Industrial Use

For repacking or formulating as a disinfectant,
sanitizer, bactericide, fungicide or algicide.

CAS No: 51580-86-0

Active Ingredient:

Sodium Dichloro-s-Triazinetrione Dihydrate . . . 99%
Inert Ingredients 1%
Available Chlorine 55%

KEEP OUT OF REACH OF CHILDREN

DANGER!

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY
STATEMENTS AND FIRST AID INFORMATION

EPA Est. 33642-IT-01

EPA Reg. No. 53254-3

NET WT. 297.6 LBS. (135 kg)

Distributed by
3-V CHEMICAL CORPORATION
Charlotte, North Carolina 28226

Blue on White Background

ACCEPTED

53254-3

SEP 20 1989

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. SUBJECT
TO ATTACHED COMMENTS.

All words, etc., to be set in 6-point type
or larger.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Danger: Highly corrosive. Causes irreversible eye damage, burns to skin. May be fatal if swallowed. Will burn on evolution of chlorine and equally toxic gases. Do not get in eyes, on skin or on clothing. Wear goggles, face shield and rubber gloves when handling. Irritation of nose and throat. Avoid breathing dust or fumes. Wash thoroughly with soap and water after handling. Remove and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewer treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Strong Oxidizing Agent: Mix only with water. Use clean utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to a fire or explosion. Will burn with the evolution of chlorine and equally toxic gases. Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at 460°C to 470°F with liberation of harmful gases. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of fire, if possible isolate container in open well ventilated area. Flood with large volume of water. In case of contamination or decomposition, do not reuse.

FIRST AID (PRACTICAL TREATMENT)

If on skin, immediately brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.
If in eyes, flush with cold water for at least 15 minutes. Get medical attention.
If swallowed, promptly drink a large quantity of milk, water, unites, gelatin solution, or if these are not available, large quantities of water. Note to physicians: Probable damage may contraindicate the use of gastric lavage.
If inhaled, remove person to fresh air. Call a physician.

DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
For Industrial Use Only. For repacking or formulating as a disinfectant, sanitizer, bactericide, fungicide or algicide. Repackers or formulators must obtain their own EPA Reg. Number to legally market this product for these uses.

STORAGE AND DISPOSAL

Storage: Keep container tightly closed. Store in a dry place. Do not allow water to get into container.
Disposal: Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of in accordance with label instructions, contact your State or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
Container Disposal: Completely empty liner by shaking sides and bottom to loosen clinging particles. Empty reapplication equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.