

OXIDAN DCN/W CO-BLEND

POWDER DRY CHLORINATING COMPOUND

For Industrial Use

For repacking or formulating as a disinfectant, sanitizer, bactericide, fungicide or algicide.

CAS No: 51580-86-0/7757-82-6

Active Ingredient:

Sodium Dichloro-s-Triazinetrione Dihydrate 40%

Inert Ingredients 60%

Available Chlorine 22%

**KEEP OUT OF REACH OF CHILDREN
DANGER!**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND FIRST AID INFORMATION

EPA Est. 7124-NJ-1

EPA Reg. No. 53254-4

NET WT. 2200/3500 LBS.

Manufactured By
3-V CHEMICAL CORPORATION
Charlotte, North Carolina 28226

Blue or Black On White
Background

**ACCEPTED
53254-4
SEP 20 1989**

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. _____ SUBJECT TO ATTACHED COMMENTS.

All words, etc., to be set in 6-point type or larger.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Danger: Highly corrosive. Causes irreversible burns to skin. May be fatal if swallowed. Evolution of chlorine and equally toxic gases. Do not get in eyes, on skin or on clothing. Use face shield and rubber gloves when handling. Avoid breathing dust or fumes. Wash with soap and water after handling. Remove a clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge this product into lakes, streams, oceans, or public waters unless this product is identified and addressed in an NPDES permit. Effluent containing this product to sewer plant previously notifying the sewer treatment plant. In case of fire, if possible isolate container well ventilated area. Flood with large volume of water. In case of contamination or decomposition, do not reuse.

PHYSICAL AND CHEMICAL HAZARDS

Strong Oxidizing Agent: Mix only with water. Do not add this product to any other product. Such a violent reaction leading to a fire or explosion will occur with the evolution of chlorine and oxygen gases. Contact with water slowly liberates a hazardous chlorine containing gas. Decompose to 430°F with liberation of harmful gases. Contamination with moisture, organic matter, or other materials may start a chemical reaction with generation of hazardous gases, and possible generation of fire. In case of fire, if possible isolate container well ventilated area. Flood with large volume of water. In case of contamination or decomposition, do not reuse.

FIRST AID (PRACTICAL TREATMENT)

If on Skin, immediately brush off excess chemical with cold water for at least 15 minutes. If persists, get medical attention. If in Eyes, flush with cold water for at least 15 minutes. Get medical attention. If Swallowed, promptly drink a large quantity of water, gelatin solution, or if these are not available, large quantities of water. Note to physician: damage may contraindicate the use of gastric lavage. If inhaled, remove person to fresh air. Call a physician.

DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For Industrial Use Only. For repacking or formulating as a disinfectant, sanitizer, bactericide, fungicide, or algicide. Repackers or formulators must obtain their own EPA number to legally market this product for these uses.

STORAGE AND DISPOSAL

Storage: Keep container tightly closed. Store in a cool, dry place. Do not allow water to get into container. Disposal: Do not contaminate water, food, or feed with pesticide wastes. Pesticide wastes are toxic. In case of excess pesticide, spray mixture; or rinseate of Federal Law. If these wastes cannot be disposed of according to label instructions, contact your State or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office. Container Disposal: Completely empty liner by sides and bottom to loosen clinging particles. Application equipment. Then return equipment properly sealed to 3-V Chemical Corporation.