	EPA REGISTRATION NO.	DATE OF SSUANCE
US ENVIHONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767)	53254-9 TERM OF ISSUANCE	JUN 3 0 1995
WASHINGTON, DC 20460	Conditional	
NOTICE UF PESTICIDE: REGISTRATION	NAME OF PESTICIDE PRODUCT	
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	Oxidan TCA Stick	:s
NAME AND ADDRESS OF REGISTRANT (Include ZIP cade)		
г	٦	
3V Inc.		
P.O. Box Drawer Y		
Georgetown, SC 29442		
L	٦	
NOTE: Changes in labeling formula differing in substance for submitted to and accepted by the Registration Division prior product always refer to the above U.S. EPA registration number of the basis of information furnished by the registrant, the	to use of the label in commerce, ber.	In any correspondence on this
the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Re	gistration/Reregistration is return	ned herewith.
Registration is in no way to be construed as an indorsement health and the environment, the Administrator, on his motio icide in accordance with the Act. The acceptance of any na Act is not to be construed as giving the registrant a right to by others.	n, may at any time suspend or car me in connection with the registr	nce) the registration of a pest- ation of a product under this
This product is conditional? FIFRA section 3(c)(7)(A) provided		ccordance with
1. Submit and/or cite all reregistration of your product un section 4 when the Agency require product to submit such data.	nder FIFRA section	3(c)(5) and
Make the labeling changerelease the product for shipment		efore you
a. Add the phrase "EPA Re	gistration No. 532	54-9".
b. Place the signal word "DANGER" immediately below "Keep Out of the Reach of Children".		
c. Under the "First Aid (Practical Treatment)" statement delete "If on Skin" and replace it with "If Swallowed".		

d. Delete the word "General" under the "Storage and Disposal" statement.

e. Place immediately after the "Precautionary Statement" the phrase "Hazards to Humans and Domestic Animals".

ATTACHMENT IS APPLICABLE	
SIGNATURE OF APPROVING OFFICIAL	O A T F

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(a). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Ruth Douglas

Product Manager (32)

Antimicrobial Program Branch Registration Division (7505C)



TRICHLOROISOCYANURIC ACID, DRY

UN 2468

DANGER: KEEP OUT OF REACH OF CHILDREN.

See precautionary statement and first aid on back panel

Active Ingredient	* * * * * * * * * * * * * * * * * * *
Trichloro-s-triazinetrione99.0%	4 6
Inert Ingredients 1.0%	(8 oz. èach)
Available Chlorine 90%	NET WT. 5 Lbs

Manufactured By: 3V, Inc. P.O. Drawer Y Georgetown, SC 29442

BACK PANEL

FIRST AID (PRACTICAL TREATMENT).

IF ON SKIN: Drink promptly large quantities of water. Do not induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call physician or poison control center immediately.

IP IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get medical attention. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS.

CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS. This product is toxic to fish and other aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS. Strong oxidizing agent. Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product since this may cause a violent reaction leading to fire or explosion. Will burn with the evolution of chlorine and equally toxic gases. Contact with water, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation or irritating hazardous gases, and possible generation of

OXIDAN TCA STICKS fire and explosion. Decomposes at 460° F to 480° F with liberation of harmful gases.

> In case of fire, if possible, isolate container in open, well ventilated area. Flood with large volumes of water. In case of contamination or decomposition. do not reseal container.

> DIRECTION FOR USE, It is in violation of Federal law to use this product in a manner inconsistent with its labeling.

For Swimming Pools. For best results follow these guidelines:

- 1) Froper conditioning of pool water is necessary to insure maximum effectiveness of this product. Previously unconditioned pools should be treated with a chlorine stabilizer. A range of 30 - 40 ppm of conditioner is the recommended range to maintain at all times to insure maximum chlorine effectiveness.
- 2) Adjust pool water pH to 7.2 7.8 as indicated on a suitable test kit. Adjust as needed with pH up and/or down to maintain this range.
- 3) Maintenance Dose For every 10,000 gallons of water, put one Oxidan TCA Stick in an automatic chlorinator or other suitable feeder every 7 - 10 days. Maintain a chlorine residual in the 1.0 - 1.5 ppm range at all times. Check the pool water frequently with a test kit to insure this range is maintained and add tablets as needed.
- 4) Due to extremely hot weather, adverse weather conditions and or heavy bathing loads, additional dosages may be required to maintain the 1.0 - 1.5 ppm chlorine residual. This can be achieved by adding additional Oxidan TCA Sticks as needed to maintain the desired level. Test the pool water frequently to insure the proper level is maintained. Should immediate chlorine dosage be required, see direction on superchlorinating product and apply as needed to maintain the desired 1.0 - 1.5 ppm chlorine residual.

Reentry into treated swimming pools/spas is prohibited above levels of 3 PPM of chloring

STORAGE AND DISPOSA).. Keep product in tightly closed original container when not in use. Store in a cool, dry, well ventilated area away from heat, open flames and organic chemicals. DO NOT REUSE EMPTY CONTAINER. Rinse crapty container thoroughly with water and discard in trash. GENERAL. EPA Reg. 53254-

EPA Est. 33642-IT-01