US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460

NOTICE	ΩE	PESTICINE.	REGISTRATION REFEGISTRATION
			REREGISTRATION

(Under the Federal Insecticide, Fundicide, and Rodenticide Act, as amended)

EPA REGISTRATION NO.	DATE OF ISSUANCE	
53254-10	JUN 20 1995	
TERM OF ISSUANCE		
Conditional	·	
NAME OF PESTICIDE PRODUCT		

Oxidan TCA Granular Shock Treatment

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

3V Inc. Penny Royal Road Georgetown, SC 29442

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named posticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA section 3(c)(5) and section 4 when the Agency requires all registrants of similar product to submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 53254-10".
 - b. Place the signal word "DANGER" immediately below "Keep Out of the Reach of Children".
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e) Your release for shipment of the product constitutes acceptance of these conditions.

ATTACHMENT IS APPLICABLE	
SIGNATURE OF APPROVING OFFICIAL	DATE
•	

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Ruth Douglas

Product Manager (32) Antimicrobial Program Branch Registration Division (7505C)

ı j

FRONT PANEL





TRICHLOROISOCYANURIC ACID, DRY

UN 2468

DANGER: KEEP OUT OF REACH OF CHILDREN.

See precautionary statement and first aid on back panel

Active Ingredient			
Trichloro-s-triazinetrione	••••••	99.0%	
Inert Ingredients	******************************	1.0%	•
Available Chlorine		NICT WE	•

Manufactured By:

3V, Inc.

P.O. Drawer Y

Georgetown, SC 29442

4 9 4

OXIDAN SHOCK TREATMENT

FIRST AID (PRACTICAL TREATMENT).

IF SWALLOWED: Drink promptly large quantities of water. Do not induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. IF IN EYES, Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN, Wash with plenty of soap and water. Get medical attention.

IF INHALED, remove victim to fresh air. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS.

CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacce. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS. This product is toxic to fish and other aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS. Strong oxidizing agent. Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product since this may cause a violent reaction leading to fire or explosion. Will burn with the evolution of chlorine and equally toxic gases. Contact with water, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation or irritating hazardous gases, and possible generation of fire and explosion. Decomposes at 460 F to 480 F with liberation of harmful gases.

In case of fire, if possible, isolate container in open, well ventilated area. Flood with large voluntes of water. In case of contamination or decomposition, do not reseal container.

DIRECTION FOR USE. It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FOR SWIMMING POOLS

- 1. Turn off pump before application.
- 2. Brush algae spots with a steel brush before adding Oxidan Shock Treatment.
- Sprinkle Oxidan Shock Treatment directly over the pool walls and floor on which algae appears. Use approximately 1 pound per 10,000 gallons of pool water. For severe cases the dosage may be doubled.
- Filter pump can be turned on after Oxidan Shock Treatment has been in the pool for at least 8 hours.
- 5. Brush pool again with stainless steel brush.
- Do not use pool until chlorine residual falls below 3 PPM.

SUPER CHLORINATE

- Check residual chlorine with a reliable test kit. If below 1.0 PPM broadcast over the deepest end of the pool 4 oz. of Oxidan Shock Treatment for every 12,000 gallons of water. Repeat application until a 1.0-1.5 PPM residual chlorine is obtained.
- 2. In extremely hot weather or heavy swimming use, a shock dosage of chlorine may be obtained by broadcasting Oxidan Shock Treatment directly into pool water. 1 oz. of Oxidan Shock Treatment for each 6,000 gallons of pool water will provide 1.1 PPM of chlorine. Levels may vary based on individual swimming pool conditions.
- 3. Be sure to measure pH immediately after application and at least once each week with a reliable pool test kit. The pH should be between 7.2-7.6. Adjust as needed. Follow instructions for use on labels of these products.

HOW TO CALCULATE POOL CAPACITY SHAPE OF POOL.....GAL.OF WATER (Dimensions in fc.)

Rectangular...Average depth X average length X average width X 7.5

Circular......Diameter X diameter X average depth X 5.9

Oval with scraight sides Full width X full length X average depth X 6.7

Irregular.......Consult pool builder

Reentry into treated swimming pools/spas is prohibited above levels of 3 PPM of chlorine.

STORAGE AND DISPOSAL. Keep product in rightly closed original container when not in issent tore in a cool, dry, well-generated area away from heat, open flames and organic Generated NOT REUSE EMPTY CONTRACTOR Bittedempty container thoroughly with water need discard in trash.

JUN 20 1995

Under the Pederal Insecticide, Fungicide, and Rodenticide Act as amended the the resticide epister and the Peger No.

53254-10

4